DATABASE MANAGEMENT SYSTEM

ASSIGNMENT 7

SAMPLE DATA INSERTION

Hotel Management System

Particular Details	**Information**
Student Name	A Praisy Emberline
Programme	BCA – Artificial Intelligence & Machine Learning
Subject	Database Management System
University	Alliance University
Academic Year	2nd Year

Introduction

Sample data insertion is an important step in testing a database. The INSERT INTO command adds records to tables. This assignment inserts illustrative records into the eight tables of the Hotel Management System while respecting the relationships defined in the schema.


1. Selecting the Database

```
USE Hotel_Management_DB;
```

This command selects the database into which the sample records will be inserted.

2. Inserting Data into Room_Type


```
INSERT INTO Room_Type
(room_type_id, type_name, price_per_night, description)
VALUES
(1, 'Standard', 2500.00, 'Standard room'),
(2, 'Deluxe', 4000.00, 'Deluxe room with extra space'),
(3, 'Suite', 6500.00, 'Premium suite');
```



Three room types are inserted with different nightly prices.

3. Inserting Data into Guest


INSERT INTO Guest
(guest_id, guest_name, email, phone, address)
VALUES
(101, 'Akil', 'akil@example.com', '9876543210', 'Bengaluru'),
(102, 'Rahul', 'rahul@example.com', '9876543211', 'Hosur'),
(103, 'Priya', 'priya@example.com', '9876543212', 'Chennai');



Three guest records are inserted with unique identifiers and distinct email addresses.

4. Inserting Data into Room


INSERT INTO Room
(room_id, room_number, floor_number, room_status, room_type_id)
VALUES
(201, '101', 1, 'Available', 1),
(202, '205', 2, 'Occupied', 2),
(203, '301', 3, 'Available', 3);



Each room references an existing room type.

5. Inserting Data into Staff


INSERT INTO Staff
(staff_id, staff_name, role, phone, department)
VALUES
(301, 'Ravi', 'Manager', '9000011111', 'Administration'),
(302, 'Anita', 'Receptionist', '9000011112', 'Front Office'),
(303, 'Kiran', 'Housekeeper', '9000011113', 'Housekeeping');



Three staff members are added. Staff is independent in the reference schema.

6. Inserting Data into Reservation


INSERT INTO Reservation
(reservation_id, guest_id, room_id, check_in_date, check_out_date, reservation_status)
VALUES
(1001, 101, 202, '2026-08-25', '2026-08-27', 'Checked-in'),
(1002, 102, 201, '2026-08-28', '2026-08-30', 'Confirmed'),
(1003, 103, 203, '2026-08-29', '2026-09-01', 'Confirmed');



Each reservation refers to an existing guest and room. These dates follow the supplied reference sample.

7. Inserting Data into Service


INSERT INTO Service
(service_id, service_name, service_price, description)
VALUES
(401, 'Room Service', 500.00, 'Food delivered to the room'),
(402, 'Laundry', 300.00, 'Laundry service'),
(403, 'Airport Pickup', 1200.00, 'Pickup from the airport');



Three hotel services are inserted.

8. Inserting Data into Payment


INSERT INTO Payment
(payment_id, reservation_id, payment_date, amount, payment_method, payment_status)
VALUES
(501, 1001, '2026-08-25', 9000.00, 'UPI', 'Paid'),
(502, 1002, '2026-08-28', 5000.00, 'Card', 'Paid'),
(503, 1003, '2026-08-29', 13000.00, 'Cash', 'Pending');



Each payment references an existing reservation. The amounts and statuses match the sample data in the reference document.

9. Inserting Data into Service_Usage


```
INSERT INTO Service_Usage
(usage_id, reservation_id, service_id, usage_date, quantity)
VALUES
(601, 1001, 401, '2026-08-26', 1),
(602, 1001, 402, '2026-08-26', 2),
(603, 1003, 403, '2026-08-30', 1);
```




The supplied reference describes the Service_Usage table but does not provide sample rows for it. These three illustrative records are added so that all eight tables can be tested.

10. Verifying the Inserted Records

```
SELECT * FROM Guest;
SELECT * FROM Room_Type;
SELECT * FROM Room;
SELECT * FROM Staff;
SELECT * FROM Reservation;
SELECT * FROM Service;
SELECT * FROM Payment;
SELECT * FROM Service_Usage;
```


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Query 1
Limit to 1000 rows
1 SELECT * FROM Guest;
guest_id guest_name email phone address
101 Akil akil@example.com 9876543210 Bengaluru
102 Rahul rahul@example.com 9876543211 Hosur
103 Priya priya@example.com 9876543212 Chennai
Result 1
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 10:56:18 SELECT * FROM Guest; 3 row(s) returned 0.0036 sec / 0.000099 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Query 1
Limit to 1000 rows
1 SELECT * FROM Room_Type;
room_type_id type_name price_per_night description
1 Standard 2500.00 Standard room
2 Deluxe 4000.00 Deluxe room with extra space
3 Suite 6500.00 Premium suite
Result 1
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 10:56:23 SELECT * FROM Room_Type; 3 row(s) returned 0.0276 sec / 0.000097 sec

MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT
- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE
- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE
- Dashboard
- Performance Reports

Query 1 ×

Limit to 1000 rows ▾

```
1  SELECT * FROM Room;
```

room_id	room_number	floor_number	room_status	room_type_id
201	101	1	Available	1
202	205	2	Occupied	2
203	301	3	Available	3

Result 1 Read Only

Output Action Output ▾

#	Time	Action	Message	Duration / Fetch
✔ 1	10:56:32	SELECT * FROM Room;	3 row(s) returned	0.0193 sec / 0.000059 sec

MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT
- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE
- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE
- Dashboard
- Performance Reports

Query 1 ×

Limit to 1000 rows ▾


```
1  SELECT * FROM Staff;
```


staff_id	staff_name	role	phone	department
301	Ravi	Manager	9000011111	Administration
302	Anita	Receptionist	9000011112	Front Office
303	Kiran	Housekeeper	9000011113	Housekeeping


Result 1 Read Only


Output Action Output ▾

#	Time	Action	Message	Duration / Fetch
✔ 1	10:56:40	SELECT * FROM Staff;	3 row(s) returned	0.0153 sec / 0.000069 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Query 1
Limit to 1000 rows
1 SELECT * FROM Reservation;
reservation_id guest_id room_id check_in_date check_out_date reservation_status
1001 101 202 2026-08-25 2026-08-27 Checked-in
1002 102 201 2026-08-28 2026-08-30 Confirmed
1003 103 203 2026-08-29 2026-09-01 Confirmed
Result 1
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 10:56:45 SELECT * FROM Reservation; 3 row(s) returned 0.0080 sec / 0.000024 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Query 1
Limit to 1000 rows
1 SELECT * FROM Service;
service_id service_name service_price description
401 Room Service 500.00 Food delivered to the room
402 Laundry 300.00 Laundry service
403 Airport Pickup 1200.00 Pickup from the airport
Result 1
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 10:56:51 SELECT * FROM Service; 3 row(s) returned 0.0035 sec / 0.000046 sec





Each SELECT statement displays the records in the named table.

11. Checking Record Counts

```
SELECT COUNT(*) AS Total_Guests FROM Guest;
SELECT COUNT(*) AS Total_Room_Types FROM Room_Type;
SELECT COUNT(*) AS Total_Rooms FROM Room;
SELECT COUNT(*) AS Total_Staff FROM Staff;
SELECT COUNT(*) AS Total_Reservations FROM Reservation;
SELECT COUNT(*) AS Total_Services FROM Service;
SELECT COUNT(*) AS Total_Payments FROM Payment;
SELECT COUNT(*) AS Total_Service_Usage FROM Service_Usage;
```




Table	Expected Records
Guest	3
Room_Type	3
Room	3
Staff	3
Reservation	3
Service	3
Payment	3
Service_Usage	3

Conclusion

Sample records were prepared for all eight tables of the Hotel Management System. The data illustrates guests, room categories, rooms, staff, reservations, services, payments, and service usage. Foreign-key values refer to existing records, so the sample data can be used to test joins, filters, aggregate functions, and other database operations.