Summary

Summary of your recent exam

| Result: Pass Marks: 21/40 Percentage: 52.50 % | Questions: 40 Correct Answers: 21 Attempted: 40 |
|---|---|
| 1. Grant and revoke are | statements. |
| 2. Using which language can | a user request information from a database? |
| 3. Drop Table cannot be used | to drop a table referenced by a constraint. |
| 4specifies a search | condition for a group or an aggregate. |
| 5. Which of the following st | atement is true? |
| 6. Which is the component of | E-R Model? |
| 7. Is a preferred method for | enforcing data integrity |
| 8. A is used to de | fine overall design of the database |
| 9. SQL Server static cursors | are always |
| 10 is the process | of organizing data into related tables. |
| 11 keyword is us | ed to find the number of values in a column. |
| 12. Which of the following s | tatement cannot support triggers? |
| 13. DBMS helps to achieve | |
| 14. Which of the following a | re the five built-in functions provided by SQL? |

| 15is a special type of integrity constraint that relates two relations & maintains consistency across t relations. | he |
|---|----|
| 16. find all emps whose name contains A twice. | |
| 17. Aggregate functions can be used in the select list or theclause of a select statement or subquery. The cannot be used in a clause. | у |
| 18. To create a database only if it doesn't already exist, which clause is used? | |
| 19. Which of the following group function ignore NULL values? | |
| 20. What does a fully qualified table name consist of? | |
| 21. point out the correct statement. | |
| 22 is used to build the code dyanamically and execute it. | |
| 23. The SQL statement that queries or reads data from a table is | |
| 24. A index is created based on only one table column. | |
| 25. What is true about index? | |
| 26. Which operator is used to compare a value to a specified list of values? | |
| 27. A view is actually a? | |
| 28. What is true about view? | |
| 29. In order to undo the work of transaction after last commit which one should be used ? | |
| 30. A represents the number of entities to which another entity can be associated | |
| 31. Which of the following statement(s) is TRUE regarding subqueries? | |

| 32. Which of the following statements are TRUE regarding subqueries? |
|---|
| |
| |
| |
| |
| 33. Which join refers to join records from the write table that have no matching key in the left table are include in |
| the result set: |
| |
| |
| |
| |
| 34. A is a property of the entire relation, rather than of the individual tuples in which each tuple is unique |
| |
| |
| |
| |
| 35. Which of the following statements is NOT true for views in SQL? |
| |
| |
| |
| |
| 36. Which of the following ways below are the correct way to get the current date? |
| |
| |
| |
| |
| 37. Purpose of DDL Trigger is to : |
| 57. This post of but 11155ct 13 to . |
| |
| |
| |
| 38. Which of the following are the properties of entities? |
| 50. WHICH OF the FOLLOWING are the properties of cheretes. |
| |
| |
| |
| 39 is a full form of SQL. |
| 55 15 a 1011 10111 01 3QL. |
| |
| |
| |
| 40 Which of the following statement is connect regarding the difference between TRINCATE DELETE and DROD command) |
| 40. Which of the following statement is correct regarding the difference between TRUNCATE, DELETE and DROP command? |
| |
| I. DELETE operation can be rolled back but TRUNCATE and DROP operations cannot be rolled back. |
| The second can be retreated and the second and second control to retreat buck. |
| |
| II. TRUNCATE and DROP operations can be rolled back but DELETE operations cannot be rolled back. |
| |
| |
| III. DELETE is an example of DML, but TRUNCATE and DROP are examples of DDL. |
| |
| TV. 433 |
| IV. All are an example of DDL. |
| |
| |
| |
| |