

Cucumber Report



| Feature | | | | nario | | Step | | | | |
|---------------------------|--------------|---|---|-------|---|------|---|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Test Cogmento Application | 3 m 50.202 s | 3 | 0 | 3 | 0 | 11 | 1 | 2 | 8 | |


| Tag | Scenario | | | | | Feature | | | | | | |
|------------------|----------|---|---|---|---|---------|---|---|--|--|--|--|
| Name | T | P | F | S | T | P | F | S | | | | |
| @LoginPage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | | | |
| @EndToEndTesting | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 | | | | |
| @HomePage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | | | |
| @ContactPage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | | | |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|---------------------------|---|---|---|---|--------------|
| 1 | Test Cogmento Application | 3 | 0 | 3 | 0 | 3 m 50.202 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------|--------------------------|---|---|---|---|--------------|
| 1 | Test Cogmento Application | Test Cogmento Login page | 2 | 0 | 1 | 1 | 1 m 43.137 s |
| 2 | Test Cogmento Application | Test Cogmento Home Page | 3 | 1 | 0 | 2 | 1 m 13.719 s |
| 3 | Test Cogmento Application | Test Contacts Page | 6 | 0 | 1 | 5 | 53.333 s |

DETAILED SECTION -- 6 --

Test Cogmento Application

| FAILED | DURATION - 3 m 50.202 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|------------|------------|--------|
| | | Total - 3 | | Total - 11 | |
| / 8:02:27.462 PM | 1 // 8:06:17.664 PM / | Pass - 0 | 3 | Pass - 1 | 11 |
| | | Fail - 3 | L " | Fail - 2 | 🖊 '' 🥭 |
| | | Skip - 0 | | Skip - 8 | |
| | | | | | |

Test Cogmento Login page




| # | Step / Hook Details | | Duration | | |
|---|--|--------|--------------|--|--|
| 1 | Given User on Cogmneto Login Page | FAILED | 1 m 13.087 s | | |
| | org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: -0.153 (Session info: chrome=116.0.5845.110) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bcb34405af725f28965ee9e24e309c1, get {url=https://ui.cogmento.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.110, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\Hp\AppData\Loca\Hr}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57617}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57617/devtoo, se:cdpVersion: 116.0.5845.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bcb34405af725f28965ee9e24e309c1 at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | | | |

DETAILED SECTION --- 7 -

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at BaseLayer.BaseClass.initialization(BaseClass.java:32) at StepDefinition.LoginPageSteps.user_on_cogmneto_login_page(LoginPageSteps.java:17) at ?.User on Cogmneto Login Page(file:///C:/Users/Hp/eclipse-workspace/CogmentoAppNew/CogmentoAppNew/AllFeatureFiles/Cogmento.feature:6) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario) | FAILED | 30.026 s |
| | org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 30.000 (Session info: chrome=116.0.5845.110) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bcb34405af725f28965ee9e24e309c1, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.110, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\Hp\AppData\Loca\\T\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57617}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57617/devtoo, se:cdpVersion: 116.0.5845.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bcb34405af725f28965ee9e24e309c1 at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) | | 00.020 3 |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java.591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java.595) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) | | |
| | at StepDefinition.LoginPageSteps.tearDowm(LoginPageSteps.java:30) | | |
| 2 | When User Enter Username and Password and Click on Login | SKIPPED | 0.000 s |

Test Cogmento Home Page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|-------------|
| 1 | When User is on homepage and validates home page title | PASSED | 12.434 s |
| | AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario) | FAILED | 1 m 1.285 s |
| | org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=116.0.5845.110) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bcb34405af725f28965ee9e24e309c1, screenshot {}] Capabilities (acceptlnsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.110, chrome: (chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\Hp\AppData\Loca\RT\}, fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:57617), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57617/devtoo, se:cdp\Version: 116.0.5845.110, set\VindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: Obcb34405af725f28965ee9e24e309c1 at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.evac.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.evac.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteW | | |
| | at StepDefinition.LoginPageSteps.tearDowm(LoginPageSteps.java:34) | | |
| 2 | And validate home page url | SKIPPED | 0.000 s |
| 3 | And Validate home page logo | SKIPPED | 0.000 s |

DETAILED SECTION -- 9 --

Test Contacts Page

| FAILED DURATION - 53.333 s | 30 | 15 | | - | | | | | - | - ;- | Steps | | | |
|--------------------------------------|----|----|---|----------|---|--------------|--------|-------|-------|----------|--------------|--|---|--|
| / 8:05:24.331 PM // 8:06:17.664 PM / | | | | ı | | L | l L | į. | L | į. | Total - 6 | | | |
| 7 0.05.24.331 FW // 0.00.17.004 FW/ | 20 | | - | | | | 7 | | - | | Pass - 0 | | _ | |
| Test Cogmento Application | 10 | | | - | - | <u>-</u> | | ļ | - | | Fail - 1 | | 6 | |
| | | | | ı | | | | | | i | Skip - 5 | | | |
| @EndToEndTesting @ContactPage | 0 | 1= | | 1 | | 2 | 3 | 4 | 5 | é | | | | |
| | | | | <u> </u> | | | | _ | | | | | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy26.isDisplayed(Unknown Source) at UtilsLayer.UtilsClass.click(UtilsClass.java:13) at PageLayer.ContactPage.contactLinkFunctionality(ContactPage.java:59) at StepDefinition.ContactPageSteps.user_click_on_contact_link(ContactPageSteps.java:16) at ?.user click on contact link(file:///C:/Users/Hp/eclipse-workspace/CogmentoAppNew/CogmentoAppNew/AllFeatureFiles/Cogmento. feature:17) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario) Test Contacts Page | | 22.375 s |
| | | | |
| | | | |
| 2 | And Verify user is on contact page | SKIPPED | 0.000 s |
| 3 | Then Click on create button | SKIPPED | 0.000 s |
| 4 | And Enter firtsname middlename and lastname email and status and social channels and phone number | SKIPPED | 0.000 s |
| 5 | And Click on Save button | SKIPPED | 0.000 s |
| 6 | Then User delete created contact | SKIPPED | 0.000 s |