Cucumber Report

Start : Oct 01, 6:34:53.310 PM

End: Oct 01, 6:35:12.875 PM


Duration: 19.565 s

Features


Scenarios


Steps


PASSED - 0 FAILED - 1 SKIPPED - 0 PASSED - 0 FAILED - 3 SKIPPED - 0 PASSED - 0 FAILED - 3 SKIPPED - 8



20








| Feature | | | Scenario | | | | Step | | | |
|---------------------------|----------|---|----------|---|---|----|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Test Cogmento Application | 19.565 s | 3 | 0 | 3 | 0 | 11 | 0 | 3 | 8 | |


| Tag | | Scei | nario | | Fea | | ature | | |
|------------------|---|------|-------|---|-----|---|-------|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @LoginPage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @EndToEndTesting | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 | |
| @HomePage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @ContactPage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|---------------------------|---|---|---|---|----------|
| 1 | Test Cogmento Application | 3 | 0 | 3 | 0 | 19.565 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------|--------------------------|---|---|---|---|----------|
| 1 | Test Cogmento Application | Test Cogmento Login page | 2 | 0 | 1 | 1 | 19.078 s |
| 2 | Test Cogmento Application | Test Cogmento Home Page | 3 | 0 | 1 | 2 | 0.079 s |
| 3 | Test Cogmento Application | Test Contacts Page | 6 | 0 | 1 | 5 | 0.320 s |

DETAILED SECTION -- 6 --

Test Cogmento Application

| FAILED | DURATION - 19.565 s | Scenarios | | Steps | |
|------------------|----------------------|-----------|------------|------------|--------|
| | | Total - 3 | | Total - 11 | |
| / 6:34:53.310 PM | /// 6:35:12.875 PM / | Pass - 0 | 3 | Pass - 0 | 11 |
| | | Fail - 3 | 1 3 | Fail - 3 | 🖊 '' 🥭 |
| | | Skip - 0 | | Skip - 8 | |
| | | | | | |


Test Cogmento Login page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User on Cogmneto Login Page | FAILED | 19.058 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9e71aec4f8c3484b0bd7fb2c183a3c9f, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: C:\Users\Hp\AppData\Loca\T\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63769}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e71aec4f8c3484b0bd7fb2c183a3c9f at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |

DETAILED SECTION --- 7 -

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:978) at BaseLayer.BaseClass.initialization(BaseClass.java:28) at StepDefinition.LoginPageSteps.user_on_cogmneto_login_page(LoginPageSteps.java:17) at ?.User on Cogmneto Login Page(file:///C:/Users/Hp/eclipse-workspace/CogmentoAppNew/CogmentoAppNew/AllFeatureFiles/Cogmento.feature:6) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario) org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | FAILED | 0.007 s |
| | (Session info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9e71aec4f8c3484b0bd7fb2c183a3c9f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: C:\Users\Hp\AppData\Loca\\T}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63769}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e71aec4f8c3484b0bd7fb2c183a3c9f | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) | | |
| | at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) | | |
| | at java.lang.reflect.Constructor.newInstance(Unknown Source) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) | | |
| | at StepDefinition.LoginPageSteps.tearDowm(LoginPageSteps.java:30) | | |
| 2 | When User Enter Username and Password and Click on Login | SKIPPED | 0.001 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | When User is on homepage and validates home page title | FAILED | 0.073 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9e71aec4f8c3484b0bd7fb2c183a3c9f, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: C:\Users\Hp\AppData\Local\T}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63769}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e71aec4f8c3484b0bd7fb2c183a3c9f | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) | | |
| | at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:305) | | |
| | at PageLayer.HomePage.getTitle(HomePage.java:26) | | |
| | at StepDefinition.HomePageSteps.user_is_on_homepage_and_validates_home_page_title(HomePageSteps.java:16) at ?.User is on homepage and validates home page title(file:///C:/Users/Hp/eclipse-workspace/CogmentoAppNew/CogmentoAppNew/AllFeatureFiles/Cogmento.feature:11) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario) | FAILED | 0.003 s |

DETAILED SECTION -- 9 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9e71aec4f8c3484b0bd7fb2c183a3c9f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: C:\Users\Hp\AppData\Local\T}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63769}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e71aec4f8c3484b0bd7fb2c183a3c9f | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) | | |
| | at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) | | |
| | at java.lang.reflect.Constructor.newInstance(Unknown Source) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) | | |
| | at StepDefinition.LoginPageSteps.tearDowm(LoginPageSteps.java:30) | | |
| 2 | And validate home page url | SKIPPED | 0.000 s |
| 3 | And Validate home page logo | SKIPPED | 0.000 s |

Test Contacts Page



DETAILED SECTION -- 10 --

| ser click on contact link qa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: c4f8c3484b0bd7fb2c183a3c9f, findElement {using=xpath, value=//a[@href='/contacts']}] Capabilities {acceptInsecureCerts: false, Name: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: Name: chromedriverVersion: 117.0.5938.92 (67649b10 | FAILED | 0.313 s |
|--|--|--|
| info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: c4f8c3484b0bd7fb2c183a3c9f, findElement {using=xpath, value=//a[@href='/contacts']}] Capabilities {acceptInsecureCerts: false, Name: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: NppData\Local\T}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63769}, ConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, Interactability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, n:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, n:virtualAuthenticators: true} Session ID: 9e71aec4f8c3484b0bd7fb2c183a3c9f .reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) .reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) .reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) | | |
| openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:39) openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) n.sun.proxy.\$Proxy26.isDisplayed(Unknown Source) slayer.UtilsClass.click(UtilsClass.java:13) leLayer.ContactPage.contactLinkFunctionality(ContactPage.java:59) | | |
| ser click on contact link(file:///C:/Users/Hp/eclipse-workspace/CogmentoAppNew/CogmentoAppNew/AllFeatureFiles/Cogmento. | | |
| .7) playable characters are replaced by '2'. | | |
| | EALLED | 0.003 s |
| 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:52) openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) osun.proxy.\$Proxy26.isDisplayed(Unknown Source) Layer.UtilsClass.click(UtilsClass.java:13) eLayer.ContactPage.contactLinkFunctionality(ContactPage.java:59) openqia.selenium.contactPageSteps.user_click_on_contact_link(ContactPageSteps.java:16) open click on contact link(file:///C:/Users/Hp/eclipse-workspace/CogmentoAppNew/CogmentoAppNew/AllFeatureFiles/Cogmento. | ppenqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) ppenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) ppenqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) ppenqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) ppenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) ppenqa.selenium.remote.ElementLocation.findElementGelement(ElementLocation.java:165) ppenqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) ppenqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) ppenqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) ppenqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) ppenqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) ppenqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) ppenqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) ppenqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) ppenqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) ppenqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) ppenqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:349) ppenqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:349) ppenqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:349) ppenqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:355) ppenqa.selenium.remote.Element(RemoteWebDriver.java:369) ppenqa.selenium.remote.Element(RemoteWebDriver.java:355) ppenqa.selenium.remote.Element(RemoteWebDriver.java:355) ppenqa.selenium.remote.Element(RemoteWebDriver.java:369) ppenqa.seleniu |

DETAILED SECTION -- 11 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63769}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e71aec4f8c3484b0bd7fb2c183a3c9f at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:321) at StepDefinition.LoginPageSteps.tearDowm(LoginPageSteps.java:30) | | |
| 2 | And Verify user is on contact page | SKIPPED | 0.000 s |
| 3 | Then Click on create button | SKIPPED | 0.001 s |
| 4 | And Enter firtsname middlename and lastname email and status and social channels and phone number | SKIPPED | 0.000 s |
| 5 | And Click on Save button | SKIPPED | 0.000 s |
| 6 | Then User delete created contact | SKIPPED | 0.000 s |