


Feature			Scer	nario			Step				
Name	Duration	T	P	F	S	T	P	F	S		
Test Cogmento Application	3 m 1.119 s	3	2	1	0	11	8	0	3		


Tag		Scei	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@LoginPage	1	1	0	0	1	0	1	0	
@EndToEndTesting	3	2	1	0	1	0	1	0	
@HomePage	1	1	0	0	1	0	1	0	
@ContactPage	1	0	1	0	1	0	1	0	

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Test Cogmento Application	3	2	1	0	3 m 1.119 s


SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Cogmento Application	Test Cogmento Login page	2	2	0	0	1 m 56.971 s
2	Test Cogmento Application	Test Cogmento Home Page	3	3	0	0	7.706 s
3	Test Cogmento Application	Test Contacts Page	6	3	0	3	56.425 s

DETAILED SECTION -- 6 --

Test Cogmento Application




Test Cogmento Login page



#	Step / Hook Details	Status	Duration
1	Given User on Cogmneto Login Page	PASSED	1 m 3.790 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	PASSED	49.467 s
	Test Cogmento Login page		
	A		
2	When User Enter Username and Password and Click on Login	PASSED	3.497 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	PASSED	0.206 s
	Test Cogmento Login page		
	A statistique of the state of t		


Test Cogmento Home Page



#	Step / Hook Details	Status	Duration
1	When User is on homepage and validates home page title	PASSED	0.106 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	PASSED	0.164 s
	Test Cogmento Home Page		
	A continuous - the continuous		
2	And validate home page url	PASSED	0.008 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	PASSED	0.176 s
	Test Cogmento Home Page		
	\$ - 1.000 (1990 (1		
3	And Validate home page logo	PASSED	3.068 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	PASSED	4.180 s
	Test Cogmento Home Page		
	Excepting of homeon and the state of the sta		

DETAILED SECTION -- 8 --

Test Contacts Page



#	Step / Hook Details	Status	Duration
1	When user click on contact link	PASSED	0.180 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	PASSED	0.358 s
	Test Contacts Page		
	Figure 1 states and 1 states an		
2	And Verify user is on contact page	PASSED	0.006 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	PASSED	0.164 s
	Test Contacts Page		
3	Then Click on create button	PASSED	0.355 s
	AFTER_STEP - StepDefinition.LoginPageSteps.tearDowm(io.cucumber.java.Scenario)	FAILED	55.355 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [17b4348b2e3d4b117faaa6931f3bb75a, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.110, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\Hp\AppData\Local\T}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57888}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57888/devtoo, se:cdpVersion: 116.0.5845.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	true} Session ID: 17b4348b2e3d4b117faaa6931f3bb75a		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)		
	at StepDefinition.LoginPageSteps.tearDowm(LoginPageSteps.java:34)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: An existing connection was forcibly closed by the remote host		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:96)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)		
	at StepDefinition.LoginPageSteps.tearDowm(LoginPageSteps.java:34)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)		
	at java.lang.reflect.Method.invoke(Unknown Source)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invokeStatic(Invoker.java:80)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:45)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)		
	at java.lang.reflect.Method.invoke(Unknown Source)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.util.ArrayList.forEach(Unknown Source)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
C	Caused by: java.io.IOException: An existing connection was forcibly closed by the remote host		
	at sun.nio.ch.SocketDispatcher.read0(Native Method)		
	at sun.nio.ch.SocketDispatcher.read(Unknown Source)		
	at sun.nio.ch.IOUtil.readIntoNativeBuffer(Unknown Source)		
	at sun.nio.ch.IOUtil.read(Unknown Source)		
	at sun.nio.ch.SocketChannelImpl.read(Unknown Source)		
	at io.netty.buffer.PooledByteBuf.setBytes(PooledByteBuf.java:256)		
	at io.netty.buffer.AbstractByteBuf.writeBytes(AbstractByteBuf.java:1132)		
	at io.netty.channel.socket.nio.NioSocketChannel.doReadBytes(NioSocketChannel.java:357)		
	at io.netty.channel.nio.AbstractNioByteChannel\$NioByteUnsafe.read(AbstractNioByteChannel.java:151)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:788)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.lang.Thread.run(Unknown Source)		
4	And Enter firtsname middlename and lastname email and status and social channels and phone number	SKIPPED	0.001 s
5	And Click on Save button	SKIPPED	0.000 s
6	Then User delete created contact	SKIPPED	0.000 s