

Enter password: \*\*\*\*\*

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 11

Server version: 8.0.31 MySQL Community Server - GPL

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its  
affiliates. Other names may be trademarks of their respective  
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql&gt; show databases;

Database
akurdi
amitdb
anudeep
information_schema
mysql
performance_schema
prajakta
student
sys
userlogin
uvpce

11 rows in set (0.01 sec)

mysql&gt; use anudeep;

Database changed

mysql&gt; create table parents(P\_ID int primary key, P\_name varchar(30),City varchar(30),P\_age int,Annual\_income int, Occupation varchar(20),E\_mail\_ID varchar(20));

Query OK, 0 rows affected (0.04 sec)

mysql&gt; describe parents;

Field	Type	Null	Key	Default	Extra
P_ID	int	NO	PRI	NULL	
P_name	varchar(30)	YES		NULL	
City	varchar(30)	YES		NULL	
P_age	int	YES		NULL	
Annual_income	int	YES		NULL	
Occupation	varchar(20)	YES		NULL	
E_mail_ID	varchar(20)	YES		NULL	

Enter password: \*\*\*\*\*

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 11

Server version: 8.0.31 MySQL Community Server - GPL

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;

Database
akurdi
amitdb
anudeep
information_schema
mysql
performance_schema
prajakta
student
sys
userlogin
uvpce

11 rows in set (0.01 sec)

mysql> use anudeep;

Database changed

mysql> create table parents(P\_ID int primary key, P\_name varchar(30),City varchar(30),P\_age int,Annual\_income int, Occupation varchar(20),E\_mail\_ID varchar(20));

Query OK, 0 rows affected (0.04 sec)

mysql> describe parents;

Field	Type	Null	Key	Default	Extra
P_ID	int	NO	PRI	NULL	
P_name	varchar(30)	YES		NULL	
City	varchar(30)	YES		NULL	
P_age	int	YES		NULL	
Annual_income	int	YES		NULL	
Occupation	varchar(20)	YES		NULL	
E_mail_ID	varchar(20)	YES		NULL	

```
student
sys
userlogin
uvpce
```

11 rows in set (0.01 sec)

```
mysql> use anudeep;
Database changed
```

```
mysql> create table parents(P_ID int primary key, P_name varchar(30),City varchar(30),P_age int,Annual_income int, Occupation varchar(20),E_mail_ID varchar(20));
```

Query OK, 0 rows affected (0.04 sec)

```
mysql> describe parents;
```

Field	Type	Null	Key	Default	Extra
P_ID	int	NO	PRI	NULL	
P_name	varchar(30)	YES		NULL	
City	varchar(30)	YES		NULL	
P_age	int	YES		NULL	
Annual_income	int	YES		NULL	
Occupation	varchar(20)	YES		NULL	
E_mail_ID	varchar(20)	YES		NULL	

7 rows in set (0.01 sec)

```
mysql> insert into parents(P_name,City,P_age,annual_income,Occupation,E_mail_ID)
```

```
-> values('Arun Shinde', 'Ahemedabad',55,65000,'Manager');
```

ERROR 1136 (21S01): Column count doesn't match value count at row 1

```
mysql> insert into parents(P_name,City,P_age,annual_income,Occupation,E_mail_ID)
```

```
-> -> values('Arun Shinde', 'Ahemedabad',55,65000,'Manager','Ashinde@gamil.com');
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '-> values('Arun Shinde', 'Ahemedabad',55,65000,'Manager','Ashinde@gamil.com')' at line 2

```
mysql> insert into parents values(101,"Arun Shinde","Ahemedabad",55,650000,"Manager","Ashinde@gmail.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(102,"Raju kale","pune",40,554000,"construction worker","rajukale@gmail.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(103,"salman kaif","delhi",45,652000,"Designer","salmank@gamil.com");
```

Query OK, 1 row affected (0.01 sec)

```
mysql> insert into parents values(104,"santosh jagtap","mumbai",45,555500,"teacher","santoshj@gamil.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(105,"sanjay jadhav","Osmanabad",47,485000,"agent","sanjayjadhav@gmail.com");
```

ERROR 1406 (22001): Data too long for column 'E\_mail\_ID' at row 1

```
mysql> insert into parents values(106,"Nmadev shelke","Kallam",50,500000,"workshop teacher","shelken@gmail.com");
```



ENG  
IN

19:21  
10/12/2022



Field	Type	Null	Key	Default	Extra
P_ID	int	NO	PRI	NULL	
P_name	varchar(30)	YES		NULL	
City	varchar(30)	YES		NULL	
P_age	int	YES		NULL	
Annual_income	int	YES		NULL	
Occupation	varchar(20)	YES		NULL	
E_mail_ID	varchar(20)	YES		NULL	

7 rows in set (0.01 sec)

```
mysql> insert into parents(P_name, City, P_age, annual_income, Occupation, E_mail_ID)
```

```
-> values('Arun Shinde', 'Ahemedabad', 55, 65000, 'Manager');
```

ERROR 1136 (21S01): Column count doesn't match value count at row 1

```
mysql> insert into parents(P_name, City, P_age, annual_income, Occupation, E_mail_ID)
```

```
-> values('Arun Shinde', 'Ahemedabad', 55, 65000, 'Manager', 'Ashinde@gamil.com');
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '-> values('Arun Shinde', 'Ahemedabad', 55, 65000, 'Manager', 'Ashinde@gamil.com')' at line 2

```
mysql> insert into parents values(101, "Arun Shinde", "Ahemedabad", 55, 650000, "Manager", "Ashinde@gmail.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(102, "Raju kale", "pune", 40, 554000, "construction worker", "rajukale@gmail.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(103, "salman kaif", "delhi", 45, 652000, "Designer", "salmank@gamil.com");
```

Query OK, 1 row affected (0.01 sec)

```
mysql> insert into parents values(104, "santosh jagtap", "mumbai", 45, 555500, "teacher", "santoshj@gamil.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(105, "sanjay jadhav", "Osmanabad", 47, 485000, "agent", "sanjayjadhav@gmail.com");
```

ERROR 1406 (22001): Data too long for column 'E\_mail\_ID' at row 1

```
mysql> insert into parents values(106, "Nmadev shelke", "Kallam", 50, 500000, "workshop teacher", "shelken@gmail.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(107, "aman gupta", "Banglore", 62, 690000, "Farmer", "amangupta@gamil.com");
```

Query OK, 1 row affected (0.02 sec)

```
mysql> insert into parents values(108, Seema morya, "pune", 45, 580000, "Doctor", "seemamorya@gmail.com");
```

">

```
> insert into parents values(108, Seema morya, "pune", 45, 580000, "Doctor", "seemamorya@gmail.com");
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'morya', "pune", 45, 580000, "Doctor", "seemamorya@gmail.com");

insert into parents v' at line 1

```
mysql> describe parents;
```

Field	Type	Null	Key	Default	Extra
-------	------	------	-----	---------	-------



```
mysql> insert into parents values(108,Seema morya,"pune",45,580000,"Doctor","seemamorya@gmail.com");
```

```
> insert into parents values(108,Seema morya,"pune",45,580000,"Doctor","seemamorya@gmail.com");
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'morya','pune',45,580000,'Doctor','seemamorya@gmail.com');
insert into parents v' at line 1
```

```
mysql> describe parents;
```

Field	Type	Null	Key	Default	Extra
P_ID	int	NO	PRI	NULL	
P_name	varchar(30)	YES		NULL	
City	varchar(30)	YES		NULL	
P_age	int	YES		NULL	
Annual_income	int	YES		NULL	
Occupation	varchar(20)	YES		NULL	
E_mail_ID	varchar(20)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> select * from parents;
```

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
101	Arun Shinde	Ahemedabad	55	650000	Manager	Ashinde@gmail.com
102	Raju kale	pune	40	554000	construction worker	rajukale@gmail.com
103	salman kaif	delhi	45	652000	Designer	salmank@gmail.com
104	santosh jagtap	mumbai	45	555500	teacher	santoshj@gmail.com
106	Nmadev shelke	Kallam	50	500000	workshop teacher	shelken@gmail.com
107	aman gupta	Banglore	62	690000	Farmer	amangupta@gmail.com

```
6 rows in set (0.00 sec)
```

```
mysql> insert into parents values(108,"seema morya","pune",45,700000,"Doctor","seemao@gmail.com");
```

```
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into parents values(109,"Vithallapa waghmare","parali",50,600000,"Medical","waghamare@gmail.com");
```

```
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into parents values (110,"shriniwas Abande","latur",52,640001,"Driver","shriniwas@gmail.com");
```

```
Query OK, 1 row affected (0.02 sec)
```

```
mysql> select * from parents;
```

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
101	Arun Shinde	Ahemedabad	55	650000	Manager	Ashinde@gmail.com





mysql&gt; select \* from parents;

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
101	Arun Shinde	Ahemedabad	55	650000	Manager	Ashinde@gmail.com
102	Raju kale	pune	40	554000	construction worker	rajukale@gmail.com
103	salman kaif	delhi	45	652000	Designer	salmank@gmail.com
104	santosh jagtap	mumbai	45	555500	teacher	santoshj@gmail.com
106	Nmadev shelke	Kallam	50	500000	workshop teacher	shelken@gmail.com
107	aman gupta	Banglore	62	690000	Farmer	amangupta@gmail.com
108	seema morya	pune	45	700000	Doctor	seemao@gmail.com
109	Vithallapa waghmare	parali	50	600000	Medical	waghmare@gmail.com
110	shriniwas Abande	latur	52	640001	Driver	shriniwas@gmail.com

9 rows in set (0.00 sec)

mysql&gt; select \* from parents WHERE Annual\_income&lt;500000 or P\_age&gt;45;

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
101	Arun Shinde	Ahemedabad	55	650000	Manager	Ashinde@gmail.com
106	Nmadev shelke	Kallam	50	500000	workshop teacher	shelken@gmail.com
107	aman gupta	Banglore	62	690000	Farmer	amangupta@gmail.com
109	Vithallapa waghmare	parali	50	600000	Medical	waghmare@gmail.com
110	shriniwas Abande	latur	52	640001	Driver	shriniwas@gmail.com

5 rows in set (0.02 sec)

mysql&gt; select count(Annual\_income) from parents WHERE Annual\_income&gt;600000;

count(Annual_income)
5

1 row in set (0.02 sec)

mysql&gt; select \* from parents WHERE city in("Pune","Mumbai","latur","osmanabad");

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
102	Raju kale	pune	40	554000	construction worker	rajukale@gmail.com
104	santosh jagtap	mumbai	45	555500	teacher	santoshj@gmail.com
108	seema morya	pune	45	700000	Doctor	seemao@gmail.com
110	shriniwas Abande	latur	52	640001	Driver	shriniwas@gmail.com

4 rows in set (0.00 sec)

mysql&gt; -&gt; values('Arun Shinde', 'Ahemedabad',55,65000,'Manager','Ashinde@gmail.com');

7 rows in set (0.00 sec)

mysql> select \* from parents;

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
101	Arun Shinde	Ahemedabad	55	650000	Manager	Ashinde@gmail.com
102	Raju kale	pune	40	554000	construction worker	rajukale@gmail.com
103	salman kaif	delhi	45	652000	Designer	salmank@gmail.com
104	santosh jagtap	mumbai	45	555500	teacher	santoshj@gmail.com
106	Nmadev shelke	Kallam	50	500000	workshop teacher	shelken@gmail.com
107	aman gupta	Banglore	62	690000	Farmer	amangupta@gmail.com

6 rows in set (0.00 sec)

mysql> insert into parents values(108,"seema morya","pune",45,700000,"Doctor","seemao@gmail.com");

Query OK, 1 row affected (0.02 sec)

mysql> insert into parents values(109,"Vithallapa waghamare","parali",50,600000,"Medical","waghamare@gmail.com");

Query OK, 1 row affected (0.02 sec)

mysql> insert into parents values (110,"shriniwas Abande","latur",52,640001,"Driver","shriniwas@gmail.com");

Query OK, 1 row affected (0.02 sec)

mysql> select \* from parents;

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
101	Arun Shinde	Ahemedabad	55	650000	Manager	Ashinde@gmail.com
102	Raju kale	pune	40	554000	construction worker	rajukale@gmail.com
103	salman kaif	delhi	45	652000	Designer	salmank@gmail.com
104	santosh jagtap	mumbai	45	555500	teacher	santoshj@gmail.com
106	Nmadev shelke	Kallam	50	500000	workshop teacher	shelken@gmail.com
107	aman gupta	Banglore	62	690000	Farmer	amangupta@gmail.com
108	seema morya	pune	45	700000	Doctor	seemao@gmail.com
109	Vithallapa waghamare	parali	50	600000	Medical	waghamare@gmail.com
110	shriniwas Abande	latur	52	640001	Driver	shriniwas@gmail.com

9 rows in set (0.00 sec)

mysql> select \* from parents WHERE Annual\_income<500000 or P\_age>45;

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
101	Arun Shinde	Ahemedabad	55	650000	Manager	Ashinde@gmail.com
106	Nmadev shelke	Kallam	50	500000	workshop teacher	shelken@gmail.com
107	aman gupta	Banglore	62	690000	Farmer	amangupta@gmail.com
109	Vithallapa waghamare	parali	50	600000	Medical	waghamare@gmail.com





109	Vithallapa waghmare	parali	50	600000	Medical	waghmare@gmail.com
110	shriniwas Abande	latur	52	640001	Driver	shriniwas@gamil.com

5 rows in set (0.02 sec)

mysql&gt; select count(Annual\_income) from parents WHERE Annual\_income&gt;600000;

count(Annual_income)
5

1 row in set (0.02 sec)

mysql&gt; select \* from parents WHERE city in("Pune","Mumbai","latur","osmanabad");

P_ID	P_name	City	P_age	Annual_income	Occupation	E_mail_ID
102	Raju kale	pune	40	554000	construction worker	rajukale@gmail.com
104	santosh jagtap	mumbai	45	555500	teacher	santoshj@gamil.com
108	seema morya	pune	45	700000	Doctor	seemao@gamil.com
110	shriniwas Abande	latur	52	640001	Driver	shriniwas@gamil.com

4 rows in set (0.00 sec)

mysql&gt; -&gt; values('Arun Shinde', 'Ahemedabad',55,65000,'Manager','Ashinde@gamil.com');

