

Postpartum Depression



Prajanika
A mother after pregnancy

Know yourself, help yourself!

Postpartum depression (PPD) is more serious than baby blues or postpartum anxiety. Postpartum psychosis could be worst.

What you need is to recognize the changes in your psychological parameters. Curing a medical condition is possible only if we identify and recognize the symptoms.

Baby blues and postpartum anxiety

- Observed 2 – 35 days after childbirth, may last up to two weeks
- Resolves spontaneously after two weeks once mother's body achieves hormonal balance



Crying



Anxiety



Sadness



Changes in sleeping pattern

Moderate

Postpartum Depression

- Starts within 1–3 weeks after childbirth, may last longer
- Requires help and counselling or treatment



Tiredness and fatigue



Withdrawal from family



Feeling worthless



Difficulty bonding with child

Severe

Postpartum Psychosis

- Serious mental illness that can occur after giving birth
- It's a psychiatric emergency that requires immediate treatment
- Untreated PPD can lead to postpartum psychosis



Feeling paranoid



Hallucinations



Attempt to harm baby

More important is the family support and our willingness to get it.



Content: Dr. Arun Upadhyay, Dr. Amrita Singh
Design: Isha Parlikar, Dr. Somya Mishra
Know more: arun@iitbhlai.ac.in

