

Module = 1 (html)

* Are the HTML tags and elements the same thing?

→ HTML tags are used to hold the HTML element. HTML element holds the content. HTML attributes are used to describe the characteristic of an HTML element in detail. whatever written within a HTML tag are HTML elements.

* What are tags and attributes in HTML?

→ HTML tags are used to hold the HTML element. HTML element holds the content. HTML attributes are used to describe the characteristic of an HTML element in detail.

* What are void elements in HTML?

→ A void element is an element whose content model never allows it to have contents under any circumstances. void elements can have attributes. the following is a complete list of the void elements in HTML : area, base, br, col, hr, img, input, keygen, link, meta, param, source, wbr.

* What are HTML entities?

→ An HTML entity is a piece of text ("string") that begins with an ampersand (&) and ends with a semicolon (;). entities are frequently used to display reserved characters and invisible characters.

* What are different types of lists in HTML?

→ Unordered list (ul) - Bulleted

Ordered list (ol) - Numbered

Description list (dl) - definition

* What is the 'class' attribute in HTML?
→

* What is the difference between the 'id' attribute and the 'class' attribute of HTML elements?
→

* What are the various formatting tags in HTML?

→ **** text bold
**** important text
<i> italic text
**** emphasized text
<mark> marked text
**** deleted text

* How is cell padding different from cell spacing?
→

* How can we club two or more rows or columns into a single row or column in an html table?
→ It can be done by using the rowspan and colspan attribute in html.

* What is the difference between a block-level element and an inline element?
→ Inline element only cover the space as bounded by the tags in html element
- block element space a full row

* How to create a hyperlink in html?
→ use the <a> element and href attribute to define the link address.
ex

* What is the use of an iframe tag?
→ they are commonly used for advertisements, embedded video, web analytics and interactive content.

* What is the use of a span tag? Explain with example:
→ tag is an inline container used to mark up a part of a text or a part of a document.
ex <td colspan = "4" >

* how to insert a picture into a background image of a web page?
→ In the body tag, specify a background image in the background attribute by passing.

the URL of image or location path

Q) Adding CSS styling properties.

★ how are active links different from normal links?



★ What are the different tags to separate sections of text?

→ There are three tags separate the texts:-

- `
` tag = usually `
` tag is used to separate the line of text. It breaks the current line and conveys the flow to the next line.
- `<p>` tag = this contains the text in the form of a new paragraph
- `<blockquote>` tag = it is used to define a large quoted section.

★ What is SVT?



* What is difference between html and xhtml?

* What are logical and physical tags in html?
→ Physical and logical tags are used in html for better visibility and understanding of the text by the user on the web page.