iBERIABANK Page 1 of 5

### Cisco events

#### Call Clear

**State change: NOT\_READY - NOT\_RDY** Mon Feb 05 2018 11:06:54 GMT-0600 (Central Standard Time)

Mon Feb 05 2018 11:06:54 GMT-0600 (Central Standard Time)

**Call 19753869: State Dropped, Type Outbound, From 215194, To 14696014194** Mon Feb 05 2018 11:06:54 GMT-0600 (Central Standard Time)

Mon Feb 05 2018 11:06:54 GMT-0600 (Central Standard Time)

<Update> <data> <dialogs> <Dialog> <associatedDialogUri> </associatedDialogUri> <fromAddress> 215194</fromAddress> <id> 19753869</id> <mediaProperties> <DNIS> </DNIS> <callType> OUT</callType> <dialedNumber> 14696014194</dialedNumber> <outboundClassification> </outboundClassification> <callvariables> <CallVariable> <name> callVariable1</name> <value> </callVariable> <CallVariable> <name> callVariable2</name> <value> </CallVariable> <CallVariable> <name> callVariable3</name> <value> </callVariable> <CallVariable> <name> callVariable4</name> <value> </callVariable> <CallVariable> <name> callVariable5</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable6</name> <value> </CallVariable> <CallVariable> <name> callVariable7</name> <value> </callVariable> <CallVariable> <name> callVariable8</name> <value> </CallVariable> <CallVariable> <name> callVariable9</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable10</name> <value> </CallVariable> </callvariables> </mediaProperties> <mediaType> Voice</mediaType> <participants> <Participant> <actions> </actions> <mediaAddress> 215194</mediaAddress> <mediaAddressType> AGENT\_DEVICE</mediaAddressType> <startTime> 2018-02-05T17:06:46.929Z</startTime> <state> DROPPED</state> <stateCause> </stateCause> <stateChangeTime> 2018-02-05T17:06:54.512Z</stateChangeTime> </Participant>

iBERIABANK Page 2 of 5

</participants> <state> INITIATED</state> <toAddress> 14696014194</toAddress>
<uri> /finesse/api/Dialog/19753869</uri> </Dialog> </dialogs> </data> <event>
DELETE</event> <requestId> </requestId>
<source> /finesse/api/User/215194/Dialogs</source> </Update>

## **Call 19753869: State Calling, Type Outbound, From 215194, To 14696014194** Mon Feb 05 2018 11:06:49 GMT-0600 (Central Standard Time) Mon Feb 05 2018 11:06:49 GMT-0600 (Central Standard Time)

<Update> <data> <dialog> <associatedDialogUri> </associatedDialogUri> <fromAddress> 215194</fromAddress> <id> 19753869</id> <mediaProperties> <DNIS> </DNIS> <callType> OUT</callType> <dialedNumber> 14696014194</dialedNumber> <outboundClassification> </outboundClassification> <callvariables> <CallVariable> <name> callVariable1</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable2</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable3</name> <value> </CallVariable> <CallVariable> <name> callVariable4</name> <value> </callVariable> <CallVariable> <name> callVariable5</name> <value> </callVariable> <CallVariable> <name> callVariable6</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable7</name> <value> </callVariable> <CallVariable> <name> callVariable8</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable9</name> <value> </callVariable> <CallVariable> <name> callVariable10</name> <value> </CallVariable> </callvariables> </mediaProperties> < mediaType> Voice < / mediaType> < participants> < Participant> <actions> <action> UPDATE\_CALL\_DATA</action> <action> DROP</action> </actions> <mediaAddress> 215194</mediaAddress> <mediaAddressType> AGENT\_DEVICE</mediaAddressType> <startTime> 2018-02-05T17:06:46.929Z</startTime> <state> INITIATED</state> <stateCause> </stateCause> <stateChangeTime> 2018-02-05T17:06:46.934Z</stateChangeTime> </Participant> </participants> <state> INITIATED</state> <toAddress> 14696014194</toAddress> <uri>/finesse/api/Dialog/19753869</uri> </dialog> </data> <event> PUT</event> <requestId> </requestId> <source> /finesse/api/Dialog/19753869</source> </Update>

# **Call 19753869: State Calling, Type Outbound, From 215194, To 14696014194** Mon Feb 05 2018 11:06:47 GMT-0600 (Central Standard Time) Mon Feb 05 2018 11:06:47 GMT-0600 (Central Standard Time)

<Update> <data> <dialog> <associatedDialogUri> </associatedDialogUri> <fromAddress> 215194</fromAddress> <id> 19753869</id> <mediaProperties> <DNIS> </DNIS> <callType> AGENT\_INSIDE</callType> <dialedNumber> 14696014194</dialedNumber> <outboundClassification> </outboundClassification> <callVariables> <CallVariable> <name> callVariable1</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable2</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable3</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable4</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable5</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable5</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable5</name> <value> </value> </CallVariable> <CallVariable> <name>

iBERIABANK Page 3 of 5

callVariable6</name> <value> </callVariable> <CallVariable> <name> callVariable7</name> <value> </callVariable> <CallVariable> <name> callVariable8</name> <value> </value> </callVariable> <CallVariable> <name> callVariable8</name> <value> </value> </callVariable> <CallVariable> <name> callVariable9</name> <value> </value> </callVariable> </callVariable> <name> callVariable10</name> <value> </callVariable> </callVariable> </callVariable>> </mediaProperties> <mediaType> Voice</mediaType> <participants> <Participant> <actions> <action> UPDATE\_CALL\_DATA</action> <action> DROP</action> </actions> <mediaAddress> 215194</mediaAddress> <mediaAddressType> AGENT\_DEVICE</mediaAddressType> <startTime> 2018-02- 05T17:06:46.929Z</startTime> <state> INITIATED</state> <stateCause> </stateCause> <stateChangeTime> 2018-02-05T17:06:46.934Z</stateChangeTime> </participant> </participants> <state> INITIATED</state> <toAddress> 14696014194</to> 

 <

**Call 19753869: State Initiating, Type Outbound, From 215194, To 14696014194** Mon Feb 05 2018 11:06:47 GMT-0600 (Central Standard Time)

Mon Feb 05 2018 11:06:47 GMT-0600 (Central Standard Time)

<Update> <data> <dialog> <associatedDialogUri> </associatedDialogUri> <fromAddress> 215194</fromAddress> <id> 19753869</id> <mediaProperties> <DNIS> </DNIS> <callType> AGENT INSIDE</callType> <dialedNumber> 14696014194</dialedNumber> <outboundClassification> </outboundClassification> <callvariables> <CallVariable> <name> callVariable1</name> <value> </callVariable> <CallVariable> <name> callVariable2</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable3</name> <value> </CallVariable> <CallVariable> <name> callVariable4</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable5</name> <value> </CallVariable> <CallVariable> <name> callVariable6</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable7</name> <value> </CallVariable> <CallVariable> <name> callVariable8</name> </allvariable> <CallVariable> <CallVariable> <name> callVariable9</name> <value> </callVariable> <CallVariable> <name> callVariable10</name> <value> </CallVariable> </callvariables> </mediaProperties> <mediaType> Voice</mediaType> <participants> <Participant> <actions> <action> UPDATE\_CALL\_DATA</action> <action> DROP</action> </actions> <mediaAddress> 215194</mediaAddress> <mediaAddressType> AGENT\_DEVICE</mediaAddressType> <startTime> 2018-02-05T17:06:46.929Z</startTime> <state> INITIATING</state> <stateCause> </stateCause> <stateChangeTime> 2018-02-05T17:06:46.929Z</stateChangeTime> </Participant> </participants> <state> INITIATING</state> <toAddress> 14696014194</toAddress> <uri>/finesse/api/Dialog/19753869</uri> </dialog> </data> <event> PUT</event> <requestId> </requestId> <source> /finesse/api/Dialog/19753869</source> </Update>

Call 19753869: State Initiating, Type Outbound, From 215194, To Mon Feb 05 2018 11:06:47 GMT-0600 (Central Standard Time)
Mon Feb 05 2018 11:06:47 GMT-0600 (Central Standard Time)

iBERIABANK Page 4 of 5

<Update> <data> <dialogs> <Dialog> <associatedDialogUri> </associatedDialogUri> <fromAddress> 215194</fromAddress> <id> 19753869</id> <mediaProperties> <DNIS> </DNIS> <callType> AGENT\_INSIDE</callType> <dialedNumber> </dialedNumber> <outboundClassification> </outboundClassification> <callvariables> <CallVariable> <name> callVariable1</name> <value> </value> </CallVariable> <CallVariable> <name> callVariable2</name> <value> </callVariable> <CallVariable> <name> callVariable3</name> <value> </CallVariable> <CallVariable> <name> callVariable4</name> <value> </CallVariable> <CallVariable> <name> callVariable5</name> <value> </CallVariable> <CallVariable> <name> callVariable6</name> <value> </CallVariable> <CallVariable> <name> callVariable7</name> <value> </callVariable> <CallVariable> <name> callVariable8</name> <value> </CallVariable> <CallVariable> <name> callVariable9</name> <value> </callVariable> <CallVariable> <name> callVariable10</name> <value> </callVariable> </callVariable> </mediaProperties> < mediaType> Voice < / mediaType> < participants> < Participant> <actions> <action> UPDATE\_CALL\_DATA</action> <action> DROP</action> </actions> <mediaAddress> 215194</mediaAddress> <mediaAddressType> AGENT\_DEVICE</mediaAddressType> <startTime> 2018-02-05T17:06:46.929Z</startTime> <state> INITIATING</state> <stateCause> <stateChangeTime> 2018-02-05T17:06:46.929Z</stateChangeTime> </Participant> </participants> <state> INITIATING</state> <toAddress> </toAddress> <uri>/finesse/api/Dialog/19753869</uri> </Dialog> </dialogs> </data> <event> POST</event> < requestId> < / requestId> <source> /finesse/api/User/215194/Dialogs</source> </Update>

**State change: TALKING - null** Mon Feb 05 2018 11:06:46 GMT-0600 (Central Standard Time) Mon Feb 05 2018 11:06:46 GMT-0600 (Central Standard Time)

<ur>
 <Update> <data> <user> <dialogs> /finesse/api/User/215194/Dialogs</dialogs>
 <extension> 215194</extension> <firstName> Coin</firstName> <lastName>
 App</lastName> <loginId> 215194</loginId> <loginName> coinapp</loginName>

 <mediaType> 1</mediaType> <pendingState> </pendingState> <roles> <role>
 Agent</role> </role> </roles> <settings> <wrapUpOnIncoming>
 REQUIRED</wrapUpOnIncoming> </settings> <state> TALKING</state></stateChangeTime> 2018-02-05T17:06:46.928Z</stateChangeTime> <teamId>
 5007</teamId> <teamName> IBE\_SAD</teamName></ti>
 <uri> /finesse/api/User/215194</uri> </user> </data> <event> PUT</event> <requestId> </requestId> <source> /finesse/api/User/215194</source> < /Update>

**State change: NOT\_READY - NOT\_RDY** Mon Feb 05 2018 11:06:46 GMT-0600 (Central Standard Time)

Mon Feb 05 2018 11:06:46 GMT-0600 (Central Standard Time)

<Update> <data> <user> <dialogs> /finesse/api/User/215194/Dialogs</dialogs>
<extension> 215194</extension> <firstName> Coin</firstName> <lastName>

iBERIABANK Page 5 of 5

App</lastName> <loginId> 215194</loginId> <loginName> coinapp</loginName> <mediaType> 1</mediaType> <pendingState> </pendingState> <reasonCode> <category> NOT\_READY</category> <code> 66</code> <forAll> true</forAll> <id> 45</id> <lo> <label> NOT\_RDY</label> <uri> /finesse/api/ReasonCode/45</uri> </reasonCode> <reasonCodeId> 45</reasonCodeId> <role> <role> Agent</role> </role> <settings> <wrapUpOnIncoming> REQUIRED</wrapUpOnIncoming> </settings> <state> NOT\_READY</state> <stateChangeTime> 2018-02-05T17:06:46.326Z</stateChangeTime> <teamId> 5007</teamId> <teamName> IBE\_SAD</teamName> <uri> /finesse/api/User/215194</uri> </user> </data> <event> PUT</event> <requestId> </requestId> <source> /finesse/api/User/215194</source> < /Update>

### Max calls

Seconds: 0

Total calls: (NaN per second) Success: (NaN per second) Failed: (NaN per second)

Start Stop

### **Bulk calls**

# agents: 10 # ticks: 5

Ticks: 0 Started calls: Success:

Failed: Pending: 0

Start Stop

**IBERIA** BANK