




!!!!!! Neenga kudut
10,000 RS

```
R2
a - application route
+ - replicated route, % - next hop override, p - overrides from Pfr


Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    12.0.0.0/8 is directly connected, Ethernet0/0
L    12.0.0.2/32 is directly connected, Ethernet0/0
C    23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    23.0.0.0/8 is directly connected, Ethernet0/2
L    23.0.0.1/32 is directly connected, Ethernet0/2
C    24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    24.0.0.0/8 is directly connected, Ethernet0/3
L    24.0.0.1/32 is directly connected, Ethernet0/3
C    26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    26.0.0.0/8 is directly connected, Ethernet0/1
L    26.0.0.1/32 is directly connected, Ethernet0/1
S    32.0.0.0/8 [1/0] via 23.0.0.2
S    45.0.0.0/8 [1/0] via 24.0.0.2
S    172.36.0.0/16 [1/0] via 24.0.0.2
S    223.0.50.0/24 [1/0] via 26.0.0.2
R2#
R2#
```

```
R1
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from Pfr

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    12.0.0.0/8 is directly connected, Ethernet0/1
L    12.0.0.1/32 is directly connected, Ethernet0/1
S    23.0.0.0/8 [1/0] via 12.0.0.2
S    24.0.0.0/8 [1/0] via 12.0.0.2
S    26.0.0.0/8 [1/0] via 12.0.0.2
S    32.0.0.0/8 [1/0] via 12.0.0.2
S    45.0.0.0/8 [1/0] via 12.0.0.2
S    172.36.0.0/16 [1/0] via 12.0.0.2
C    192.50.20.0/24 is variably subnetted, 2 subnets, 2 masks
L    192.50.20.0/24 is directly connected, Ethernet0/0
L    192.50.20.1/32 is directly connected, Ethernet0/0
S    223.0.50.0/24 [1/0] via 12.0.0.2
R1#
R1#
*Jul 21 16:01:34.053: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Confi
R1#
```



```
R3
R3#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from Pfr

Gateway of last resort is not set

S    12.0.0.0/8 [1/0] via 23.0.0.1
C    23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    23.0.0.0/8 is directly connected, Ethernet0/0
L    23.0.0.2/32 is directly connected, Ethernet0/0
S    26.0.0.0/8 [1/0] via 23.0.0.1
C    32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    32.0.0.0/8 is directly connected, Ethernet0/1
L    32.0.0.1/32 is directly connected, Ethernet0/1
S    172.36.0.0/16 [1/0] via 32.0.0.2
S    192.50.20.0/24 [1/0] via 23.0.0.1
S    223.0.50.0/24 [1/0] via 23.0.0.1
R3#
```

PNETLab | Topology

labs.surennetwork.com/legacy/topology

PNETLab | Lab is S...

Suren Network | Lea...

Apps

PNETLab | Lab is S...

Suren Network | Lea...

!!!!!! Neenga kuduti

10,000 RS

R5

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 45.0.0.1

[1/0] via 32.0.0.1

S 23.0.0.0/8 [1/0] via 32.0.0.1

S 24.0.0.0/8 [1/0] via 45.0.0.1

S 26.0.0.0/8 [1/0] via 45.0.0.1

[1/0] via 32.0.0.1

32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 32.0.0.0/8 is directly connected, Ethernet0/1

L 32.0.0.2/32 is directly connected, Ethernet0/1

45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 45.0.0.0/8 is directly connected, Ethernet0/2

L 45.0.0.2/32 is directly connected, Ethernet0/2

172.36.0.0/16 is variably subnetted, 2 subnets, 2 masks

C 172.36.0.0/16 is directly connected, Ethernet0/0

L 172.36.0.1/32 is directly connected, Ethernet0/0

S 192.50.20.0/24 [1/0] via 45.0.0.1

[1/0] via 32.0.0.1

S 223.0.50.0/24 [1/0] via 45.0.0.1

[1/0] via 32.0.0.1

R5#

R4

Codes: I - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 24.0.0.1

24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 24.0.0.0/8 is directly connected, Ethernet0/0

L 24.0.0.2/32 is directly connected, Ethernet0/0

S 26.0.0.0/8 [1/0] via 24.0.0.1

45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 45.0.0.0/8 is directly connected, Ethernet0/1

L 45.0.0.1/32 is directly connected, Ethernet0/1

S 172.36.0.0/16 [1/0] via 45.0.0.2

S 192.50.20.0/24 [1/0] via 24.0.0.1

S 223.0.50.0/24 [1/0] via 24.0.0.1

R4#

R6

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 26.0.0.1

S 23.0.0.0/8 [1/0] via 26.0.0.1

S 24.0.0.0/8 [1/0] via 26.0.0.1

26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 26.0.0.0/8 is directly connected, Ethernet0/1

L 26.0.0.2/32 is directly connected, Ethernet0/1

S 32.0.0.0/8 [1/0] via 26.0.0.1

S 45.0.0.0/8 [1/0] via 26.0.0.1

S 172.36.0.0/16 [1/0] via 26.0.0.1

S 192.50.20.0/24 [1/0] via 26.0.0.1


223.0.50.0/24 is variably subnetted, 2 subnets, 2 masks

C 223.0.50.0/24 is directly connected, Ethernet0/0


L 223.0.50.1/32 is directly connected, Ethernet0/0

R6#

Diagram showing network topology with routers R4, R5, and R6 connected via Ethernet interfaces. R4 is connected to R5 via Ethernet0/0 (24.2) and Ethernet0/1 (24.1). R5 is connected to R6 via Ethernet0/0 (24.2) and Ethernet0/1 (24.1). R4 is also connected to R6 via Ethernet0/0 (24.2) and Ethernet0/1 (24.1).



QEMU (Win-1)



```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\User>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 192.50.20.3
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 192.50.20.2

C:\Documents and Settings\User>ping 192.50.20.2

Pinging 192.50.20.2 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.50.20.2:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\Documents and Settings\User>ping 192.50.20.0
```

