

SUREN NETWORK
PLAY WITH TECHNOLOGIES
Net
e0/1
Win
e0
10.0.0.10
e0/0
e0/1
SW
e0/2
10.0.0.1
eth1/1
PaloAlto
20.0.0.1
eth1/2
20.0.0.2
e0/0
ACT
FIBERNET
ISP
mgmt
1.0.0.1
eth0
VPC
10.0.0.20
e0
MGMT
1.0.0.10

```
Password: 1
PA-3220 login: admin
Password:
Login incorrect

PA-3220 login: admin
Password:
Last login: Tue Sep 29 02:07:06 on ttyS0



Number of failed attempts since last successful login: 3

There have been failed attempted logins from your username, which could mean som
eone is trying to brute-force your login. If this is not expected, consider cont
acting your system administrator.

admin@PA-3220> configure
Entering configuration mode
[edit]
admin@PA-3220# set deviceconfig system type static


[edit]
admin@PA-3220# set deviceconfig system ip-address 1.0.0.1 netmask 255.0.0.0


[edit]
admin@PA-3220# commit





Commit job 2 is in progress. Use Ctrl+C to return to command prompt
....60%99%......100%
Configuration committed successfully
Certificate GP_cert_CA in shared expired on Apr  2 11:51:19 2026 GMT
Certificate GP_GW_CERT in shared expired on Apr  2 11:54:42 2026 GMT


[edit]
admin@PA-3220#
```



This PC
Pictures
PRABHU S.1
Resume Latest
Network
3 Router Initial confi...
PRABHU S
Resume Latest..
Recycle Bin
BitTorrent
UltraVNC Launcher
Resume Latest
Control Panel
CCNA Numb...
UltraVNC Repeater
Bandicam
Cisco Packet Tracer
UltraVNC Server
Google Chrome
GitHub
UltraVNC Viewer
UltraViewer
Microsoft Edge
Valarmathi Resume
VLC media player
MRS
Video Registrati...
VMware Workstati...
Naukri.com
Zoom Workplace
ChangeEditi...
NOC Picture
PRABHU S Network ...
COM7 - PuTTY
Configuration committed successfully
Certificate GP_cert_CA in shared expired on Apr 2 11:51:19 2026 GMT
Certificate GP_GW_CERT in shared expired on Apr 2 11:54:42 2026 GMT
[edit]
admin@PA-3220# show interface management
Invalid syntax.
[edit]
admin@PA-3220# exit
Exiting configuration mode
admin@PA-3220> show management-interface
Invalid syntax.
admin@PA-3220> show interface management
Name: Management Interface
Link status:
Runtime link speed/duplex/state: 100/full/up
Configured link speed/duplex/state: auto/auto/auto
MAC address:
Port MAC address 08:66:1f:03:de:64
Ip address: 1.0.0.1
Netmask: 255.0.0.0
Default gateway:
Ipv6 address: unknown
Ipv6 link local address: fe80::a66:1fff:fe03:de64/64
Ipv6 default gateway:
Logical interface counters:
bytes received 1706
lines 1-23



Network Connections
Control Panel › Network and Internet › Network Connections
Search Network Connections
Organize
Disable this network device
Diagnose this connection
Rename this connection
View status of this connection
Change settings of this connection
Ethernet 2
Unidentified network
USB2.0 Ethernet Adapter
VMware Network Adapter VMnet1
Disabled
VMware Virtual Ethernet Adapter ...
VMware Network Adapter VMnet8
Disabled
VMware Virtual Ethernet Adapter ...
Wi-Fi
Not connected
Realtek 8821CE Wireless LAN 802....
Ethernet 2 Properties
Networking
Sharing
Internet Protocol Version 4 (TCP/IPv4) Properties
General
You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.
Obtain an IP address automatically
Use the following IP address:
IP address: 1 . 0 . 0 . 10
Subnet mask: 255 . 0 . 0 . 0
Default gateway:
Obtain DNS server address automatically
Use the following DNS server addresses:
Preferred DNS server:
Alternate DNS server:
Validate settings upon exit
Advanced...
OK
Cancel
4 items | 1 item selected |



This PC
Pictures
PRABHU S.1
Resume Latest
Network
3 Router Initial confi...
PRABHU S
Resume Latest..
Recycle Bin
BitTorrent
Control Panel
CCNA Numb...
Bandicam
Cisco Packet Tracer
Google Chrome
GitHub
UltraViewer
Microsoft Edge
VLC media player
MRS
VMware Workstati...
Naukri.com
ChangeEditi...
NOC Picture
PRABHU S Network ...
COM7 - PuTTY
Configuration committed successfully
Certificate GP_cert_CA in shared expired on Apr 2 11:51:19 2026 GMT
Certificate GP_GW_CERT in shared expired on Apr 2 11:54:42 2026 GMT
[edit]
admin@PA-3220# show interface management
C:\WINDOWS\system32\cmd
Microsoft Windows [Version 10.0.26300.9457]
(c) Microsoft Corporation. All rights reserved.
C:\Users\Prabhu>ping 1.0.0.1
Pinging 1.0.0.1 with 32 bytes of data:
Reply from 1.0.0.1: bytes=32 time=1ms TTL=64
Reply from 1.0.0.1: bytes=32 time<1ms TTL=64
Reply from 1.0.0.1: bytes=32 time=1ms TTL=64
Reply from 1.0.0.1: bytes=32 time<1ms TTL=64
Ping statistics for 1.0.0.1:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\Users\Prabhu>



Login
Not Secure
1.0.0.1/php/login.php#policies::vsys1::policies/security-rulebase
paloalto
NETWORKS®
Username
admin
Password
Log In



PA-3220
Not Secure
1.0.0.1/?#dashboard::vsys1
paloalto NETWORKS
Dashboard
ACC
Monitor
Policies
Objects
Network
Device
Commit
Config
Search
Layout: 2 Columns
Widgets
Last updated: 11:18:07
5 mins
Help
General Information
Device Name PA-3220
MGT IP Address 1.0.0.1
MGT Netmask 255.0.0.0
MGT Default Gateway
MGT IPv6 Address unknown
MGT IPv6 Link Local Address fe80::a66:1fff:fe03:de64/64
MGT IPv6 Default Gateway
MGT MAC Address 08:66:1f:03:de:64
Model PA-3220
Serial # 016201027038
Software Version 9.0.4
GlobalProtect Agent 0.0.0
Application Version 8103-5197
URL Filtering Version 0000.00.00.000
GlobalProtect Clientless VPN Version 0
Time Thu Oct 8 23:01:14 2026
Uptime 0 days, 0:24:50
Logged In Admins
Admin From Client Session Start Idle For
admin Console CLI 10/08 22:43:49 00:13:10s
admin 1.0.0.10 Web 10/08 23:00:55 00:00:00s
Data Logs
No data available.
System Logs
Description Time
User admin logged in via Web from 1.0.0.10 using https 10/08 23:00:55
authenticated for user 'admin'. From: 1.0.0.10. 10/08 23:00:55
Connection to Update server closed: updates.paloaltonetworks.com, source: 1.0.0.1 10/08 22:52:19
Port MGT: Up 100Mb/s Full duplex 10/08 22:46:55
Commit job succeeded. Completion time=2026/10/08 22:45:12. JobId=2. User:admin 10/08 22:45:12
SSLMGR daemon configuration load phase-2 succeeded. 10/08 22:45:08
SATD daemon configuration load phase-2 succeeded. 10/08 22:45:08
RASMGR daemon configuration load phase-2 succeeded. 10/08 22:45:08
IKE daemon configuration load phase-2 succeeded. 10/08 22:45:08
Route daemon configuration load phase-2 succeeded. 10/08 22:45:08
System Resources
Management CPU 1%
Data Plane CPU 0%
Session Count 0 / 1048574
Config Logs
Command Path Admin Time
commit admin 10/08 22:44:58
set deviceconfig system admin 10/08 22:44:54
admin | Logout | Last Login Time: 10/08/2026 22:43:48
Tasks | Language


PA-3220
New Tab
Not Secure
1.0.0.1/?#network::vsys1::network/zones
paloalto NETWORKS
Dashboard
ACC
Monitor
Policies
Objects
Network
Device
Commit
Config
Search
Help
Interfaces
Zones
VLANs
Virtual Wires
Virtual Routers
IPSec Tunnels
GRE Tunnels
DHCP
DNS Proxy
GlobalProtect
Portals
Gateways
MDM
Device Block List
Clientless Apps
Clientless App Groups
QoS
LLDP
Network Profiles
GlobalProtect IPSec Crypto
IKE Gateways
IPSec Crypto
IKE Crypto
Monitor
Interface Mgmt
Zone Protection
QoS Profile
LLDP Profile
BFD Profile
Zone
Name inside
Log Setting None
Type Layer3
Interfaces
Add
Delete
Zone Protection
Zone Protection Profile None
Enable Packet Buffer Protection
User Identification ACL
Enable User Identification
Include List
Select an address or address group or type in your own address. Ex: 192.168.1.20 or 192.168.1.0/24
Add
Delete
Users from these addresses/subnets will be identified.
Exclude List
Select an address or address group or type in your own address. Ex: 192.168.1.20 or 192.168.1.0/24
Add
Delete
Users from these addresses/subnets will not be identified.
OK
Cancel
Name
User-ID
Enabled
Included Networks
Excluded Networks
0 items
Add
Delete
PDF/CSV
admin | Logout | Last Login Time: 10/08/2026 23:00:55
Tasks | Language


PA-3220
New Tab
Not Secure
1.0.0.1/?#network::vsys1::network/zones
paloalto NETWORKS
Dashboard
ACC
Monitor
Policies
Objects
Network
Device
Commit
Config
Search
Help
Interfaces
Zones
VLANs
Virtual Wires
Virtual Routers
IPSec Tunnels
GRE Tunnels
DHCP
DNS Proxy
GlobalProtect
Portals
Gateways
MDM
Device Block List
Clientless Apps
Clientless App Groups
QoS
LLDP
Network Profiles
GlobalProtect IPSec Crypto
IKE Gateways
IPSec Crypto
IKE Crypto
Monitor
Interface Mgmt
Zone Protection
QoS Profile
LLDP Profile
BFD Profile
Name
inside
User-ID
Enabled
Included Networks
Excluded Networks
any
none
1 item
Add
Delete
PDF/CSV
Zone
Name outside
Log Setting None
Type Layer3
Interfaces
Add
Delete
Zone Protection
Zone Protection Profile None
Enable Packet Buffer Protection
User Identification ACL
Enable User Identification
Include List
Select an address or address group or type in your own address. Ex: 192.168.1.20 or 192.168.1.0/24
Add
Delete
Users from these addresses/subnets will be identified.
Exclude List
Select an address or address group or type in your own address. Ex: 192.168.1.20 or 192.168.1.0/24
Add
Delete
Users from these addresses/subnets will not be identified.
OK
Cancel
admin | Logout | Last Login Time: 10/08/2026 23:00:55
Tasks | Language


PA-3220
New Tab
Not Secure
1.0.0.1/?#network:vsys1::network/zones
paloalto NETWORKS
Dashboard
ACC
Monitor
Policies
Objects
Network
Device
Commit
Config
Search
Help
Monitor
Interfaces
Zones
VLANs
Virtual Wires
Virtual Routers
IPSec Tunnels
GRE Tunnels
DHCP
DNS Proxy
GlobalProtect
Portals
Gateways
MDM
Device Block List
Clientless Apps
Clientless App Groups
QoS
LLDP
Network Profiles
GlobalProtect IPSec Crypto
IKE Gateways
IPSec Crypto
IKE Crypto
Monitor
Interface Mgmt
Zone Protection
QoS Profile
LLDP Profile
BFD Profile
2 items
User-ID
Name
Type
Interfaces / Virtual Systems
Zone Protection Profile
Packet Buffer Protection
Log Setting
Enabled
Included Networks
Excluded Networks
inside
layer3
any
none
outside
layer3
any
none
Add
Delete
PDF/CSV
javascript:void(0)
Last Login Time: 10/08/2026 23:00:55
Tasks
Language


PA-3220
New Tab
Not Secure
1.0.0.1/?#network:vsys1::network/interfaces
paloalto NETWORKS
Dashboard
ACC
Monitor
Policies
Objects
Network
Device
Commit
Config
Search
Help
Interfaces
Zones
VLANs
Virtual Wires
Virtual Routers
IPSec Tunnels
GRE Tunnels
DHCP
DNS Proxy
GlobalProtect
Portals
Gateways
MDM
Device Block List
Clientless Apps
Clientless App Groups
QoS
LLDP
Network Profiles
GlobalProtect IPSec Crypto
IKE Gateways
IPSec Crypto
IKE Crypto
Monitor
Interface Mgmt
Zone Protection
QoS Profile
LLDP Profile
BFD Profile
Ethernet
VLAN
Loopback
Tunnel
20 items
Interface
Interface Type
Management Profile
Link State
IP Address
Virtual Router
Tag
VLAN / Virtual-Wire
Security Zone
Features
Comment
ethernet1/1
ethernet1/2
ethernet1/3
ethernet1/4
ethernet1/5
ethernet1/6
ethernet1/7
ethernet1/8
ethernet1/9
ethernet1/10
ethernet1/11
ethernet1/12
ethernet1/13
ethernet1/14
ethernet1/15
ethernet1/16
ethernet1/17
ethernet1/18
ethernet1/19
ethernet1/20
Ethernet Interface
Interface Name
ethernet1/1
Comment
Interface Type
Layer3
Netflow Profile
None
Config
IPv4
IPv6
Advanced
Assign Interface To
Virtual Router
default
Security Zone
Inside
OK
Cancel
Add Subinterface
Add Aggregate Group
Delete
PDF/CSV
admin | Logout | Last Login Time: 10/08/2026 23:00:55
Tasks | Language


SUREN NETWORK
PLAY WITH TECHNOLOGIES
Net
e0/1
Win
e0
10.0.0.10
e0/0
10.0.0.1
20.0.0.1
20.0.0.2
SW
e0/2
eth1/1
eth1/2
e0/0
ACT
FIBERNET
PaloAlto
ISP
e0/1
mgmt
1.0.0.1
eth0
VPC
10.0.0.20
e0
MGMT
1.0.0.10