RAJALAKSHMI ENGINEERING COLLEGE

RAJALAKSHMI NAGAR, THANDALAM – 602 105



CS23331 - DESIGN AND ANALYSIS OF ALGORITHMS

Laboratory Record Note Book

Name : Prajit.R

Year / Branch / Section : 2nd Year, Computer Science And Design

University Register No. : 2116251701040

College Roll No. : 251701040

Semester : 3rd Semester

Academic Year : 2026-2027

CS23331-Design and Analysis of Algorithms-2025 Batch-CSD

Started on	Sunday, 9 August 2026, 12:16 PM
State	Finished
Completed on	Sunday, 9 August 2026, 12:40 PM
Time taken	23 mins 13 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Quiz navigation

1

Finish review

Question 1

Correct Mark 1.00 out of 1.00 Flag question

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void function (int n)

{
    int i= 1;
    int s =1;
    while(s <= n)
    {
        i++;
        s += i;
    }
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

For example:

Input	Result
9	12

Answer: (penalty regime: 0 %)

Reset answer

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
#include<stdio.h>

int main()
{
    int n;
    int c=0;
    int i=1;
    int s=1;
    scanf("%d",&n);
    while(s<n)
    {
        i++;
        s+=i;
        c+=3;
    }
    c+=3;
    printf("%d",c);
```

	Input	Expected	Got	
✔	9	12	12	✔
✔	4	9	9	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Finish review

CS23331-Design and Analysis of Algorithms-2025 Batch-CSD

Started on	Sunday, 9 August 2026, 12:42 PM
State	Finished
Completed on	Sunday, 9 August 2026, 12:52 PM
Time taken	10 mins 12 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Quiz navigation

1

Finish review

Question 1

Correct Mark 1.00 out of 1.00 Flag question

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
      printf("*");
    }
    else
    {
     for(int i=1; i<=n; i++)
     {
       for(int j=1; j<=n; j++)
       {
          printf("*");
          printf("*");
          break;
       }
     }
   }
 }
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

Reset answer

```c
#include<stdio.h>

int main()
{
    int n;
    int c=0;
    scanf("%d",&n);
    c++;
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1;i<=n;i++){
            for(int j=1;j<=n;j++){
                c++;

                c++;

                break;
            }
            c++;
            c++;
            c++;
        }
        c++;
    }
    printf("%d",c);
}
```

	Input	Expected	Got	
✔	2	12	12	✔
✔	1000	5002	5002	✔
✔	143	717	717	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Finish review

CS23331-Design and Analysis of Algorithms-2025 Batch-CSD

Started on	Sunday, 9 August 2026, 12:54 PM
State	Finished
Completed on	Sunday, 9 August 2026, 1:06 PM
Time taken	12 mins 17 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Quiz navigation

1

Finish review

Question 1 | Correct Mark 1.00 out of 1.00 Flag question

Convert the following algorithm into a program and find its time complexity using counter method.

```
 Factor(num) {
 {
    for (i = 1; i <= num;++i)
    {
     if (num % i== 0)
        {
          printf("%d ", i);
        }
    }
  }
```

Note: No need of counter increment for declarations and scanf() and counter variable printf() statement.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

Reset answer

```c
#include<stdio.h>

int main(){
    int n;
    int c=0;
    int i;
    scanf("%d",&n);
    for(i=1;i<=n;++i){
        c++;
        if(n%i==0){
            c++;
        }
        c++;
    }
    c++;
    printf("%d",c);
    return 0;

}
```

	Input	Expected	Got	
✔	12	31	31	✔
✔	25	54	54	✔
✔	4	12	12	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Finish review

CS23331-Design and Analysis of Algorithms-2025 Batch-CSD

Started on	Wednesday, 26 August 2026, 11:48 AM
State	Finished
Completed on	Wednesday, 26 August 2026, 11:53 AM
Time taken	4 mins 25 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Quiz navigation

1

Finish review

Question 1

Correct Mark 1.00 out of 1.00 Flag question

Convert the following algorithm into a program and find its time

complexity using counter method.

```
void function(int n)
{
    int c= 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

Reset answer

```c
#include<stdio.h>
int main(){
    int c=0;
    int n;
    c++;
    scanf("%d",&n);
    for(int i=n/2; i<n; i++){
        c++;
        for(int j=1; j<n; j=2*j){
            c++;
            for(int k=1; k<n; k=k*2){
                c++;
                c++;
            }
            c++;
        }
        c++;
    }
    c++;
printf("%d",c);
}
```

	Input	Expected	Got	
✔	4	30	30	✔
✔	10	212	212	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Finish review

CS23331-Design and Analysis of Algorithms-2025 Batch-CSD

Started on	Wednesday, 26 August 2026, 11:55 AM
State	Finished
Completed on	Wednesday, 26 August 2026, 11:59 AM
Time taken	3 mins 57 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Quiz navigation

1

Finish review

Question 1

Correct Mark 1.00 out of 1.00 Flag question

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
   int rev = 0, remainder;
   while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n/= 10;

    }
print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

Reset answer

```c
#include<stdio.h>
int main(){
    int c=0;
    int n;
    scanf("%d",&n);
    c++;
    int rev = 0;
    c++;
    int remainder;
    c++;
    while(n!=0){
        c++;
        remainder = n%10;
        c++;
        rev=rev*10+remainder;
        c++;
        n/=10;
        c++;
    }
printf("%d", c);
}
```

	Input	Expected	Got	
✔	12	11	11	✔
✔	1234	19	19	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Finish review