Task 1 - QA & Debug Report

App under test: Conduit (RealWorld) - https://demo.realworld.show/
Also checked: https://demo.realworld.io/ (assignment-listed demo URL)
Tester: Praju
Date: 10 Nov 2026
Scope: Home feed, Sign up, Sign in, New Article, Publish, Delete, Your Feed, Tags

Note: demo.realworld.io currently returns 404 NoSuchBucket. Testing continued on the live Conduit demo at demo.realworld.show.

Bug findings

1. Official RealWorld demo host is completely down [Critical]

Steps: Open https://demo.realworld.io/
Expected vs Actual: Expected Conduit demo loads. Actual AWS-style 404 NoSuchBucket for bucket demo.realworld.io.
Suspected cause: Hosting misconfiguration / deleted S3 bucket or broken DNS-to-bucket mapping.

2. Delete Article has no confirmation [High]

Steps: Sign in -> open your article -> click Delete Article
Expected vs Actual: Expected confirm dialog before irreversible delete. Actual deletes immediately, no modal.
Suspected cause: Delete handler calls API on click with no UX guard in the Angular article component.

3. Client-side validation is weak / bypassable [High]

Steps: Register with email not-an-email and password 1. Also publish empty article.
Expected vs Actual: Expected block invalid email/weak password/blank article client-side.
Actual submit allowed; form novalidate; empty article only fails after API.
Suspected cause: Incomplete reactive validators; HTML5 validation disabled via novalidate.

4. Document title never changes across routes [Medium]

Steps: Visit /, /login, /register, /editor, article URL; check tab title.
Expected vs Actual: Expected title reflects page. Actual always Conduit.
Suspected cause: Angular Title service / route title metadata not configured.

5. Multiple H1 headings on feed and article pages [Medium]

Steps: Open Global Feed; open article with markdown # Heading.
Expected vs Actual: Expected one page-level H1. Actual feed card titles are H1; markdown also emits H1.
Suspected cause: Semantic heading misuse + markdown renderer emits raw H1.

6. Forms lack accessible labels and live error regions [Medium]

Steps: Inspect signup/signin/editor inputs and error list after failed submit.
Expected vs Actual: Expected label[for] + role=alert/aria-live. Actual placeholders only; error list not announced.
Suspected cause: Accessibility not implemented for forms.

7. Favorite control accessible name is only the count [Low]

Steps: Inspect favorite buttons on Global Feed with a11y tree.

Expected vs Actual: Expected Favorite article (1). Actual name is just 1 / 2.

Suspected cause: Button text is only the favorites count; missing aria-label.

Root-cause analysis (Issue #2 - Delete without confirmation)

When an author clicks Delete Article, the UI immediately issues a DELETE request for that article slug and then navigates to Home. There is no intermediate confirmation step, so a mis-click permanently removes content. This almost certainly lives in the article detail component delete click handler: the button is wired directly to the articles API service (or store action) instead of opening a confirm dialog first. Because the demo also shows two Delete buttons (banner + footer), the accidental-click surface is doubled. Fix: (1) open a confirm modal with Cancel/Delete, (2) only call DELETE after affirmative action and disable buttons while in flight, (3) on failure keep the article page and show an error toast, (4) optionally soft-delete or add a short undo snackbar. This is a classic vibe-coded gap: the happy path works, but destructive actions lack production-grade guardrails.

Evidence / notes

Screenshots: screenshots/01-empty-article-validation-errors.png
Screenshots: screenshots/02-official-demo-realworld-io-404.png
Assumptions: session isolation may reset demo data; bugs reproduced 10 Nov 2026. XSS payloads in titles/bodies appeared escaped/stripped (positive finding).