

1. Write a C++ program to design a class called BankAccount. Include the following data members like the name of depositor, account number and balance. Use the following member functions
- To initialise values
 - Deposit an amount.
 - To withdraw an amount
 - To display name and balance

```
#include <iostream>
using namespace std;
```

```
class BankAccount
{
```

```
    private:
```

```
        int accno;
```

```
        string name;
```

```
        float balance;
```

```
        int amt;
```

```
    public:
```

```
        void read()
```

```
        {
```

```
            cout << "Enter name:";
```

```
            cin >> name;
```

```
            cout << "Enter account number:";
```

```
            cin >> accno;
```

```
            cout << "Enter balance:";
```

```
            cin >> balance;
```

Output:

Enter name: John

Enter account number: 10101

Enter balance: 50000

Account Details:

Name of the depositor: John

Account Number: 10101

Balance: 50000

Enter amount to be deposited: 5000

Current balance: 55000

Enter amount to be withdrawn: 6000

Current balance: 49000

Enter name: Ram

Enter account number: 11001

Enter balance: 40000

Account Details:

Name of the depositor: Ram

Account Number: 11001

Balance: 40000

Enter amount to be deposited: 2000

Current balance: 42000

Enter amount to be withdrawn: 45000

Insufficient balance

```
}  
void put_balance()  
{  
    cout << "Current balance: " << balance << endl;  
}  
void deposit()  
{  
    cout << "\nEnter amount to be deposited:";  
    cin >> amt;  
    balance = balance + amt;  
    put_balance();  
}  
void withdraw()  
{  
    cout << "\nEnter amount to be withdrawn:";  
    cin >> amt;  
    if (amt > balance)  
    {  
        cout << "Insufficient balance";  
    }  
    else  
    {  
        balance = balance - amt;  
        put_balance();  
    }  
}  
void display()  
{  
    cout << "\nAccount Details:" << endl;
```

```
cout << "Name of the depositor: " << name << endl;  
cout << "Account Number: " << accno << endl;  
cout << "Balance: " << balane << endl;
```

```
{
```

```
};
```

```
int main()
```

```
{
```

```
BankAccount b;
```

```
b.read();
```

```
b.display();
```

```
b.deposit();
```

```
b.withdraw();
```

```
return 0;
```

```
}
```