Individual Printer Performance and Anomaly Report

EPR-004

Digital Press B · KonicaJet 6120 · Plant 1 - Hall B

PRINTER INFORMATION

Printer ID	EPR-004
Printer name	Digital Press B
Model	KonicaJet 6120
Machine type	Digital
Location	Plant 1 - Hall B
Installed	2022-04-13
Last recorded status	IDLE
Status mix over period	IDLE 433, PRINTING 399, OFFLINE 19, ERROR 13
Total telemetry readings	864
Monitoring period	2026-10-15 00:00:00 to 2026-10-17 23:55:00
Report generated	2026-10-26 13:43:38.012

CONFIGURED SENSOR THRESHOLD LIMITS

SENSOR	LOWER LIMIT	UPPER LIMIT	SEVERITY
Temperature (°C)	—	65.0	CRITICAL
Humidity (%)	30.0	70.0	WARNING
Ink level (%)	15.0	—	WARNING
Paper stock (%)	10.0	—	INFO
Motor RPM (rpm)	—	7500.0	WARNING
Vibration (mm/s)	—	3.5	CRITICAL
Power (kW)	—	23.6	WARNING
Paper jams (count)	—	2.0	CRITICAL

SENSOR PERFORMANCE SUMMARY

SENSOR (UNIT)	MIN	AVG	MAX	LAST VALUE	BREACH READINGS
Temperature (°C)	31.9	38.67	46.9	33.8	0
Humidity (%)	35.6	47.92	60.8	49.4	0
Ink level (%)	12.1	56.92	92.5	67.8	1
Paper stock (%)	47.0	64.74	87.0	47.0	0
Motor RPM (rpm)	1.0	2861.06	6239.0	151.0	0
Vibration (mm/s)	0.1	0.70	1.5	0.1	0
Power (kW)	1.4	9.38	30.6	2.0	11
Throughput (ppm)	0.0	54.31	123.9	0.0	0
Paper jams (count)	0.0	0.06	5.0	0.0	9

ANOMALY DETECTION SUMMARY

Labelled anomalous readings	53 of 864 readings (6.1%)
Raw threshold-breach readings	21 readings with at least one sensor out of bounds
Anomaly types	INK_LEAK_DROP: 14 · POWER_SURGE: 7 · OFFLINE: 19 · PAPER_JAM_BURST: 13
Detected anomaly events	140 fired by the live detector (window=3 consecutive readings), last at 2026-10-15 21:05:00
Alerts in alerts.csv	40 total · 28 CRITICAL

Counts intentionally differ: labelled readings are dataset ground-truth episodes; breach readings are raw out-of-bounds values; detected events are spawned only after one metric stays out of bounds for 3 consecutive readings.

SENSOR PERFORMANCE GRAPHS

TEMPERATURE OVER TIME (°C)



169 plotted readings · red dots = labelled anomaly also breaching this sensor's limit

VIBRATION OVER TIME (MM/S)



169 plotted readings · red dots = labelled anomaly also breaching this sensor's limit

MOTOR RPM OVER TIME (RPM)



169 plotted readings · red dots = labelled anomaly also breaching this sensor's limit

ALERT HISTORY

TIMESTAMP	METRIC	VALUE	THRESHOLD	SEVERITY	MESSAGE
2026-10-17 14:35	paper_jams	3.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 14:30	paper_jams	3.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 14:15	paper_jams	3.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 14:10	paper_jams	5.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 14:00	paper_jams	5.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 13:55	paper_jams	5.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 13:45	paper_jams	3.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 13:40	paper_jams	5.0	2.0	CRITICAL	Repeated paper jams
2026-10-17 13:35	paper_jams	3.0	2.0	CRITICAL	Repeated paper jams
2026-10-16 13:00	ink_level_pct	12.1	15.0	WARNING	Ink level low
2026-10-15 21:10	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 21:05	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 21:00	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:55	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:50	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:45	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:40	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:35	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:30	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:25	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:20	heartbeat	—	—	CRITICAL	Device offline — no telemetry received
2026-10-15 20:15	heartbeat	—	—	CRITICAL	Device offline — no telemetry received

Showing latest 22 of 40 alerts, newest first. The full history is available in alerts.csv.

SUMMARY & RECOMMENDATIONS

This printer shows a labelled-anomaly rate of 6.1%, in line with the fleet-wide 6.0%.

Power draw exceeded its limit on 11 reading(s) (limit 23.6 kW, max seen 30.6 kW). Recommend checking electrical load and supply stability.

Paper jams exceeded 2 per interval on 9 reading(s). Recommend checking feed rollers and media quality.

Ink level dropped below the 15.0% floor on 1 reading(s) (min seen 12.1%). Recommend scheduling ink replenishment.

19 reading(s) were logged with the machine OFFLINE. Recommend investigating connectivity or power availability during those windows.

Note: recommendations are rule-based responses to threshold breaches present in the monitored data. They are maintenance suggestions, not confirmed diagnoses.