Individual Printer Performance and Anomaly Report

EPR-005

Digital Press C · RicohPro C9500 · Plant 2 - Hall A

PRINTER INFORMATION

Printer ID	EPR-005
Printer name	Digital Press C
Model	RicohPro C9500
Machine type	Digital
Location	Plant 2 - Hall A
Installed	2023-05-14
Last recorded status	IDLE
Status mix over period	IDLE 411, PRINTING 433, MAINTENANCE 12, OFFLINE 8
Total telemetry readings	864
Monitoring period	2026-10-15 00:00:00 to 2026-10-17 23:55:00
Report generated	2026-10-26 13:43:38.132

CONFIGURED SENSOR THRESHOLD LIMITS

SENSOR	LOWER LIMIT	UPPER LIMIT	SEVERITY
Temperature (°C)	—	65.0	CRITICAL
Humidity (%)	30.0	70.0	WARNING
Ink level (%)	15.0	—	WARNING
Paper stock (%)	10.0	—	INFO
Motor RPM (rpm)	—	7200.0	WARNING
Vibration (mm/s)	—	3.5	CRITICAL
Power (kW)	—	21.6	WARNING
Paper jams (count)	—	2.0	CRITICAL

SENSOR PERFORMANCE SUMMARY

SENSOR (UNIT)	MIN	AVG	MAX	LAST VALUE	BREACH READINGS
Temperature (°C)	29.6	37.62	72.8	30.9	8
Humidity (%)	35.3	48.07	59.4	52.5	0
Ink level (%)	44.8	60.13	78.2	44.8	0
Paper stock (%)	36.3	54.69	76.2	36.3	0
Motor RPM (rpm)	0.0	2863.63	6032.0	4.0	0
Vibration (mm/s)	0.1	0.61	1.3	0.2	0
Power (kW)	1.3	9.15	28.0	1.9	23
Throughput (ppm)	0.0	52.47	115.5	0.0	0
Paper jams (count)	0.0	0.01	1.0	0.0	0

ANOMALY DETECTION SUMMARY

Labelled anomalous readings	44 of 864 readings (5.1%)
Raw threshold-breach readings	31 readings with at least one sensor out of bounds
Anomaly types	OVERHEAT: 13 · OFFLINE: 8 · POWER_SURGE: 23
Detected anomaly events	152 fired by the live detector (window=3 consecutive readings), last at 2026-10-17 19:10:00
Alerts in alerts.csv	39 total · 16 CRITICAL

Counts intentionally differ: labelled readings are dataset ground-truth episodes; breach readings are raw out-of-bounds values; detected events are spawned only after one metric stays out of bounds for 3 consecutive readings.

SENSOR PERFORMANCE GRAPHS

TEMPERATURE OVER TIME (°C)



172 plotted readings · red dots = labelled anomaly also breaching this sensor's limit

VIBRATION OVER TIME (MM/S)



172 plotted readings · red dots = labelled anomaly also breaching this sensor's limit

MOTOR RPM OVER TIME (RPM)



172 plotted readings · red dots = labelled anomaly also breaching this sensor's limit

ALERT HISTORY

TIMESTAMP	METRIC	VALUE	THRESHOLD	SEVERITY	MESSAGE
2026-10-17 19:20	power_kw	23.6	21.6	WARNING	Power draw above limit
2026-10-17 19:15	power_kw	28.0	21.6	WARNING	Power draw above limit
2026-10-17 19:10	power_kw	22.8	21.6	WARNING	Power draw above limit
2026-10-17 19:05	power_kw	23.5	21.6	WARNING	Power draw above limit
2026-10-17 19:00	power_kw	24.0	21.6	WARNING	Power draw above limit
2026-10-17 18:55	power_kw	22.9	21.6	WARNING	Power draw above limit
2026-10-17 18:50	power_kw	27.3	21.6	WARNING	Power draw above limit
2026-10-17 18:45	power_kw	25.6	21.6	WARNING	Power draw above limit
2026-10-17 18:40	power_kw	27.2	21.6	WARNING	Power draw above limit
2026-10-17 18:35	power_kw	27.8	21.6	WARNING	Power draw above limit
2026-10-17 18:30	power_kw	23.0	21.6	WARNING	Power draw above limit
2026-10-17 18:25	power_kw	23.2	21.6	WARNING	Power draw above limit
2026-10-17 18:20	power_kw	26.3	21.6	WARNING	Power draw above limit
2026-10-17 18:15	power_kw	25.6	21.6	WARNING	Power draw above limit
2026-10-17 18:10	power_kw	23.3	21.6	WARNING	Power draw above limit
2026-10-17 18:05	power_kw	22.7	21.6	WARNING	Power draw above limit
2026-10-17 18:00	power_kw	27.5	21.6	WARNING	Power draw above limit
2026-10-17 17:55	power_kw	23.0	21.6	WARNING	Power draw above limit
2026-10-17 17:50	power_kw	26.7	21.6	WARNING	Power draw above limit
2026-10-17 17:45	power_kw	23.8	21.6	WARNING	Power draw above limit
2026-10-17 17:40	power_kw	25.8	21.6	WARNING	Power draw above limit
2026-10-17 17:35	power_kw	22.7	21.6	WARNING	Power draw above limit

Showing latest 22 of 39 alerts, newest first. The full history is available in alerts.csv.

SUMMARY & RECOMMENDATIONS

This printer shows a labelled-anomaly rate of 5.1%, in line with the fleet-wide 6.0%.

Temperature was out of bounds on 8 reading(s) (limit 65.0 °C, max seen 72.8 °C). Recommend checking the cooling system and ventilation of Plant 2 - Hall A.

Power draw exceeded its limit on 23 reading(s) (limit 21.6 kW, max seen 28.0 kW). Recommend checking electrical load and supply stability.

8 reading(s) were logged with the machine OFFLINE. Recommend investigating connectivity or power availability during those windows.

Note: recommendations are rule-based responses to threshold breaches present in the monitored data. They are maintenance suggestions, not confirmed diagnoses.