



A.G. MANUFACTURING
AND TRADING PVT. LTD. | NEPAL

PRODUCT PORTFOLIO / 2083

LOADED PRODUCT CATALOGUE

Automotive, agricultural and industrial lubricants engineered for demanding operating conditions.

SKU + SPECIFICATION REFERENCE | NO PRICES

ENGINE / TRANSMISSION / HYDRAULIC / INDUSTRIAL
MOTORCYCLE / GREASE / COOLING / SERVICE FLUIDS



MANIGRAM | TILOTTAMA-5 | RUPANDEHI | NEPAL

Read the grade. Choose with confidence.

These codes describe viscosity, performance or consistency. Always confirm the vehicle or equipment manual before selection.

SAE

Engine & gear viscosity

The number before W describes cold-flow behavior; the second number describes viscosity at operating temperature. Example: 15W-40.

API

Engine performance category

S categories generally identify petrol-engine service; C categories identify diesel-engine service. Later letters usually represent newer performance levels.

JASO MA2

Wet-clutch motorcycle suitability

A motorcycle friction-performance classification designed for four-stroke bikes using a shared engine, gearbox and wet clutch oil system.

ISO VG

Industrial viscosity grade

A viscosity classification centered on the oil's kinematic viscosity at 40 C. Common examples include ISO VG 46 and ISO VG 68.

API GL

Gear-oil service level

GL categories indicate gear-oil performance and extreme-pressure capability. Use only the grade recommended for the transmission or axle.

NLGI

Grease consistency

The NLGI number describes grease consistency. NLGI 2 is a widely used, general-purpose consistency for automotive and industrial service.

QUICK SELECTION RULE

Match the viscosity and performance category stated by the equipment manufacturer. Application fit matters more than choosing the highest-looking grade.

Engine oils for work, road and field.

A focused range for diesel fleets, petrol passenger vehicles and agricultural equipment.

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
Loaded 15W-40 CI-4	15W-40	API CI-4	1 L / 4 L / 6 L / 8 L / 10 L / 15 L / 20 L / 50 L / 200 L
Loaded 15W-40 CH-4	15W-40	API CH-4	1 L / 4 L / 6 L / 8 L / 10 L / 15 L / 20 L / 50 L / 200 L
Loaded 15W-40 CF	15W-40	API CF	1 L / 4 L / 6 L / 8 L / 10 L / 15 L / 20 L / 50 L / 200 L
Loaded 20W-50 SL	20W-50	API SL	1 L / 4 L / 8 L / 10 L / 18 L / 20 L / 50 L / 200 L
Loaded 20W-40 CF	20W-40	API CF	1 L / 4 L / 6 L / 8 L / 10 L / 15 L / 20 L / 50 L / 200 L
Pro-40	SAE 40	API CF	1 L / 2 L / 4 L / 10 L / 20 L / 50 L / 200 L
Loaded 10W-40 SP	10W-40	API SP - Semi-synthetic	1 L / 3 L / 4 L
Loaded 5W-30 SP	5W-30	API SP - Fully synthetic	1 L / 3 L / 4 L
City Drive	20W-50	API SL	3 L
PSO	20W-50	API SL	3.5 L



15W-40
Heavy-duty diesel



SAE 40
Monograde protection



PSO 20W-50
Agricultural pump service | 3.5 L

APPLICATION NOTE

CI-4 / CH-4 / CF indicate diesel service categories; SL / SP indicate petrol service categories.

Two-wheelers and workshop essentials.

Scooter, motorcycle and 2-stroke coverage, plus brake, fork and cooling-system service fluids.

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
4T R Scooter Oil	10W-30	API SL	800 mL / 1 L
BIKERS 4T	20W-40	API SL	1 L / 1.2 L
BIKERS 4T+	20W-50	API SL	1 L / 1.2 L
ROYAL 4T	15W-50	API SL	2.5 L
2T Racer	2T	API TC	1 L
Auto Drive	20W-50	API SL	2 L

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
Cool-X RTU	RTU	Ready-to-use coolant	1 L / 4 L
Cool-X 1:4	Concentrate 1:4	Coolant concentrate	1 L / 4 L
Fork Tech	Fork oil	Suspension service fluid	175 mL / 350 mL
Brake Fluid DOT-3	J1703	DOT 3	250 mL / 500 mL
Brake Fluid DOT-4	J1704	DOT 4	250 mL / 500 mL



4T-R 10W-30

Scooter oil | 800 mL



POWER RACER 2T

2-stroke engine oil



COOLING SYSTEM CARE

Representative coolant pack

For gears, axles and transmissions.

Select the viscosity and GL category specified by the equipment manufacturer; these levels are not automatically interchangeable.

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
Loaded ATF TQ	ATF TQ	Automatic transmission fluid	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Loaded UTTO	10W-30	UTTO	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Gear Oil 85W-140	85W-140	API GL-5	1 L / 4 L / 8 L / 10 L / 20 L / 50 L / 200 L
Gear Oil 80W-90	80W-90	API GL-5	1 L / 4 L / 8 L / 10 L / 20 L / 50 L / 200 L
Gear Oil 85W-140	85W-140	API GL-4	1 L / 4 L / 8 L / 10 L / 20 L / 50 L / 200 L
Gear Oil 80W-90	80W-90	API GL-4	1 L / 4 L / 8 L / 10 L / 20 L / 50 L / 200 L
Gear Oil EP 90	EP 90	API GL-3	1 L / 4 L / 8 L / 10 L / 20 L / 50 L / 200 L
Gear Oil EP 140	EP 140	API GL-3	1 L / 4 L / 8 L / 10 L / 20 L / 50 L / 200 L
Gear Oil FLO Grade	FLO Grade	API GL-1	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Multi Axle	80W-90	API GL-5	1 L / 4 L / 10 L / 20 L / 50 L / 200 L



ATF TQ
Transmission fluid



UTTO
Agri drivetrain



ULTRA GEAR GUARD
Representative EP-140 / GL-3 pack

ATF / UTTO / GL-1 / GL-3 / GL-4 / GL-5

Fluids that keep systems moving.

Hydraulic, machining, electrical, compressor, spindle and turbine applications from workshop packs to 200 L drums.

HYDRAULIC OIL

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
Hydro 10W	10W	Hydraulic oil	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Hydro ISO VG 46	ISO VG 46	Anti-wear hydraulic oil	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Hydro ISO VG 68	ISO VG 68	Anti-wear hydraulic oil	1 L / 4 L / 10 L / 20 L / 50 L / 200 L

INDUSTRIAL OIL

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
Cutting Oil	ISO VG 22	Premium cutting oil	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Transformer Oil	IEC 60296	Premium transformer oil	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Spindle Oil	ISO VG 10/22	Premium spindle oil	50 L / 200 L
Compressor Oil	ISO VG 68	Premium compressor oil	1 L / 4 L / 10 L / 20 L / 50 L / 200 L
Turbine Oil	ISO VG 46/68	Premium turbine oil	50 L / 200 L



HYDRA AW-46
Representative 10 L pail



ISO VG 10 / 22 / 46 / 68 | IEC 60296

Grease, coolant and compact service packs.

Consistency, base type and service environment matter. Use the specified product for each lubrication or cooling point.

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
Chesis Grease	NLGI 2	Multi-purpose grease	200 g / 500 g / 1 kg / 2 kg / 3 kg / 5 kg / 10 kg / 18 kg / 180 kg
White Calcium	NLGI 2	Calcium base grease	200 g / 500 g / 1 kg / 2 kg / 3 kg / 5 kg / 10 kg / 18 kg / 180 kg
APLR	NLGI 2	Multi-purpose EP grease	200 g / 500 g / 1 kg / 2 kg / 3 kg / 5 kg / 10 kg / 18 kg / 180 kg
White Lithium	NLGI 2	Lithium EP grease	200 g / 500 g / 1 kg / 2 kg / 3 kg / 5 kg / 10 kg / 18 kg / 180 kg
Red Lithium	NLGI 2	Lithium complex EP grease	200 g / 500 g / 1 kg / 2 kg / 3 kg / 5 kg / 10 kg / 18 kg / 180 kg

COOLING OIL

PRODUCT / SKU	VISCOSITY	PERFORMANCE	AVAILABLE PACKS
Cool-X RTU	RTU	Ready-to-use coolant	1 L / 4 L
Cool-X 1:4	Concentrate 1:4	Coolant concentrate	1 L / 4 L



COOLANT RANGE

RTU and concentrate formats

NLGI 2

GREASE SELECTION

Multi-purpose, calcium, lithium and lithium-complex greases serve different temperature, water-resistance and load requirements.

PACK RANGE

200 g to 180 kg | workshop to bulk service



A.G. MANUFACTURING
AND TRADING PVT. LTD.

BUILT FOR THE WORK THAT MOVES NEPAL.

Automotive, agricultural and industrial lubricants manufactured in Manigram, Nepal.

FACTORY & OFFICE Manigram, Tilottama-5, Rupandehi, Nepal

PHONE 071-438662 | 9705455555 | 9857028662 | 9867756460

EMAIL info@agmanufacturing.com.np

WEB www.agmanufacturing.com.np



PRODUCT PORTFOLIO

ENGINE

MOTORCYCLE

GEAR

HYDRAULIC

INDUSTRIAL

GREASE

COOLING

This catalogue is a price-free product reference based on the supplied SKU list dated Bhadra 01, 2083. Product names, packs and specifications may change. Confirm the latest technical data sheet and equipment manufacturer recommendation before use.