```
---
-- Experiment 9: TCL & DCL COMMANDS
---
-- Create a student table for TCL commands
CREATE TABLE Student (
    name VARCHAR(50),
    rollno INT PRIMARY KEY,
    address VARCHAR(100)
);
DESC Student;

Table STUDENT created.

Name    Null?    Type
------- -------- -------------
NAME             VARCHAR2(50)
ROLLNO  NOT NULL NUMBER(38)
ADDRESS          VARCHAR2(100)

-- Insert data and use SAVEPOINT and ROLLBACK
INSERT INTO Student (name, rollno, address) VALUES ('Arun', 101, 'Kochi');
INSERT INTO Student (name, rollno, address) VALUES ('Meera', 102, 'Thrissur');
SELECT name, rollno, address FROM Student;


1 row inserted.
1 row inserted.


NAME                                               Roll_No Address
-------------------------------------------------- ------- --------------------
Arun                                                   101 Kochi
Meera                                                  102 Thrissur

SAVEPOINT sp1;

DELETE FROM Student;
SELECT name, rollno, address FROM Student;

ROLLBACK TO sp1;
Savepoint created.
2 rows deleted.
no rows selected
Rollback complete.
```

```
NAME                                                Roll_No Address
--------------------------------------------------- ------- --------------------
Arun                                                    101 Kochi
Meera                                                   102 Thrissur

SELECT name, rollno, address FROM Student;

INSERT INTO Student (name, rollno, address) VALUES ('Jayan', 103, 'Alleppey');
INSERT INTO Student (name, rollno, address) VALUES ('Sneha', 104, 'Kannur');
INSERT INTO Student (name, rollno, address) VALUES ('Rahul', 105, 'Kollam');
SELECT name, rollno, address FROM Student;

1 row inserted.
1 row inserted.
1 row inserted.


NAME                                                Roll_No Address
--------------------------------------------------- ------- --------------------
Arun                                                    101 Kochi
Meera                                                   102 Thrissur
Jayan                                                   103 Alleppey
Sneha                                                   104 Kannur
Rahul                                                   105 Kollam

SAVEPOINT sp2;

DELETE FROM Student;
SELECT name, rollno, address FROM Student;

Savepoint created.
5 rows deleted.
no rows selected
ROLLBACK TO sp2;
SELECT name, rollno, address FROM Student;
Rollback complete.


NAME                                                Roll_No Address
--------------------------------------------------- ------- --------------------
Arun                                                    101 Kochi
Meera                                                   102 Thrissur
```

```
Jayan                                                  103 Alleppey
Sneha                                                  104 Kannur
Rahul                                                  105 Kollam


INSERT INTO Student (name, rollno, address) VALUES ('Anju', 106, 'Ernakulam');
INSERT INTO Student (name, rollno, address) VALUES ('Vishnu', 107, 'Palakkad');

1 row inserted.
1 row inserted.

-- Commit the transaction
COMMIT;
Commit complete.

SELECT name, rollno, address FROM Student;

NAME                                               Roll_No Address
-------------------------------------------------- ------- --------------------
Arun                                                   101 Kochi
Meera                                                  102 Thrissur
Jayan                                                  103 Alleppey
Sneha                                                  104 Kannur
Rahul                                                  105 Kollam
Anju                                                   106 Ernakulam
Vishnu                                                 107 Palakkad

7 rows selected.
```