

Cucumber Report

20 Dec 2025, 1:19:25 am

Start : Dec 20, 1:18:00.343 am

End : Dec 20, 1:19:25.653 am

Duration : 1 m 25.310 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 2
SKIPPED - 0


Steps

PASSED - 2
FAILED - 2
SKIPPED - 4




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<i>Orange HRM Login Test</i>		1 m 25.310 s		2	0	2	0	8	2	2	4

Tag	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@AITest		2	0	2	0	1	0	1



#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	2	0	2	0	1 m 25.310 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	<u>Validate Login Functionality</u>	4	1	1	2	49.585 s
2	<u>Orange HRM Login Test</u>	<u>Validate Login Functionality2</u>	4	1	1	2	35.713 s

Orange HRM Login Test




Validate Login Functionality



#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.015 s
2	<p>When I enter "Admin" and "admin123"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name="username"]"} (Session info: chrome=143.0.7499.147) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [0528aeb5dc2a6a395ef64600ee9d2e8c, findElement {value=/input[@name="username"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65503}, goog:processID: 21927, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:65503/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0528aeb5dc2a6a395ef64600ee9d2e8c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	4.217 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.clear(Unknown Source) at com.pages.LoginPage.enterUsername(LoginPage.java:37) at com.steps.LoginSteps.i_enter_and(LoginSteps.java:30) at ?.I enter "Admin" and "admin123"(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/.src/test/resource/com/features/OrangeHRM.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	When I enter username and password	SKIPPED	0.001 s
4	When I Click on Login button	SKIPPED	0.000 s
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>Validate Login Functionality</p> 	PASSED	0.851 s

Validate Login Functionality2



#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.000 s
2	When I enter "Admin" and "admin123" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='username']"} (Session info: chrome=143.0.7499.147) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e4bfafe6a96994589d69bbece0d7b0c6, findElement {value=/input[@name="username"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49236}, goog:processID: 21971, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49236/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e4bfafe6a96994589d69bbece0d7b0c6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.clear(Unknown Source) at com.pages.LoginPage.enterUsername(LoginPage.java:37) at com.steps.LoginSteps.i_enter_and(LoginSteps.java:30) at ?.I enter "Admin" and "admin123"(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/.src/test/resource/com/features/TestFile.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	0.453 s
3	When I enter username and password	SKIPPED	0.000 s
4	When I Click on Login button	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.867 s
	Validate Login Functionality2		

#	Step / Hook Details	Status	Duration
	 <p>The screenshot shows the TOOLS interface with a sidebar menu on the left containing 'Elements', 'Form', 'Practice Form', 'Form, Frame & Workflow', and 'Widgets'. The main area displays the 'ZeroStep' feature, which includes a sub-menu for 'Build Playwright Tests using AI'. A 'Try for free' button is visible. Below this, there's a 'Practice Form' section with a 'Student Registration Form' and a preview image of a document titled 'COLLEGE OF KAILANG, SINGAPORE'.</p>		