

Cucumber Report

20 Dec 2025, 12:25:49 am

Start : Dec 20, 12:23:37.472 am

End : Dec 20, 12:25:49.556 am

Duration : 2 m 12.084 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 8
FAILED - 6
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Orange HRM Login Test</u>	2 m 12.084 s	6	0	6	0	18	8	6	4

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@AITest1	2	0	2	0	1	0	1	0
@AITest	2	0	2	0	1	0	1	0
@Form	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	6	0	6	0	2 m 12.084 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	<u>Resuse Login2</u>	3	2	1	0	2 m 11.958 s
2	<u>Orange HRM Login Test</u>	<u>Validate Login Functionality2</u>	4	1	1	2	2 m 11.897 s
3	<u>Orange HRM Login Test</u>	<u>Validate Login Functionality</u>	4	1	1	2	2 m 11.902 s
4	<u>Orange HRM Login Test</u>	<u>Resuse Login</u>	3	2	1	0	2 m 11.916 s
5	<u>Orange HRM Login Test</u>	<u>Fill Student form2</u>	2	1	1	0	2 m 11.901 s
6	<u>Orange HRM Login Test</u>	<u>Fill Student form</u>	2	1	1	0	2 m 12.076 s

Orange HRM Login Test

FAILED	DURATION - 2 m 12.084 s	Scenarios		Steps	
/ 12:23:37.472 am // 12:25:49.556 am /		Total - 6		Total - 18	
		Pass - 0		Pass - 8	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 4	



Resuse Login2

<div>FAILED</div> <div>DURATION - 2 m 11.958 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:23:37.473 am // 12:25:49.431 am /				
Orange HRM Login Test				
@AITest1				

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.039 s
2	When I enter username and password	PASSED	0.000 s
3	When I Click on Login button org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: Unable to receive message from renderer (Session info: chrome=143.0.7499.147) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [766652b562a28242c66ce8ba2623c9cc, clickElement {id=f.73D265AE4F0D130A7B6F0FE363DCCE17.d.74288C2784D7E66A757F6FEAC1B110EF.e.108}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64848}, goog:processID: 21474, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:64848/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (766652b562a28242c66ce8ba2623c9cc)] -> xpath: //button[@type="submit"]] Session ID: 766652b562a28242c66ce8ba2623c9cc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)	FAILED	23.889 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.pages.LoginPage.clickLogin(LoginPage.java:49) at com.steps.LoginSteps.i_Click_on_Login_button(LoginSteps.java:37) at ?.I Click on Login button(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/./src/test/resource/com/features/TestFile.feature:18) * Not displayable characters are replaced by '?'. </pre>		



Validate Login Functionality2

<div>FAILED</div> <div>DURATION - 2 m 11.897 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 12:23:37.476 am // 12:25:49.373 am /				
Orange HRM Login Test				
@AITest				

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.090 s
2	When I enter "Admin" and "admin123"	FAILED	2 m 2.840 s
	<pre> org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: Unable to receive message from renderer (Session info: chrome=143.0.7499.147) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d4d795fe3acc7328aeef21611b55d60, findElement {value=//input[@name="username"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: </pre>		



#	Step / Hook Details	Status	Duration
	<p>localhost:64846}, goog:processID: 21473, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:64846/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d4d795fe3acc7328aeef21611b55d60</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.clear(Unknown Source) at com.pages.LoginPage.enterUsername(LoginPage.java:37) at com.steps.LoginSteps.i_enter_and(LoginSteps.java:30) at ?.I enter "Admin" and "admin123"(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/./src/test/resource/com/features/TestFile.feature:6) * Not displayable characters are replaced by '?'. </p>		
3	When I enter username and password	SKIPPED	0.000 s
4	When I Click on Login button	SKIPPED	0.000 s

Validate Login Functionality

FAILED DURATION - 2 m 11.902 s / 12:23:37.477 am // 12:25:49.379 am / Orange HRM Login Test @AITest		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.001 s
2	When I enter "Admin" and "admin123"	FAILED	16.055 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='username']"} (Session info: chrome=143.0.7499.147) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ebf0f2817dc573dc96fd749043d6e0c, findElement {value=//input[@name='username'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64853}, goog:processID: 21475, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:64853/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5ebf0f2817dc573dc96fd749043d6e0c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.clear(Unknown Source) at com.pages.LoginPage.enterUsername(LoginPage.java:37) at com.steps.LoginSteps.i_enter_and(LoginSteps.java:30) at ?.I enter "Admin" and "admin123"(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/src/test/resource/com/features/OrangeHRM.feature:6) * Not displayable characters are replaced by '?'.</p>		
3	When I enter username and password	SKIPPED	0.000 s
4	When I Click on Login buttom	SKIPPED	0.001 s



Resuse Login

<div>FAILED</div> <div>DURATION - 2 m 11.916 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:23:37.478 am // 12:25:49.394 am /				
Orange HRM Login Test				
@AITest1				

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.000 s
2	When I enter username and password	PASSED	0.001 s
3	When I Click on Login button org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: Unable to receive message from renderer (Session info: chrome=143.0.7499.147) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1b0716c66adaa1323d9fa223d8ddf19, findElement {value=//button[@type="submit"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/ly85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64847}, goog:processID: 21471, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:64847/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b1b0716c66adaa1323d9fa223d8ddf19 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.716 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.pages.LoginPage.clickLogin(LoginPage.java:49) at com.steps.LoginSteps.i_Click_on_Login_buttom(LoginSteps.java:37) at ?.I Click on Login buttom(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/./src/test/resource/com/features/OrangeHRM.feature:18) * Not displayable characters are replaced by '?'.		



Fill Student form2

<div>FAILED</div> <div>DURATION - 2 m 11.901 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:23:37.479 am // 12:25:49.380 am /				
Orange HRM Login Test				
@Form				

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.001 s
2	When I enter firstname and lastname org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: Unable to receive message from renderer (Session info: chrome=143.0.7499.147) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f833c0bfedcce723b3f013a234e70a30, findElement {value=//input[@id="firstName"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64849}, goog:processID: 21472, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:64849/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f833c0bfedcce723b3f013a234e70a30 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)	FAILED	1.755 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.clear(Unknown Source) at com.pages.Formpage.enterFirstname(Formpage.java:28) at com.steps.FormSteps.i_enter_firstname_and_lastname(FormSteps.java:20) at ?.I enter firstname and lastname(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/./src/test/ resource/com/features/TestFile.feature:23) * Not displayable characters are replaced by '?'. </pre>		

Fill Student form

FAILED	DURATION - 2 m 12.076 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 12:23:37.480 am // 12:25:49.556 am /				
Orange HRM Login Test				
@Form				

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.000 s
2	When I enter firstname and lastname <pre> org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: Unable to receive message from renderer (Session info: chrome=143.0.7499.147) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [96749105fa422489fccb1dc7731f74e6, findElement {value=//input[@id="firstName"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64850}, goog:processID: 21470, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:64850/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 96749105fa422489fccb1dc7731f74e6 </pre>	FAILED	17.509 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.sendKeys(Unknown Source) at com.pages.Formpage.enterFirstname(Formpage.java:29) at com.steps.FormSteps.i_enter_firstname_and_lastname(FormSteps.java:20) at ?.I enter firstname and lastname(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/src/test/ resource/com/features/OrangeHRM.feature:23) * Not displayable characters are replaced by '?'. </pre>		