

# Cucumber Report

19-Dec-2025, 10:02:23 am

Start : Dec 19, 10:02:23.219 am

End : Dec 19, 10:02:23.269 am

Duration : 0.050 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Orange HRM Login Test</u>	0.050 s	1	0	1	0	2	0	0	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Form	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	1	0	1	0	0.050 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	<u>Fill Student form</u>	2	0	0	2	0.048 s

## Orange HRM Login Test

<b>FAILED</b>	DURATION - 0.050 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 10:02:23.219 am // 10:02:23.269 am /					

## Fill Student form

FAILED	DURATION - 0.048 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 10:02:23.221 am // 10:02:23.269 am /				
Orange HRM Login Test				
@Form				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario()  java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.getName()" because "this.scenario" is null at com.steps.Hooks.beforeScenario(Hooks.java:36)	FAILED	0.010 s
1	Given I want launch Orange HRM Application	SKIPPED	0.001 s
2	When I enter firstname and lastname	SKIPPED	0.000 s