

Cucumber Report

19 Dec 2025, 11:37:19 pm

Start : Dec 19, 11:34:17.233 pm

End : Dec 19, 11:37:18.973 pm

Duration : 3 m 1.740 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 1
FAILED - 3
SKIPPED - 0


Steps

PASSED - 6
FAILED - 3
SKIPPED - 4




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<i>Orange HRM Login Test</i>		<i>3 m 1.740 s</i>		4	1	3	0	13	6	3	4

Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@AITest	2	0	2	0	1	0	1	0
@AITest1	1	0	1	0	1	0	1	0
@Form	1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	4	1	3	0	3 m 1.740 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	<u>Validate Login Functionality</u>	4	1	1	2	42.333 s
2	<u>Orange HRM Login Test</u>	<u>Resuse Login</u>	3	2	1	0	43.433 s
3	<u>Orange HRM Login Test</u>	<u>Fill Student form</u>	2	2	0	0	54.189 s
4	<u>Orange HRM Login Test</u>	<u>Validate Login Functionality2</u>	4	1	1	2	41.769 s

Orange HRM Login Test




Validate Login Functionality



#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.010 s
2	<p>When I enter "Admin" and "admin123"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name="username"]"} (Session info: chrome=143.0.7499.147) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [63556414ca8bf0080e27fab6734298cf, findElement {value=/input[@name="username"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63817}, goog:processID: 20568, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63817/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 63556414ca8bf0080e27fab6734298cf</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p>	FAILED	0.365 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.clear(Unknown Source) at com.pages.LoginPage.enterUsername(LoginPage.java:37) at com.steps.LoginSteps.i_enter_and(LoginSteps.java:30) at ?.I enter "Admin" and "admin123"(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/.src/test/resource/com/features/OrangeHRM.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	When I enter username and password	SKIPPED	0.001 s
4	When I Click on Login button	SKIPPED	0.000 s


Resuse Login



#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.000 s
2	When I enter username and password	PASSED	0.001 s
3	When I Click on Login button org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button id="submit" type="submit" class="btn btn-primary">...</button> is not clickable at point (849, 637). Other element would receive the click: <iframe frameborder="0" src="https://f44d4a3302cf71a3f55bf825aad67497.safeframe.googlesyndication.com/safeframe/1-0-45/html/container.html"	FAILED	6.130 s


#	Step / Hook Details	Status	Duration
	<pre> id="google_ads_iframe_21849154601_22343295815_Ad_Plus-Anchor_0" title="3rd party ad content" name="" scrolling="no" marginwidth="0" marginheight="0" width="728" height="90" data-is-safeframe="true" sandbox="allow-forms allow-popups allow-popups-to-escape-sandbox allow-same-origin allow-scripts allow-top-navigation-by-user-activation" allow="private-state-token-redemption;attribution-reporting" aria-label="Advertisement" tabindex="0" data-google-container-id="1" style="border: 0px; vertical-align: bottom;" data-load-complete="true"></iframe> (Session info: chrome=143.0.7499.147) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11a865e35767dbeb370c3d623a2e5869, clickElement {id=f.00DFB185A5E58CD7877CE87F3A8A1A7F.d.7E8FAF3C76B2958DDA9E76AA5FC32222.e.85}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63890}, goog:processID: 20609, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63890/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (11a865e35767dbeb370c3d623a2e5869)] -> xpath: //button[@type="submit"]] Session ID: 11a865e35767dbeb370c3d623a2e5869 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.pages.LoginPage.clickLogin(LoginPage.java:49) at com.steps.LoginSteps.i_Click_on_Login_button(LoginSteps.java:37) at ?.I Click on Login button(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/.src/test/resource/com/features/OrangeHRM.feature:18) * Not displayable characters are replaced by '?'. </pre>		

Fill Student form



#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.001 s
2	When I enter firstname and lastname	PASSED	4.449 s

Validate Login Functionality2



#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.001 s
2	When I enter "Admin" and "admin123" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='username']"} (Session info: chrome=143.0.7499.147) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [bb80062bd31e728d50455586d6d3737f, findElement {value=//input[@name="username"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64148}, goog:processID: 20712, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:64148/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bb80062bd31e728d50455586d6d3737f	FAILED	0.132 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.clear(Unknown Source) at com.pages.LoginPage.enterUsername(LoginPage.java:37) at com.steps.LoginSteps.i_enter_and(LoginSteps.java:30) at ?.I enter "Admin" and "admin123"(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/.src/test/resource/com/features/TestFile.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	When I enter username and password	SKIPPED	0.000 s
4	When I Click on Login button	SKIPPED	0.000 s