

Cucumber Report

19-Dec-2025, 10:05:44 am

Start : Dec 19, 10:05:43.545 am

End : Dec 19, 10:05:43.592 am

Duration : 0.047 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Orange HRM Login Test</u>	0.047 s	1	0	1	0	2	0	0	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Form	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	1	0	1	0	0.047 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	<u>Fill Student form</u>	2	0	0	2	0.044 s

Orange HRM Login Test

FAILED	DURATION - 0.047 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 10:05:43.545 am // 10:05:43.592 am /					

Fill Student form

<div>FAILED</div> <div>DURATION - 0.044 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 10:05:43.548 am // 10:05:43.592 am /				
Orange HRM Login Test				
@Form				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario() java.lang.NullPointerException: Cannot invoke "io.cucumber.java.Scenario.getName()" because "this.scenario" is null at com.steps.Hooks.beforeScenario(Hooks.java:36)	FAILED	0.009 s
1	Given I want launch Orange HRM Application	SKIPPED	0.001 s
2	When I enter firstname and lastname	SKIPPED	0.001 s