

Cucumber Report

19 Dec 2025, 8:31:21 pm

Start : Dec 19, 8:28:21.284 pm

End : Dec 19, 8:31:21.381 pm

Duration : 3 m 0.097 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 5
FAILED - 2
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Orange HRM Login Test</u>	3 m 0.097 s	3	1	2	0	9	5	2	2

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@AI <i>Test</i>	1	0	1	0	1	0	1	0
@AI <i>Test1</i>	1	0	1	0	1	0	1	0
@ <i>Form</i>	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	3	1	2	0	3 m 0.097 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Login Test</u>	<u>Validate Login Functionality</u>	4	1	1	2	33.313 s
2	<u>Orange HRM Login Test</u>	<u>Resuse Login</u>	3	2	1	0	1 m 45.472 s
3	<u>Orange HRM Login Test</u>	<u>Fill Student form</u>	2	2	0	0	41.298 s

Orange HRM Login Test

FAILED	DURATION - 3 m 0.097 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 9 Pass - 5 Fail - 2 Skip - 2	
/ 8:28:21.284 pm // 8:31:21.381 pm /					



Validate Login Functionality

FAILED	DURATION - 33.313 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 8:28:21.287 pm // 8:28:54.600 pm /				
Orange HRM Login Test				
@AITest				

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.019 s
2	When I enter "Admin" and "admin123"	FAILED	0.283 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name="username"]"} (Session info: chrome=143.0.7499.147) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [afad16a6d53f3a9f1f30aea766e9f45a, findElement {using=xpath, value=//input[@name="username"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/ly85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63280}, goog:processID: 20148, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63280/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: afad16a6d53f3a9f1f30aea766e9f45a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.clear(Unknown Source) at com.pages.LoginPage.enterUsername(LoginPage.java:37) at com.steps.LoginSteps.i_enter_and(LoginSteps.java:30) at ?.I enter "Admin" and "admin123"(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/./src/test/ resource/com/features/OrangeHRM.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	When I enter username and password	SKIPPED	0.000 s
4	When I Click on Login button	SKIPPED	0.000 s

Resuse Login

<div>FAILED</div> <div>DURATION - 1 m 45.472 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:28:54.609 pm // 8:30:40.081 pm /</div>				
<div>Orange HRM Login Test</div>				
<div>@AITest1</div>				

#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.000 s
2	When I enter username and password	PASSED	0.000 s
3	When I Click on Login button	FAILED	1.743 s
	<pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button id="submit" type="submit" class="btn btn-primary">...</button> is not clickable at point (849, 637). Other element would receive the click: <iframe frameborder="0" src="https://bb1155274694cbcad57d41ef8266bd8b.safeiframe.google syndication.com/safeiframe/1-0-45/html/container.html" </pre>		

#	Step / Hook Details	Status	Duration
	<p>id="google_ads_iframe_/21849154601,22343295815/Ad.Plus-Anchor_0" title="3rd party ad content" name="" scrolling="no" marginwidth="0" marginheight="0" width="809" height="100" data-is-safe-frame="true" sandbox="allow-forms allow-popups allow-popups-to-escape-sandbox allow-same-origin allow-scripts allow-top-navigation-by-user-activation" allow="private-state-token-redemption;attribution-reporting" aria-label="Advertisement" tabindex="0" data-google-container-id="1" style="border: 0px; vertical-align: bottom;" data-load-complete="true"></iframe> (Session info: chrome=143.0.7499.147) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.1', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c36088a471f950acc3806da7779b657a, clickElement {id=f.D092411AF2586D63A9F5AE04CA272BBC.d.2F8FAB68958329A5A55BC166ED3A2C30.e.98}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.147, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: /var/folders/zh/y85mmf054t5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63344}, goog:processID: 20188, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63344/devtoo..., se:cdpVersion: 143.0.7499.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (c36088a471f950acc3806da7779b657a)] -> xpath: //button[@type="submit"]] Session ID: c36088a471f950acc3806da7779b657a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.click(Unknown Source) at com.pages.LoginPage.clickLogin(LoginPage.java:49) at com.steps.LoginSteps.i_Click_on_Login_buttom(LoginSteps.java:37) at ?.i Click on Login buttom(file:///Users/prakashmohanraopatil/eclipse-workspace/BDD_Parallel_CICD_Framework/./src/test/resource/com/features/OrangeHRM.feature:18)</p> <p>* Not displayable characters are replaced by '?'.</p>		

Fill Student form


PASSED

DURATION - 41.298 s

/ 8:30:40.083 pm // 8:31:21.381 pm /

Orange HRM Login Test

@Form




Steps

Total - 2

Pass - 2

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given I want launch Orange HRM Application	PASSED	0.000 s
2	When I enter firstname and lastname	PASSED	7.506 s