

-- More Queries --

#1

```
SELECT p.pname, s.sname, c.cost
FROM catalog c
JOIN parts p ON c.pid = p.pid
JOIN supplier s ON c.sid = s.sid
WHERE c.cost = (
    SELECT MAX(cost) FROM catalog);
```

-- 2

```
SELECT s.sname
FROM supplier s
WHERE s.sid NOT IN (
    SELECT DISTINCT c.sid
    FROM catalog c
    JOIN parts p ON c.pid = p.pid
    WHERE p.color = 'Red');
```

-- 3

```
SELECT s.sname, SUM(c.cost) AS total_value
FROM supplier s
JOIN catalog c ON s.sid = c.sid
GROUP BY s.sname;
```

-- 4

```
SELECT s.sname
FROM supplier s
```

```
JOIN catalog c ON s.sid = c.sid
```

```
WHERE c.cost < 20
```

```
GROUP BY s.sname
```

```
HAVING COUNT(*) >= 2;
```

```
-- 5
```

```
SELECT p.pname, s.sname, c.cost
```

```
FROM catalog c
```

```
JOIN supplier s ON c.sid = s.sid
```

```
JOIN parts p ON c.pid = p.pid
```

```
WHERE (c.pid, c.cost) IN (
```

```
    SELECT pid, MIN(cost)
```

```
    FROM catalog
```

```
    GROUP BY pid);
```

```
-- 6
```

```
CREATE VIEW SupplierPartCount AS
```

```
SELECT s.sname, COUNT(DISTINCT c.pid) AS part_count
```

```
FROM supplier s
```

```
JOIN catalog c ON s.sid = c.sid
```

```
GROUP BY s.sname;
```

```
-- 7
```

```
CREATE VIEW MostExpensiveSupplier AS
```

```
SELECT p.pname, s.sname, c.cost
```

```
FROM catalog c
```

```
JOIN supplier s ON c.sid = s.sid
```

```
JOIN parts p ON c.pid = p.pid
```

```
WHERE (c.pid, c.cost) IN (  
    SELECT pid, MAX(cost)  
    FROM catalog  
    GROUP BY pid);
```

```
-- 8
```

```
DELIMITER //
```

```
CREATE TRIGGER catalog_insert_guard  
BEFORE INSERT ON catalog  
FOR EACH ROW  
BEGIN  
    -- Set default if NULL  
    IF NEW.cost IS NULL THEN  
        SET NEW.cost = 10;  
    END IF;  
  
    -- Prevent cost below 1  
    IF NEW.cost < 1 THEN  
        SIGNAL SQLSTATE '45000'  
        SET MESSAGE_TEXT = 'Cost must be at least ₹1';  
    END IF;  
END;  
//
```

```
DELIMITER ;
```

```
-- 9
```

DELIMITER //

```
CREATE TRIGGER set_default_cost
BEFORE INSERT ON catalog
FOR EACH ROW
BEGIN
    IF NEW.cost IS NULL THEN
        SET NEW.cost = 10; -- Default cost
    END IF;
END;
//
```

DELIMITER ;

SHOW TRIGGERS;

select * from set_default_cost;

MySQL Workbench

prakash x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

25°C Mostly cloudy

Search

ENG INTL

19:31 17-11-2025

Supplier01

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
100 -- More Queries --
101 #1
102 SELECT p.pname, s.sname, c.cost
103 FROM catalog c
104 JOIN parts p ON c.pid = p.pid
105 JOIN supplier s ON c.sid = s.sid
106 WHERE c.cost = (
107     SELECT MAX(cost) FROM catalog);
108
```

Result Grid

pname	sname	cost
Pencil	Reliance	40

Result 13

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	19:20:19	SELECT s.sname FROM supplier s WHERE NOT EXISTS (SELECT p.pid FROM parts p WHERE NO...	1 row(s) returned	0.000 sec / 0.000 sec
14	19:21:10	SELECT p.pname FROM parts p JOIN catalog c ON p.pid = c.pid JOIN supplier s ON c.sid = s.sid GROUP BY ...	2 row(s) returned	0.000 sec / 0.000 sec
15	19:21:48	SELECT s.sname FROM supplier s WHERE NOT EXISTS (SELECT p.pid FROM parts p WHERE p.c...	2 row(s) returned	0.016 sec / 0.000 sec
16	19:22:39	SELECT DISTINCT c.sid FROM catalog c WHERE c.cost > (SELECT AVG(c2.cost) FROM catalog c2 ...	2 row(s) returned	0.000 sec / 0.000 sec
17	19:23:11	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN supplier s ON c.sid = s.sid JOIN parts p ON c.pid = p...	9 row(s) returned	0.015 sec / 0.000 sec
18	19:30:56	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN parts p ON c.pid = p.pid JOIN supplier s ON c.sid = ...	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

prakash x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

25°C Mostly cloudy

Search

ENG INTL

19:31 17-11-2025

Supplier01

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
113 SELECT DISTINCT c.sid
114 FROM catalog c
115 JOIN parts p ON c.pid = p.pid
116 WHERE p.color = 'Red';
117
118 -- 3
119 SELECT s.sname, SUM(c.cost) AS total_value
120 FROM supplier s
121 JOIN catalog c ON s.sid = c.sid
```

Result Grid

sname
Reliance

supplier 14

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	19:21:10	SELECT p.pname FROM parts p JOIN catalog c ON p.pid = c.pid JOIN supplier s ON c.sid = s.sid GROUP BY ...	2 row(s) returned	0.000 sec / 0.000 sec
15	19:21:48	SELECT s.sname FROM supplier s WHERE NOT EXISTS (SELECT p.pid FROM parts p WHERE p.c...	2 row(s) returned	0.016 sec / 0.000 sec
16	19:22:39	SELECT DISTINCT c.sid FROM catalog c WHERE c.cost > (SELECT AVG(c2.cost) FROM catalog c2 ...	2 row(s) returned	0.000 sec / 0.000 sec
17	19:23:11	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN supplier s ON c.sid = s.sid JOIN parts p ON c.pid = p...	9 row(s) returned	0.015 sec / 0.000 sec
18	19:30:56	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN parts p ON c.pid = p.pid JOIN supplier s ON c.sid = ...	1 row(s) returned	0.000 sec / 0.000 sec
19	19:31:50	SELECT s.sname FROM supplier s WHERE s.sid NOT IN (SELECT DISTINCT c.sid FROM catalog c ...	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

prakash x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

25°C Mostly cloudy

Supplier01

```

119 SELECT s.sname, SUM(c.cost) AS total_value
120 FROM supplier s
121 JOIN catalog c ON s.sid = c.sid
122 GROUP BY s.sname;
123
124 -- 4
125 SELECT s.sname
126 FROM supplier s
127 JOIN catalog c ON s.sid = c.sid
  
```

Result Grid

sname	total_value
Acme Widget	90
Johns	50
Vimal	30
Reliance	40

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	19.21.48	SELECT s.sname FROM supplier s WHERE NOT EXISTS (SELECT p.pid FROM parts p WHERE p.c...	2 row(s) returned	0.016 sec / 0.000 sec
16	19.22.39	SELECT DISTINCT c.sid FROM catalog c WHERE c.cost > (SELECT AVG(c2.cost) FROM catalog c2	2 row(s) returned	0.000 sec / 0.000 sec
17	19.23.11	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN supplier s ON c.sid = s.sid JOIN parts p ON c.pid = p...	9 row(s) returned	0.015 sec / 0.000 sec
18	19.30.56	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN parts p ON c.pid = p.pid JOIN supplier s ON c.sid = ...	1 row(s) returned	0.000 sec / 0.000 sec
19	19.31.50	SELECT s.sname FROM supplier s WHERE s.sid NOT IN (SELECT DISTINCT c.sid FROM catalog c	2 row(s) returned	0.000 sec / 0.000 sec
20	19.32.21	SELECT s.sname, SUM(c.cost) AS total_value FROM supplier s JOIN catalog c ON s.sid = c.sid GROUP BY s...	4 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

prakash x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

25°C Mostly cloudy

Supplier01

```

130 HAVING COUNT(*) >= 2;
131
132 -- 5
133 SELECT p.pname, s.sname, c.cost
134 FROM catalog c
135 JOIN supplier s ON c.sid = s.sid
136 JOIN parts p ON c.pid = p.pid
137 WHERE (c.pid, c.cost) IN (
138 SELECT pid, MIN(cost)
  
```

Result Grid

sname
Acme Widget

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	19.22.39	SELECT DISTINCT c.sid FROM catalog c WHERE c.cost > (SELECT AVG(c2.cost) FROM catalog c2	2 row(s) returned	0.000 sec / 0.000 sec
17	19.23.11	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN supplier s ON c.sid = s.sid JOIN parts p ON c.pid = p...	9 row(s) returned	0.015 sec / 0.000 sec
18	19.30.56	SELECT p.pname, s.sname, c.cost FROM catalog c JOIN parts p ON c.pid = p.pid JOIN supplier s ON c.sid = ...	1 row(s) returned	0.000 sec / 0.000 sec
19	19.31.50	SELECT s.sname FROM supplier s WHERE s.sid NOT IN (SELECT DISTINCT c.sid FROM catalog c	2 row(s) returned	0.000 sec / 0.000 sec
20	19.32.21	SELECT s.sname, SUM(c.cost) AS total_value FROM supplier s JOIN catalog c ON s.sid = c.sid GROUP BY s...	4 row(s) returned	0.000 sec / 0.000 sec
21	19.33.01	SELECT s.sname FROM supplier s JOIN catalog c ON s.sid = c.sid WHERE c.cost < 20 GROUP BY s.sname	1 row(s) returned	0.015 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

prakash x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

Rain showers Tomorrow

Search

ENG INTL

19:40 17-11-2025

SupplierPartCount AS

```

143 CREATE VIEW SupplierPartCount AS
144 SELECT s.sname, COUNT(DISTINCT c.pid) AS part_count
145 FROM supplier s
146 JOIN catalog c ON s.sid = c.sid
147 GROUP BY s.sname;
148
149 SHOW CREATE VIEW SupplierPartCount;
150
151 -- 7

```

Result Grid

View	Create View	character_set_client	collation_connection
supplierpartcount	CREATE ALGORITHM=UNDEFINED DEFINER=...	utf8mb4	utf8mb4_0900_ai_ci

Output

Action Output

#	Time	Action	Message	Duration / Fetch
24	19:35:00	CREATE VIEW SupplierPartCount AS SELECT s.sname, COUNT(DISTINCT c.pid) AS part_count FROM supplier s JOIN catalog c ON s.sid = c.sid GROUP BY s.sname;	Error Code: 1050. Table 'SupplierPartCount' already exists	0.000 sec
25	19:35:12	CREATE VIEW MostExpensiveSupplier AS SELECT p.pname, s.sname, c.cost FROM catalog c JOIN supplier s ON c.sid = s.sid GROUP BY p.pname;	Error Code: 1050. Table 'MostExpensiveSupplier' already exists	0.000 sec
26	19:35:35	show views	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'show views' at line 1	0.000 sec
27	19:36:01	show VIEW	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'show VIEW' at line 1	0.000 sec
28	19:37:11	SELECT * from SupplierPartCount LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
29	19:40:32	SHOW CREATE VIEW SupplierPartCount	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

prakash x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

Air, Moderate Tomorrow

Search

ENG INTL

19:42 17-11-2025

MostExpensiveSupplier

```

157 WHERE (c.pid, c.cost) IN (
158 SELECT pid, MAX(cost)
159 FROM catalog
160 GROUP BY pid);
161
162
163 SHOW CREATE VIEW MostExpensiveSupplier;
164
165 -- 8

```

Result Grid

View	Create View	character_set_client	collation_connection
mostexpensivesupplier	CREATE ALGORITHM=UNDEFINED DEFINER=...	utf8mb4	utf8mb4_0900_ai_ci

Output

Action Output

#	Time	Action	Message	Duration / Fetch
25	19:35:12	CREATE VIEW MostExpensiveSupplier AS SELECT p.pname, s.sname, c.cost FROM catalog c JOIN supplier s ON c.sid = s.sid GROUP BY p.pname;	Error Code: 1050. Table 'MostExpensiveSupplier' already exists	0.000 sec
26	19:35:35	show views	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'show views' at line 1	0.000 sec
27	19:36:01	show VIEW	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'show VIEW' at line 1	0.000 sec
28	19:37:11	SELECT * from SupplierPartCount LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
29	19:40:32	SHOW CREATE VIEW SupplierPartCount	1 row(s) returned	0.000 sec / 0.000 sec
30	19:42:38	SHOW CREATE VIEW MostExpensiveSupplier	1 row(s) returned	0.000 sec / 0.000 sec