

## NBC Bye-Laws : Housing

|                         | Area                                                                                                                               | Minimum Width | Height                                                                                                                                       |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Habitable Room          | 9.50 sqm                                                                                                                           | 2.4m          | <ul style="list-style-type: none"> <li>• 2.75m up to slab bottom</li> <li>• 2.40m up to AC duct/False ceiling bottom, beam bottom</li> </ul> |
| Kitchen                 | <ul style="list-style-type: none"> <li>• 5.0 sqm (if separate dining)</li> <li>• 4.5 sqm (if there is a separate store)</li> </ul> | 1.8m          | 2.75m                                                                                                                                        |
| Kitchen+ dinning        | 7.5 sqm                                                                                                                            | 2.1m          | 2.75m                                                                                                                                        |
| Bathroom                | 1.8 sqm                                                                                                                            | 1.2m          | 2.10m                                                                                                                                        |
| WC                      | 1.1 sqm                                                                                                                            | 0.9m          |                                                                                                                                              |
| Bath + WC               | 2.8 sqm                                                                                                                            | 1.2m          |                                                                                                                                              |
| Parapet wall            |                                                                                                                                    |               | 1.0m – 1.2m                                                                                                                                  |
| High rise building      |                                                                                                                                    |               | 15m and above                                                                                                                                |
| Group Housing plot area | Minimum 3000 sqm                                                                                                                   |               |                                                                                                                                              |

## NBC Bye-Laws : Ventilation shaft

| Height of Building | Size of Ventilation Shaft | Minimum one dimension of shaft |
|--------------------|---------------------------|--------------------------------|
| Up to 10m          | 1.2 sqm                   | 0.9 m                          |
| 12m                | 2.8 sqm                   | 1.2 m                          |
| 18m                | 4.0 sqm                   | 1.5 m                          |
| 24m                | 5.4 sqm                   | 1.8 m                          |
| 30m                | 8.0 sqm                   | 2.4 m                          |
| Above 30m          | 9.0 sqm                   | 3.0 m                          |

- For buildings of **height above 30m**, a **mechanical ventilation system** shall be installed beside the provision of the minimum ventilation shaft
- For **fully air-conditioned residential/ business buildings**, the **ventilation shaft need not to be insisted upon**, provided the air conditioning system works in an uninterrupted manner, also provides there is an alternative source of power supply.

*Source: NBC of India; Part 3: Development Control Rules & General Building Requirements*

*<https://hsiidc.org.in/uploads/assets/170202029704170101891503NBCChapter3.pdf>*