

Part 2. Core values/ What We Stand For

We Treat People, Not Teeth

A healthy smile is never just about dentistry. We take the time to understand the person behind every appointment—their concerns, goals, lifestyle, and expectations—because the best treatment is the one that truly fits the individual.

Precision is a Form of Respect

Every detail matters. From diagnosis and planning to the final result, we approach our work with meticulous care because our patients trust us with something deeply personal. Precision isn't a feature of our treatment; it's our way of honoring that trust.

Never Stop Improving

Good enough has never been our standard. We are committed to learning, questioning, refining, and evolving so that our patients benefit from the best of modern dentistry—not just what is common, but what is proven to work better.

Why Choose Us?

There are easier ways to do dentistry.

We just haven't found a good reason to use them.

Whether it's a routine cleaning or a complex implant procedure, we believe the little things matter—the extra measurements, the extra planning, the extra attention to detail. They may take more effort, but they usually lead to better results.

Because when it comes to your smile, "good enough" rarely is.

Part 3. Our services

General Dentistry

Keeping your teeth and gums healthy for the long run.

- * Dental Check-ups & Consultations

- * Professional Cleaning (Scaling & Polishing)

- * Fillings (Tooth-Coloured Restorations)
- * Root Canal Treatment
- * Crowns & Bridges
- * Complete and Partial Dentures
- * Treatment of Tooth Sensitivity
- * Treatment of temporomandibular joint disorders
- * Fluoride Therapy
- * Night Guards / Mouth Guards
- * Management of Gum Disease
- * Emergency Dental Care
- * Pediatric Dental Care

Cosmetic Dentistry

Enhancing the appearance of your smile while maintaining function.

- * Teeth Whitening
- * Smile Designing
- * Veneers
- * Tooth-Coloured Fillings
- * Gum Contouring
- * Diastema (Gap) Closure
- * Aesthetic Crowns
- * Clear Aligners / Invisible Braces

Surgical & Implant Dentistry

Advanced procedures focused on restoring health, function, and missing teeth.

- * Dental Implants
- * Full Mouth Implant Rehabilitation
- * Tooth Extractions
- * Surgical Wisdom Tooth Removal
- * Bone Grafting
- * Sinus Lift Procedures
- * Soft Tissue Grafting
- * Implant Site Development
- * Exposure of Impacted Teeth
- * Apicoectomy (Root-End Surgery)
- * Oral Biopsies

* Pre-Prosthetic Surgery

Writeup for each service

GENERAL DENTISTRY

Keeping your teeth and gums healthy for the long run.

Dental Check-ups & Consultations

1. What is this procedure?

A dental check-up is a routine visit to your dentist where they examine your teeth, gums, and mouth. The dentist looks for any signs of cavities, gum disease, or other issues. Sometimes X-rays are taken to see what's happening beneath the surface.

2. When is it done?

Ideally, everyone should visit their dentist every 6 months — even if nothing feels wrong. If you notice pain, swelling, bleeding gums, or any sensitivity, you should go sooner.

3. Why is it important?

Most dental problems — like cavities and gum disease — don't cause pain until they've become serious. Regular check-ups catch issues early, saving you from more complex (and expensive) treatment down the line.

Professional Cleaning (Scaling & Polishing)

1. What is this procedure?

No matter how well you brush and floss at home, a layer of hardened deposits (called tartar or calculus) can form on your teeth over time. Professional cleaning removes this buildup using special instruments, followed by polishing to make your teeth smooth and clean.

2. When is it done?

It's recommended every 6 months as part of your routine check-up. People with gum disease may need it more frequently — every 3 to 4 months.

3. Why is it important?

Tartar buildup is the main cause of gum disease and tooth decay. No amount of brushing at home can remove it once it hardens. Regular cleaning keeps your gums healthy and your breath fresh.

Fillings (Tooth-Coloured Restorations)

1. What is this procedure?

When a tooth gets a cavity (decay), the dentist removes the decayed part and fills the space with a material to restore the tooth's shape and function. Tooth-coloured fillings are made of a resin material that blends in naturally with your teeth.

2. When is it done?

Whenever a cavity is detected — or when an old metal filling needs to be replaced. The sooner a cavity is treated, the simpler and smaller the filling needed.

3. Why is it important?

An untreated cavity keeps growing and can eventually reach the nerve of the tooth, causing severe pain and requiring a root canal. Fillings stop decay in its tracks and restore normal chewing.

Root Canal Treatment

1. What is this procedure?

When tooth decay or infection reaches the innermost part of the tooth (the pulp, which contains nerves and blood vessels), a root canal is needed. The dentist cleans out the infected pulp, disinfects the inside of the tooth, and seals it to prevent further infection.

2. When is it done?

When you experience severe toothache, prolonged sensitivity to hot or cold, swelling near the tooth, or when an X-ray reveals an abscess (infection at the root). Sometimes a tooth may be infected without obvious pain — this is why check-ups matter.

3. Why is it important?

Root canal treatment saves a tooth that would otherwise need to be removed. It eliminates pain and infection while keeping your natural tooth intact, which is always the best option.

Crowns & Bridges

1. What is this procedure?

A crown is a cap placed over a damaged or weakened tooth to restore its shape, size, and strength. A bridge is used to replace one or more missing teeth — it's anchored to neighbouring teeth with crowns on either side, with an artificial tooth in between.

2. When is it done?

Crowns are placed after root canal treatment, when a tooth is cracked or broken, or when a large filling has left very little natural tooth. Bridges are recommended when you have one or more missing teeth and want a fixed (non-removable) replacement.

3. Why is it important?

A damaged tooth that's left untreated can break completely or cause shifting of surrounding teeth. Replacing missing teeth prevents bone loss, maintains your bite and keeps your smile intact.

Complete and Partial Dentures

1. What is this procedure?

Dentures are removable replacements for missing teeth. A complete denture replaces all teeth in the upper or lower jaw, while a partial denture fills in the gaps when some natural teeth remain.

2. When is it done?

When multiple teeth are missing or need to be removed due to decay or gum disease and dental implants are not a suitable option.

3. Why is it important?

Missing teeth affect how you chew food, speak clearly and look. Dentures restore all of these functions, improve confidence and prevent your face from appearing sunken.

Treatment of Tooth Sensitivity

1. What is it?

Tooth sensitivity causes a sharp, sudden pain when your teeth are exposed to hot, cold, sweet, or acidic foods and drinks. Treatment may involve special desensitising toothpaste, fluoride applications or bonding agents applied to exposed tooth surfaces.

2. When should it be treated?

If you wince or feel pain when drinking cold water, eating ice cream, or sipping hot tea — it's time to get checked. Sensitivity that lingers for more than a few seconds should be evaluated promptly.

3. Why is it important?

Sensitivity is often a sign of exposed dentine (the inner layer of your tooth), enamel erosion or gum recession. Left untreated, the underlying cause can worsen and lead to more serious damage.

Treatment of Temporomandibular Joint (TMJ) Disorders

1. What is it?

The temporomandibular joint (TMJ) is the hinge joint that connects your jaw to your skull. When this joint is affected by pain, clicking, or difficulty opening/closing the mouth, it's called a TMJ disorder. Treatment can include bite guards, physiotherapy, medication, or lifestyle advice.

2. When should it be treated?

If you experience jaw pain, clicking or popping sounds when you open your mouth, headaches around the temples, difficulty chewing, or a locked jaw.

3. Why is it important?

TMJ disorders can significantly impact your quality of life — affecting eating, speaking, and sleep. Early treatment prevents the condition from worsening and provides relief from chronic pain.

Fluoride Therapy

1. What is this procedure?

Fluoride is a natural mineral that strengthens tooth enamel and helps fight cavities. In-office fluoride therapy involves applying a high-concentration fluoride gel, foam, or varnish directly to the teeth.

2. When is it done?

Recommended for children during their developing years, as well as adults who are prone to cavities, have dry mouth, or are undergoing orthodontic treatment.

3. Why is it important?

Fluoride remineralises weakened enamel and makes teeth more resistant to acid attacks from bacteria. It's one of the most effective and affordable ways to prevent tooth decay.

Night Guards / Mouth Guards

1. What is it?

A night guard is a custom-made plastic tray worn over the teeth while sleeping to protect them from the effects of grinding or clenching (called bruxism). A sports mouth guard protects teeth from injury during contact sports.

2. When should it be worn?

Night guards are prescribed if your dentist notices signs of grinding — such as worn-down teeth, jaw pain, or morning headaches. Sports guards should be worn during any contact sport or activity with risk of facial impact.

3. Why is it important?

Grinding can cause significant tooth wear, cracks, jaw pain, and even tooth loss over time. Night guards protect both your teeth and your jaw joint. Sports guards can prevent knocked-out teeth and injuries to the lips and tongue.

Management of Gum Disease

1. What is this procedure?

Gum disease (periodontal disease) ranges from mild inflammation of the gums (gingivitis) to serious infection that damages the bone supporting the teeth (periodontitis). Treatment includes deep cleaning procedures, antibiotic therapy and in some cases, surgical intervention.

2. When is it done?

If you notice red, swollen, or bleeding gums; bad breath that won't go away; teeth that feel loose; or gums that have started pulling away from the teeth.

3. Why is it important?

Gum disease is the leading cause of tooth loss in adults. It has also been linked to heart disease, diabetes, and pregnancy complications. Early treatment can reverse gingivitis and control more advanced disease.

Emergency Dental Care

1. What does this include?

Emergency dental care addresses sudden, urgent dental problems that need immediate attention — such as severe toothache, knocked-out teeth, broken teeth, dental abscesses, or injuries to the mouth.

3. Why is it important?

Dental emergencies can worsen rapidly if left untreated. A knocked-out tooth, for example, can often be re-implanted if treated within an hour. Infections can spread to the jaw, neck, or even the brain if neglected.

Pediatric Dental Care

1. What does this include?

Pediatric dental care focuses on the oral health of children from infancy through their teenage years. It includes check-ups, preventive care, fluoride treatments, fissure sealants and age-appropriate guidance on brushing and diet.

2. Why is it important?

Good dental habits established in childhood last a lifetime. Treating problems in baby teeth early prevents pain, infection and problems with the development of permanent teeth. Children who visit the dentist regularly are far less likely to fear dental care as adults.

COSMETIC DENTISTRY

Enhancing the appearance of your smile while maintaining function.

Teeth Whitening

1. What is this procedure?

Teeth whitening is a cosmetic treatment that uses safe bleaching agents to lighten the natural colour of your teeth, removing stains and discolouration. It can be done in-clinic (for faster, more dramatic results) or with custom take-home trays provided by your dentist.

2. When is it done?

When your teeth have become stained or yellowed due to coffee, tea, wine, tobacco or simply with age. It's also popular before weddings, events or whenever you want a confidence boost.

Smile Designing

1. What is this procedure?

Smile designing (or a smile makeover) is a comprehensive, planned approach to improving the overall appearance of your smile. It combines multiple cosmetic and restorative treatments to create a harmonious, beautiful result.

2. When is it done?

When you feel your smile has multiple concerns — uneven teeth, discolouration, gaps, or an asymmetrical gumline — and you want a complete transformation rather than addressing each issue separately.

Veneers

1. What is this procedure?

Veneers are thin, custom-made shells, usually made of porcelain, that are bonded to the front surface of teeth. They can change the colour, shape, size and length of your teeth, giving you a flawless, natural-looking smile.

2. When is it done?

Ideal for teeth that are chipped, cracked, stained (that don't respond to whitening), slightly misaligned or have gaps between them. Veneers work best when the underlying teeth are otherwise healthy.

Tooth-Coloured Fillings

1. What is this procedure?

Unlike old silver (amalgam) fillings, tooth-coloured composite fillings blend seamlessly with your natural tooth colour. They are bonded directly to the tooth, restoring both function and aesthetics.

2. When is it done?

When replacing old metal fillings for cosmetic reasons or when treating new cavities where appearance matters — especially for front teeth.

Gum Contouring

1. What is this procedure?

Also called gum reshaping, this procedure involves removing or reshaping excess gum tissue to improve the appearance of your smile. It's typically done using a laser or a small surgical tool and is often relatively quick and minimally invasive.

2. When is it done?

If you feel you have a 'gummy smile' (too much gum visible when you smile), uneven gum levels or gums that make your teeth look short.

Diastema (Gap) Closure

1. What is this procedure?

A diastema is a gap or space between two teeth, most commonly the upper front teeth. Closing this gap can be done using composite bonding, veneers, or clear aligners, depending on the size of the gap and the overall condition of the teeth.

2. When is it done?

When you're bothered by the appearance of a gap between your teeth and want a more uniform smile. Treatment is suitable for gaps of varying sizes.

Aesthetic Crowns

1. What is this procedure?

Aesthetic crowns are tooth-coloured caps — made from materials like porcelain or zirconia — that cover a damaged or discoloured tooth entirely.

2. When is it done?

When a tooth is badly discoloured, cracked, or misshapen, and other cosmetic options like whitening or veneers are not enough to restore its appearance.

Clear Aligners / Invisible Braces

1. What is this procedure?

Clear aligners are a series of custom-made, transparent, removable trays that gradually shift your teeth into the correct position. They are an alternative to traditional metal braces and are nearly invisible when worn.

2. When is it done?

If your teeth are crowded, spaced too far apart or your bite is misaligned and you want to straighten them without the look or restrictions of conventional braces. Best suited for mild to moderate alignment issues.

SURGICAL & IMPLANT DENTISTRY

Advanced procedures focused on restoring health, function and missing teeth.

Dental Implants

1. What is this procedure?

A dental implant is a small titanium screw that is surgically placed into the jawbone to replace the root of a missing tooth. Once the implant fuses with the bone, a crown is placed on top — giving you a tooth that looks, feels and functions just like a natural one.

2. When is it done?

When one or more teeth are missing and you want a permanent, fixed replacement. You need to have adequate bone volume and be in good general health for implants to succeed.

Full Mouth Implant Rehabilitation

1. What is this procedure?

This is a comprehensive treatment plan where multiple or all missing teeth are replaced using dental implants.

2. When is it done?

When most or all teeth are missing or beyond saving, and the patient desires a fixed, permanent solution rather than removable dentures.

Tooth Extractions

1. What is this procedure?

A tooth extraction is the removal of a tooth from its socket in the jawbone. Simple extractions are done under local anaesthesia for teeth that are visible and accessible. The procedure is generally quick and well-tolerated.

2. When is it done?

When a tooth is too damaged by decay or fractured; when a tooth is infected and cannot be treated with a root canal; to create space as part of orthodontic treatment; or when a baby tooth hasn't fallen out on its own.

Surgical Tooth Removal

1. What is this procedure?

Some teeth often don't have enough space to come in properly and become 'impacted' — meaning they are stuck beneath the gum or in the bone. Surgical removal involves making a small incision in the gum to access and remove the tooth, sometimes in sections.

2. When is it done?

When impacted teeth cause pain, infection, damage to adjacent teeth, cysts or crowding. Sometimes removal is recommended even before symptoms appear, as a preventive measure.

Bone Grafting

1. What is this procedure?

Bone grafting is a procedure where bone material (from the patient's own body, a donor or a synthetic source) is added to areas of the jaw where bone has been lost. Over time, this graft integrates with the existing bone and builds up the area.

2. When is it done?

Required when there is not enough bone volume to support a dental implant — often after tooth loss or due to gum disease. It's also performed after tooth extraction to preserve the bone socket.

3. Why is it important?

The jawbone begins to shrink as soon as a tooth is lost. Without adequate bone, implants cannot be placed successfully. Bone grafting creates the foundation needed for implant placement and long-term success.

Sinus Lift Procedures

1. What is this procedure?

The sinuses are air-filled spaces in the skull just above the upper back teeth. When these teeth are lost, the sinus can expand downward, leaving insufficient bone for implants. A sinus lift procedure adds bone to this area by gently lifting the sinus membrane and packing bone graft material beneath it.

2. When is it done?

When dental implants are planned in the upper jaw — particularly in the back — but the bone height is insufficient due to tooth loss or an enlarged sinus.

Soft Tissue Grafting

1. What is this procedure?

This procedure involves taking a small piece of tissue — usually from the roof of the mouth — and attaching it to areas where the gums have receded (pulled back from the teeth). This rebuilds the protective gum tissue around the tooth.

2. Why is it important?

Receding gums expose vulnerable parts of the tooth and root, leading to sensitivity, decay and eventually tooth loss. Grafting restores the protective gumline, reduces sensitivity and improves the appearance of the smile.

Implant Site Development

1. What is this procedure?

Before placing dental implants, the area in the mouth may need to be prepared through a combination of bone grafting, soft tissue procedures and socket preservation techniques. This is called implant site development.

2. Why is it important?

A successful implant depends on having the right quantity and quality of bone and gum tissue. Site development ensures the implant has the best possible environment to integrate and last for many years.

Exposure of Impacted Teeth

1. What is this procedure?

Sometimes teeth, especially upper canines, get stuck (impacted) in the bone and don't come through on their own. This surgical procedure involves uncovering the impacted tooth by removing the

overlying gum and sometimes a small amount of bone, then attaching a bracket so that orthodontic treatment can guide the tooth into its correct position.

2. Why is it important?

If an impacted tooth is left in place, it can damage the roots of nearby teeth, form cysts, or lead to infection. Exposing and guiding the tooth into position preserves it and completes the dental arch naturally.

Apicoectomy (Root-End Surgery)

1. What is this procedure?

An apicoectomy is a minor surgical procedure where the very tip of a tooth's root (the apex) and any surrounding infected tissue are removed and sealed. It's performed when a previous root canal has not fully resolved an infection.

2. Why is it important?

An apicoectomy saves a tooth that would otherwise need to be extracted. It eliminates the source of infection at the root tip and allows the surrounding bone to heal.

Oral Biopsies

1. What is this procedure?

An oral biopsy involves removing a small sample of tissue from the mouth, from the gums, tongue, cheek or lips and sending it to a laboratory for examination under a microscope.

2. When is it done?

When your dentist notices an unusual sore, growth, white or red patch, or lesion in the mouth that doesn't heal within 2 weeks. It's a precautionary step to rule out conditions including oral cancer.

3. Why is it important?

Oral cancer is among the most preventable and treatable forms of cancer, but only when caught early. An oral biopsy is a simple, definitive way to identify whether a suspicious lesion is benign or requires further treatment. Early detection saves lives.

Pre-Prosthetic Surgery

1. What is this procedure?

Before dentures or other prosthetic devices are fitted, the mouth sometimes needs to be surgically prepared to ensure a comfortable, secure fit. This may involve smoothing or reshaping the jawbone, removing excess tissue, or reducing bony projections.

3. Why is it important?

A denture that fits properly is far more comfortable, functional, and stable. Pre-prosthetic surgery creates the ideal foundation for your prosthetic to rest on, ensuring it stays in place and doesn't cause soreness or sores.

Part 4. Before after photos of cases, I'll give

Part 5. About us - writeup in old website

