
19/12/23	PAGE NO: DATE:
19112143	impost java-ukil scanner;
	class Subject
1400	\$
	ent subjectmarks:
	Pot rueditai
	Pot grade;
	3
	class str Student
	Sturing name;
	Sturng van;
	double Serpa:
	Scanner Si
	Subject D. subjects:
	Student()
	1
	ent P:
	subjects = new Subject [9];
	puli-o; icq; i++)
	f 1443
	subjects Cioenew Subject ();
	3 Subject O;
	S= new Scanner Co
	3- new Scanner (system 90);
	Void get chid .
	Void get student de tails ()
	System out to
	name=s.nextlines:
	Sustemout he
	USn= S. next Line();
	and the contract of the contra



PAGE NO :

Subjects[6]. Credits;

totalcredits: += Mubjects[i]. Credits;

3

SGPA = total gradupoints/total credits;

9

clas mais

public static void main(Sturing angel)

Student SI = new Student();

S1. get Student details ();

SI-getMarks():

SI. Compute Septe ();

Suptemout prentin ("Name:" + SI name);

Suptemout prentin ("Wane:" + SI name);

Suptemout - prentin ("Usn:" + SI vsn);

Suptemout - prentin ("Seppe:" + SI Supen);

output:

Enter Student name: "Prakruthe"

Enter Student Usn: 12023 BM50609!

Enter marks for subject 1:60

Enter marks for subject 2:80

Enter marks for subject 2:35

Enter marks for subject 3:85

Enter marks for subject 3:85

