



emqx

GET GET by username

```
http://localhost:18083/api/v4/clients/username/user1
```

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

Example Request

GET by username

```
curl --location --request GET 'http://localhost:18083/api/v4/clients/username/user1'
```

GET GET clients

```
http://localhost:18083/api/v4/clients
```

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

```
curl --location --request GET 'http://localhost:18083/api/v4/clients'
```

GET GET users

http://localhost:18083/api/v4/auth_username

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

Example Request

GET users

```
curl --location --request GET 'http://localhost:18083/api/v4/auth_username'
```

GET GET brokers

http://localhost:18083/api/v4/brokers/

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

Example Request

GET brokers

GET GET listeners

http://localhost:18083/api/v4/listeners/

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

Example Request

GET listeners

```
curl --location --request GET 'http://localhost:18083/api/v4/listeners/'
```

GET GET routes

http://localhost:18083/api/v4/routes/

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

Example Request

GET routes

```
curl --location --request GET 'http://localhost:18083/api/v4/routes/'
```

DEL DELETE user

```
http://localhost:18083/api/v4/auth_username/newUser
```

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

Example Request

DELETE user

```
curl --location --request DELETE 'http://localhost:18083/api/v4/auth_username/newUser'
```

POST ADD user

```
http://localhost:18083/api/v4/auth_username?username=newUser&password=ab123456
```

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

PARAMS

username

newUser

password

ab123456

```
curl --location --request POST 'http://localhost:18083/api/v4/auth_username?username=newUser&password=
```

PUT PUT update user

http://localhost:18083/api/v4/auth_username/newUser?password=ab1234

AUTHORIZATION

Basic Auth

Username

<username>

Password

<password>

PARAMS

password

ab1234

Example Request

PUT update user