

```

praks@praks:~$ gcc program8.c -o program8
praks@praks:~$ valgrind --leak-check=full ./program8
==2048== Memcheck, a memory error detector
==2048== Copyright (C) 2002-2024, and GNU GPL'd, by Julian Seward et al.
==2048== Using Valgrind-3.26.0 and LibVEX; rerun with -h for copyright info
==2048== Command: ./program8
==2048==
==2048==
==2048== HEAP SUMMARY:
==2048==     in use at exit: 0 bytes in 0 blocks
==2048==   total heap usage: 3 allocs, 3 frees, 80 bytes allocated
==2048==
==2048== All heap blocks were freed -- no leaks are possible
==2048==
==2048== For lists of detected and suppressed errors, rerun with: -s
==2048== ERROR SUMMARY: 0 errors from 0 contexts (suppressed: 0 from 0)
praks@praks:~$ |

```

```

praks@praks:~$ gcc program8.c -o program8
praks@praks:~$ valgrind --leak-check=full ./program8
==2048== Memcheck, a memory error detector
==2048== Copyright (C) 2002-2024, and GNU GPL'd, by Julian Seward et al.
==2048== Using Valgrind-3.26.0 and LibVEX; rerun with -h for copyright info
==2048== Command: ./program8
==2048==
==2048==
==2048== HEAP SUMMARY:
==2048==     in use at exit: 0 bytes in 0 blocks
==2048==   total heap usage: 3 allocs, 3 frees, 80 bytes allocated
==2048==
==2048== All heap blocks were freed -- no leaks are possible
==2048==
==2048== For lists of detected and suppressed errors, rerun with: -s
==2048== ERROR SUMMARY: 0 errors from 0 contexts (suppressed: 0 from 0)
praks@praks:~$ |

```

```
praks@praks:~$ sudo dpkg --configure -a
praks@praks:~$ nano cow.c
praks@praks:~$ gcc cow.c -o cow
praks@praks:~$ ./cow
Child Before = 100
Child After = 500
Parent = 100
praks@praks:~$ |
```