Employee Salary - C++ Program

```
#include <iostream>
#include <string>
#include <iomanip>
using namespace std;

class Employee {
private:
    int empId;
    string empName;
    double baseSalary;

public:
    // Default Constructor
    Employee() {
        empId = 0;
        empName = "Unassigned";
        baseSalary = 0.0;
    }

    // Parameterized Constructor
    Employee(int id, string name, double salary) {
        empId = id;
        empName = name;
        baseSalary = salary;
    }

    // Function to display salary details with bonus
    void displaySalaryDetails(double bonus) const {
        double totalSalary = baseSalary + bonus;
        cout << "\n---------------- EMPLOYEE PAYSLIP ----------------\n";
        cout << "Employee ID : " << empId << "\n";
        cout << "Employee Name : " << empName << "\n";
        cout << "Base Salary : $" << fixed << setprecision(2) << baseSalary << "\n";
        cout << "Added Bonus : $" << bonus << "\n";
        cout << "Total Salary : $" << totalSalary << "\n";
        cout << "--------------------------------------------------\n";
    }
};

int main() {
    // Demonstration of Default Constructor
    cout << "=== Creating Employee 1 (Default Constructor) ===";
    Employee emp1;
    emp1.displaySalaryDetails(200.0);

    // Demonstration of Parameterized Constructor
    cout << "\n=== Creating Employee 2 (Parameterized Constructor) ===";
    Employee emp2(101, "Robert Downey", 5500.00);
    emp2.displaySalaryDetails(1000.0);
    return 0;
}
```

Made with Julius