



B 90 R

DATE: 01.06.2025

IMPRESSIONS



1. MANAGEMENT SUMMARY

1.2 Target groups & areas of application

TARGET GROUPS



Retail



Industry



BSC



Transport

AREAS OF APPLICATION

1. **Big retail stores**
2. **Production plants**, storage halls and smaller **logistic warehouses**
3. **Shopping centers**, convention centers
4. **Airports**, parking garages, train stations

1. MANAGEMENT SUMMARY

1.3 Product data sheet

B 90 R 1.161-314.0



Technical data

Working width:	650 mm
Suction width:	900
Brush speed:	180 rpm
Fresh & recovery tank:	90 l / 90 l
Battery:	24 V / 170, 180 & 240 Ah
Dimensions (L x W x H):	1450x800x1200 mm
Theor. area performance:	3.900 m²/h
Max. speed (drive / work):	6 km/h

Standard accessories

- D65 brush head
- V900 Squeegee

Options

- Different brush heads (D55 - D75, R55 - R75)
- Different batteries

2. PRODUCT

2.1 Features overview

Seat and backrest

Fresh water opening
– funnel-shaped for
a bucket use

Covering for
electronics

Pedal to lift up /
lower the brush head

Design integrated
safety bar

Ventilation opening
for battery case

Fresh water filter



MAKE A DIFFERENCE
THANK YOU