

Project Report on
Detection of Diabetic Retinopathy using Deep Learning

for

25PCA402P Research Project

Submitted By

Pramod Deore

Shivprasad Ravate

Sai Mogal

For



Savitribai Phule Pune University

(MSc Computer Application – Semester-IV)
(2025-2026)



Indira College of Commerce & Science, Pune 33

Declaration

We hereby declare that the project titled “**Detection of Diabetic Retinopathy Using Deep Learning**” submitted to **Indira College of Commerce and Science** in partial fulfillment of the requirements for the award of the degree/course is our original work carried out under the guidance of our project guide.

We further declare that this project has not been submitted to any other university, institution, or organization for the award of any degree, diploma, or other qualification.

All the information, references, research papers, journals, and resources used in this project have been properly acknowledged wherever required.

Pramod Mothabhau Deore
Shivprasad Sanjay Ravate
Sai Vilas Mogal

Date:08-06-2026

Acknowledgement

We would like to express our sincere gratitude to everyone who supported us in the successful completion of our research project on “**Detection of Diabetic Retinopathy using Deep Learning and Image Processing Techniques.**”

We are thankful to **Indira College of Commerce and Science (ICCS), Pune** for providing the facilities, infrastructure, and academic environment required for carrying out this project successfully.

We express our heartfelt thanks to **Principal sir and Head of Department, MSc Computer Application**, for their valuable support, encouragement, and guidance throughout the project work.

We are especially grateful to our **Internal Research Guide and Project Supervisor** for their continuous guidance, suggestions, motivation, and support during every stage of the project. Their valuable feedback and encouragement helped us improve our work and complete the project successfully.

We would also like to thank the **Kaggle community and EYEPACS project** for providing the Diabetic Retinopathy Detection dataset used in this research work.

We are thankful to all the faculty members of the **MSc Computer Application Department** for sharing their knowledge and helping us build a strong foundation in machine learning, deep learning, and software development.

We also appreciate our friends and classmates for their support, discussions, and encouragement during the development of this project.

Finally, we express our deepest gratitude to our families for their constant support, motivation, and encouragement throughout this project.

Project Team
Pramod Mothabhau Deore
Shivprasad Sanjay Ravate
Sai Vilas Mogal

Research Project Index (Table of Contents)

Preliminary Pages

1. Certificate
2. Declaration
3. Acknowledgement

Chapter 1: Introduction

- 1.1 Background of the Study
- 1.2 Problem Statement
- 1.3 Objectives of the Study
- 1.4 Scope of the Study
- 1.5 Research Questions / Hypotheses
- 1.6 Significance of the Study

Chapter 2: Literature Review

- 2.1 Introduction to the Domain
- 2.2 Review of Existing Work
- 2.3 Comparative Analysis of Previous Studies
- 2.4 Research Gap Identification
- 2.5 Summary

Chapter 3: Research Methodology and System Design

- 3.1 Research Design
- 3.2 Data Collection Methods
- 3.3 Dataset Description
- 3.4 Data Preprocessing Techniques
- 3.5 Tools and Technologies Used
- 3.6 Proposed Methodology / Model

3.7 Model Development

3.8 Model Evaluation - Evaluation Metrics

3.9 Database Design (if applicable)

Chapter 4: Implementation & Results

5.1 Implementation Details

5.2 Experimental Setup

5.3 Results and Analysis

5.4 Performance Evaluation

5.5 Comparison with Existing Systems

Chapter 5: Discussion

6.1 Interpretation of Results

6.2 Key Findings

6.3 Limitations

Chapter 6: Conclusion and Future Work

7.1 Conclusion

7.2 Contributions of the Study

7.3 Future Scope

Chapter 1: Introduction

1.1 Background of the Study

Diabetes is one of the fastest growing diseases in the world. It affects millions of people every year and creates many health-related complications in the human body. One of the most dangerous complications caused by diabetes is Diabetic Retinopathy (DR). This disease damages the retina, which is the light-sensitive layer present at the back side of the eye. When blood sugar levels remain high for a long period, the small blood vessels inside the retina become weak and damaged.

Diabetic Retinopathy develops slowly over time. In the beginning stages, patients may not notice any major symptoms. Because of this reason, many people ignore the disease until vision problems become severe. If the disease is not identified and treated at the correct time, it may lead to blurred vision, partial blindness, or complete vision loss.

Traditionally, ophthalmologists and medical specialists manually examine retinal fundus images to identify the disease. This manual process requires expert knowledge, medical experience, and detailed image analysis. In hospitals and eye clinics, doctors need to analyze a large number of retinal images daily. This process becomes difficult, time-consuming, and expensive.

In many rural and underdeveloped areas, proper eye specialists may not be available. As a result, early diagnosis becomes difficult for many patients. Due to the increasing number of diabetes patients, healthcare systems require automated and intelligent solutions for disease screening.

Artificial Intelligence (AI), Machine Learning (ML), and Deep Learning (DL) technologies are becoming highly important in healthcare systems. Deep Learning models, especially Convolutional Neural Networks (CNNs), perform very well in image classification tasks because they can automatically extract image features without manual intervention.

This project focuses on the automated detection of Diabetic Retinopathy using Deep Learning techniques. The system uses the AlexNet CNN architecture for classifying retinal fundus

images into multiple disease severity categories. The project also applies image preprocessing techniques such as CLAHE (Contrast Limited Adaptive Histogram Equalization) to improve image quality before classification.

The developed system can classify retinal images into the following categories:

- Mild
- Moderate
- No_DR
- Proliferate_DR
- Severe

The project also includes a Streamlit-based web application where users can upload retinal images and receive prediction results with confidence scores. This helps in making the system interactive, easy to use, and suitable for demonstration purposes.

The proposed system aims to support medical experts by providing faster and automated disease screening.

1.2 Problem Statement

The manual detection of Diabetic Retinopathy is a difficult and time-consuming task. Medical experts need to carefully analyze retinal images to identify disease symptoms such as blood vessel damage, hemorrhages, swelling, and retinal abnormalities. Since retinal image analysis depends heavily on human observation, there is always a possibility of error.

Many hospitals and healthcare centers face challenges in handling large numbers of diabetic patients. Screening every patient manually requires more time, trained ophthalmologists, and expensive medical resources.

The existing healthcare process faces the following problems:

1. Manual diagnosis requires experienced ophthalmologists.
2. Early detection is difficult in large-scale screening programs.
3. The diagnosis process takes more time.
4. Human errors may occur during analysis.
5. Rural areas may not have enough eye specialists.
6. Medical image analysis becomes difficult when image quality is poor.
7. Existing systems may not support automated multi-class disease prediction.

8. Traditional methods may not provide confidence-based prediction outputs.

Poor-quality retinal images also create difficulties during diagnosis. Variations in brightness, contrast, and noise affect the visibility of retinal features. This reduces the accuracy of disease detection.

To solve these problems, this project proposes an automated Diabetic Retinopathy detection system using Deep Learning techniques. The project uses image preprocessing and CNN-based classification to improve disease detection performance.

1.3 Objectives of the Study

The main aim of this study is to develop an intelligent system that can automatically classify retinal images into different Diabetic Retinopathy severity levels.

The main objectives of this project are:

1. To develop an automated system for detecting Diabetic Retinopathy.
2. To classify retinal images into multiple disease severity classes.
3. To use the AlexNet Deep Learning model for image classification.
4. To improve retinal image quality using CLAHE preprocessing.
5. To create a user-friendly web application using Streamlit.
6. To evaluate model performance using different evaluation metrics.
7. To reduce dependency on manual diagnosis.
8. To support early disease detection.
9. To provide confidence-based prediction outputs.
10. To demonstrate the practical use of AI in healthcare systems.

This study also aims to understand how Deep Learning models perform in medical image classification tasks.

1.4 Scope of the Study

This project focuses mainly on the automated detection and classification of Diabetic Retinopathy using retinal fundus images.

The scope of the project includes:

- Image preprocessing using CLAHE.
- Deep Learning-based image classification.

- Multi-class disease severity prediction.
- Evaluation of model performance.
- Development of a Streamlit-based prediction interface.
- Automated confidence score generation.
- Prediction probability visualization.
- Image resizing and normalization.

The project works only with retinal eye images and focuses on disease classification. The developed system is intended for educational and research purposes.

The project is limited to retinal image classification only. It does not replace professional medical diagnosis or clinical treatment.

1.5 Research Questions / Hypotheses

The project is based on the following research questions:

1. Can Deep Learning improve the detection of Diabetic Retinopathy?
2. Can AlexNet accurately classify retinal images into different severity levels?
3. Does image preprocessing improve prediction quality?
4. Can automated systems reduce manual effort in DR screening?
5. Can CNN-based systems improve healthcare efficiency?
6. Can confidence-based prediction systems help users better understand model outputs?

Hypothesis:

- Deep Learning models combined with preprocessing techniques can improve the accuracy of Diabetic Retinopathy detection.
- Automated CNN-based systems can support faster and more consistent disease classification.

1.6 Significance of the Study

This project is important because it provides an automated solution for retinal disease detection. The healthcare industry is increasingly adopting AI-based technologies to improve disease diagnosis and patient care.

The significance of the study includes:

- Supports early diagnosis of eye disease.

- Reduces workload for doctors.
- Improves healthcare accessibility.
- Helps in large-scale screening.
- Demonstrates practical use of Deep Learning in healthcare.
- Provides a fast and consistent prediction system.
- Reduces chances of manual diagnostic errors.
- Improves image analysis using preprocessing techniques.
- Helps students and researchers understand AI-based medical systems.

This project also demonstrates how Deep Learning models can be integrated with web applications to create real-world healthcare solutions.

Chapter 2: Literature Review

2.1 Introduction to the Domain

Medical image processing and Deep Learning are becoming very important in modern healthcare systems. Hospitals, research centers, and medical organizations are increasingly using Artificial Intelligence (AI) technologies to improve disease detection and diagnosis. Medical imaging helps doctors analyze internal body structures and identify diseases at early stages. Different types of medical images such as X-rays, MRI scans, CT scans, ultrasound images, and retinal fundus images are widely used for diagnosis.

One of the major applications of medical image analysis is the detection of eye diseases. Diabetic Retinopathy (DR) is one of the most serious eye diseases caused by diabetes. It affects the retina of the human eye and may lead to permanent vision loss if not detected early. Since the disease develops slowly, many patients do not notice symptoms during the early stages. Therefore, early diagnosis and regular retinal screening are extremely important.

Traditionally, ophthalmologists manually examine retinal fundus images to identify abnormalities such as damaged blood vessels, swelling, bleeding, and retinal lesions. This process requires medical expertise and detailed observation. Manual analysis also takes more time when a large number of patient images need to be examined. Due to the increasing number of diabetic patients worldwide, healthcare systems require automated solutions that can assist doctors in disease screening and classification.

Machine Learning and Deep Learning techniques provide effective solutions for automated medical image analysis. Researchers have developed many intelligent systems that can identify patterns in retinal images and classify disease severity levels. These systems reduce manual effort and improve the speed of diagnosis.

Deep Learning, especially Convolutional Neural Networks (CNNs), has shown excellent performance in image classification tasks. CNN models are designed to automatically extract important image features such as edges, textures, shapes, and patterns directly from input images. Unlike traditional machine learning methods, CNN models do not require manual feature extraction. This makes Deep Learning models highly suitable for medical imaging applications. In recent years, researchers have applied different Deep Learning architectures such as AlexNet, VGGNet, ResNet, DenseNet, and Inception models for retinal image classification. These models are capable of learning complex disease patterns from retinal images and improving classification accuracy.

The current project focuses on the automated detection of Diabetic Retinopathy using the AlexNet Deep Learning model along with image preprocessing techniques. The system is designed to classify retinal images into multiple severity categories and provide automated prediction results through a user-friendly interface.

2.2 Review of Existing Work

Many researchers have worked on automated Diabetic Retinopathy detection systems using image processing, machine learning, and Deep Learning techniques. Existing research studies mainly focus on improving disease detection accuracy, reducing manual effort, and supporting early diagnosis.

The reference papers and documents included in the project folder discuss several methods and technologies used for retinal image analysis and disease classification.

Automated Early Detection of Diabetic Retinopathy

Several research papers focused on early disease detection using image processing and machine learning methods. Early-stage detection is very important because Diabetic Retinopathy develops slowly and may not show visible symptoms initially. Automated screening systems help doctors identify disease symptoms at earlier stages and reduce the risk of vision loss.

Many systems used retinal image analysis techniques to detect abnormalities such as hemorrhages, exudates, and damaged blood vessels. These automated systems improved screening efficiency and reduced manual workload.

SVM-Based Detection Methods

Some existing systems used Support Vector Machine (SVM) algorithms for retinal image classification. These systems generally required manual feature extraction before classification.

Researchers extracted image features such as:

- texture,
- color,
- blood vessel patterns,
- and retinal lesions

before providing them as input to the SVM classifier.

Although SVM-based systems produced acceptable results for smaller datasets, they faced difficulties with complex image patterns and large-scale datasets. Manual feature extraction also increased system complexity.

Image Processing Techniques

Many studies focused on improving retinal image quality before classification. Researchers used preprocessing techniques such as:

- image enhancement,
- contrast adjustment,
- noise reduction,
- normalization,
- and histogram equalization.

Preprocessing techniques helped improve image visibility and enhanced important retinal features. Better image quality improved the performance of machine learning and Deep Learning models. Several systems also used CLAHE (Contrast Limited Adaptive Histogram Equalization) to improve local image contrast and highlight retinal abnormalities.

Deep Learning Approaches

Modern research mainly focuses on Deep Learning-based approaches because they provide better performance in image classification tasks.

Researchers used CNN architectures such as:

- AlexNet,
- VGGNet,
- ResNet,
- DenseNet,
- and Inception models

for retinal image classification.

Deep Learning models automatically learn important image features directly from retinal images without manual feature extraction. These systems improved classification accuracy and supported multi-class disease severity prediction.

CNN-based systems also reduced dependency on traditional handcrafted feature engineering techniques.

Challenges in Existing Systems

Although many systems achieved good results, existing research still faces several challenges such as:

- Limited dataset size
- Poor image quality
- Lower prediction accuracy
- Difficulty in multi-class classification
- High computational requirements
- Overfitting problems
- Requirement of high-performance hardware
- Lack of user-friendly interfaces

Some systems also struggled to generalize well on unseen retinal images.

The current project attempts to overcome some of these limitations by using:

- AlexNet CNN architecture,
- CLAHE preprocessing,
- multi-class classification,
- and a Streamlit-based interactive prediction system.

2.3 Comparative Analysis of Previous Studies

Method	Advantages	Limitations
Manual Diagnosis	Expert analysis	Time-consuming and costly
SVM-Based Systems	Good for smaller datasets	Requires manual feature extraction
Traditional ML Methods	Faster training	Lower accuracy in complex images
CNN-Based Methods	Automatic feature extraction	Requires larger datasets
Deep Learning Models	Better classification performance	High computational cost

The current project uses the AlexNet Deep Learning model because CNN-based models provide better image classification performance.

2.4 Research Gap Identification

After analyzing the reference papers and existing systems, the following research gaps were identified:

1. Many systems focus only on binary classification.
2. Some systems require manual feature extraction.
3. Existing systems may not provide user-friendly interfaces.
4. Poor-quality images reduce prediction accuracy.
5. Some methods are computationally expensive.
6. Multi-class disease severity detection needs improvement.

This project attempts to address these gaps by:

- Using AlexNet CNN architecture
- Applying CLAHE preprocessing
- Supporting multi-class classification
- Providing a Streamlit-based user interface

2.5 Summary

The literature review provided a detailed understanding of Diabetic Retinopathy detection systems, medical image analysis techniques, machine learning approaches, and Deep Learning-based classification methods.

Previous studies demonstrated that automated retinal image analysis can help improve disease detection speed and reduce manual workload in healthcare systems. Researchers explored several methods such as:

- image preprocessing,
- traditional machine learning algorithms,
- Support Vector Machine (SVM)-based systems,
- and Deep Learning architectures.

Among these methods, Deep Learning-based Convolutional Neural Networks (CNNs) showed better performance for retinal image classification because they automatically learn important image features directly from data.

The literature review also showed the importance of image preprocessing techniques such as:

- contrast enhancement,
- normalization,
- and CLAHE preprocessing

for improving retinal image quality and prediction performance.

The analysis of previous studies helped identify several research gaps including:

- limitations of binary classification systems,
- dependency on manual feature extraction,
- poor-quality image handling,
- high computational complexity,
- and lack of user-friendly interfaces.

Based on these observations, the current project proposes a Deep Learning-based Diabetic Retinopathy detection system using the AlexNet architecture along with CLAHE preprocessing techniques.

The proposed system focuses on:

- automated retinal image classification,
- multi-class disease severity prediction,
- image quality enhancement,

- confidence-based output generation,
- and a Streamlit-based interactive interface.

Overall, the literature review provided the theoretical foundation and technical direction for developing the proposed Diabetic Retinopathy detection system.

Chapter 3: Research Methodology and System Design

3.1 Research Design

The project follows a Deep Learning-based research methodology for automated Diabetic Retinopathy detection and classification. The research design focuses on collecting retinal image data, preprocessing the images, using a trained CNN model for prediction, and evaluating the model performance using different metrics.

The overall system is designed to automate the process of retinal image classification and reduce manual effort in disease diagnosis. The methodology combines image preprocessing techniques with Deep Learning-based image classification.

The main steps followed in the system are:

1. Dataset collection
2. Image preprocessing
3. Model loading
4. Image classification
5. Prediction generation
6. Evaluation of performance
7. Deployment using Streamlit

The workflow starts with retinal image input and ends with disease prediction and confidence score generation.

3.2 Data Collection Methods

The system uses retinal fundus images for training, testing, and prediction purposes. The dataset contains colored eye fundus images related to different stages of Diabetic Retinopathy.

The dataset used in the project is image-based data rather than structured formats such as CSV or JSON. The images are organized into separate folders based on disease severity categories.

Dataset directory used in the project:

`./data/colored_images`

The dataset is divided into multiple folders based on disease severity classes:

- Mild
- Moderate
- No_DR
- Proliferate_DR
- Severe

Each folder contains approximately 300 or more retinal images. The images are stored in image file formats such as JPG, JPEG, or PNG.

The images are used for:

- Model training
- Model evaluation
- Disease prediction

The dataset supports supervised learning because each image belongs to a labeled disease category.

3.3 Dataset Description

The project dataset contains colored retinal fundus images used for multi-class classification of Diabetic Retinopathy severity levels.

Dataset directory used in the code:

`./data/colored_images`

The dataset consists of retinal eye images collected and organized according to disease severity. Each image represents a retinal scan used for identifying abnormalities related to Diabetic Retinopathy.

The dataset classes are:

1. Mild
2. Moderate
3. No_DR
4. Proliferate_DR
5. Severe

The dataset supports multi-class image classification because the model predicts one class among multiple disease severity categories.

The images are resized to:

- 224×224 pixels

This image size is used because the AlexNet CNN architecture accepts fixed-size image inputs. Standardizing image size also helps improve model consistency during prediction.

The dataset contains RGB-colored retinal images, which are later preprocessed before being provided to the model.

3.4 Data Preprocessing Techniques

The project uses preprocessing techniques to improve retinal image quality before prediction. Preprocessing helps enhance important image features and improves model performance.

Image Resizing

All retinal images are resized to 224×224 pixels before prediction. Resizing ensures that every image has a uniform size compatible with the AlexNet model architecture.

CLAHE Preprocessing

The project uses CLAHE (Contrast Limited Adaptive Histogram Equalization) for image enhancement.

Purpose of CLAHE:

- Improves image contrast
- Enhances important retinal features
- Highlights blood vessels and retinal abnormalities
- Helps the model identify disease patterns more clearly

The CLAHE process in the code includes:

- Converting image from RGB to LAB format
- Splitting L, A, and B channels
- Applying CLAHE on the L channel
- Merging channels again
- Converting image back to RGB format

This preprocessing step improves local contrast and makes retinal details more visible.

Image Normalization

Pixel values are divided by 255.0 to normalize the images between 0 and 1. Normalization helps stabilize model prediction and improves Deep Learning performance.

3.5 Tools and Technologies Used

The project uses several tools, libraries, and technologies for image processing, model prediction, visualization, and web application development.

Tool / Technology	Purpose
Python	Programming language
TensorFlow	Deep Learning framework
Streamlit	Web application development
OpenCV	Image preprocessing
NumPy	Numerical operations
PIL	Image handling
Scikit-learn	Evaluation metrics
Matplotlib	Graph plotting
Seaborn	Visualization

Python

Python is used as the main programming language because it provides strong support for Artificial Intelligence, Deep Learning, and image processing libraries.

TensorFlow

TensorFlow and Keras are used for loading and running the trained AlexNet Deep Learning model.

Streamlit

Streamlit is used to develop the interactive web application for retinal image upload and prediction display.

OpenCV

OpenCV is used for image preprocessing operations such as resizing and CLAHE enhancement.

3.6 Proposed Methodology / Model

The proposed system uses the AlexNet CNN model for Diabetic Retinopathy classification.

The methodology combines:

- image preprocessing,
- Deep Learning classification,
- and real-time prediction generation.

Workflow of the system:

1. User uploads retinal image.
2. Image is resized.
3. CLAHE preprocessing is applied.
4. Image normalization is performed.
5. Preprocessed image is passed to the AlexNet model.
6. Model predicts disease class.
7. Confidence scores are generated.
8. Results are displayed in the Streamlit interface.

The trained model file used in the project is:

`alexnet_dr_best.keras`

The model predicts one disease class based on the retinal image features extracted by the CNN layers.

3.7 Model Development

The project uses a pre-trained and saved AlexNet-based model for disease classification.

The model loading process includes:

- TensorFlow Keras is used to load the model.
- The model file is loaded using:

`tf.keras.models.load_model()`

The trained model file contains learned image features and classification weights obtained during model training.

The project includes:

- Prediction functionality
- Confidence score generation
- Detailed metrics calculation
- Probability distribution for all classes
- Real-time prediction output

The model predicts the class with the highest probability value and displays prediction confidence through the Streamlit interface.

3.8 Model Evaluation - Evaluation Metrics

The evaluation file uses multiple performance metrics to analyze model prediction quality and classification performance.

Metrics used in the project:

Accuracy

Measures the overall percentage of correctly classified images.

Precision

Measures how many predicted positive results are actually correct.

Recall

Measures how many actual positive samples are correctly detected by the model.

F1-Score

Provides a balance between precision and recall values.

Confusion Matrix

Shows correct and incorrect predictions for each class category.

ROC and AUC

Used for performance analysis and understanding model classification capability.

The project uses functions from Scikit-learn such as:

- `accuracy_score()`
- `precision_score()`
- `recall_score()`
- `f1_score()`
- `confusion_matrix()`
- `classification_report()`
- `roc_auc_score()`

These evaluation metrics help measure the effectiveness of the Deep Learning model.

Chapter 4: Implementation & Results

4.1 Implementation Details

The project implementation is divided into multiple Python files. Each file performs a specific task related to model prediction, preprocessing, evaluation, and user interaction.

The project is developed using Python along with Deep Learning and image processing libraries. The implementation combines a trained AlexNet model with a Streamlit web application for real-time Diabetic Retinopathy prediction.

`app.py`

This file contains the main Streamlit web application used for retinal image prediction.

Main functionalities included in this file:

- Streamlit user interface
- Model loading
- Image upload functionality
- Image preprocessing
- Prediction generation
- Confidence score display
- Probability distribution display
- Real-time prediction output

The file allows users to upload retinal fundus images through the Streamlit interface. After image upload, preprocessing techniques such as resizing and CLAHE enhancement are applied.

The processed image is then passed to the trained AlexNet model for prediction. The application displays:

- predicted disease class,
- confidence percentage,
- class probability values,
- and visual progress indicators.

The file also handles image normalization and converts images into the required input format for the CNN model.

`evaluate_model.py`

This file contains the evaluation and performance analysis logic of the project.

Main functionalities included in this file:

- Model evaluation logic
- Dataset loading
- Metric calculation

- Performance analysis
- Classification report generation
- Confusion matrix generation
- ROC and AUC analysis

The evaluation file loads retinal images from the dataset and tests the prediction performance of the trained model.

The script calculates several evaluation metrics such as:

- accuracy,
- precision,
- recall,
- F1-score,
- and confusion matrix values.

The file helps analyze how well the model performs for each disease severity class.

`view_model.py`

This file is used to display the architecture summary of the trained AlexNet model.

The file helps understand:

- model layers,
- input shape,
- output shape,
- trainable parameters,
- and overall network structure.

The architecture summary helps in analyzing the CNN model used for retinal image classification.

4.2 Experimental Setup

The project setup includes the software environment, libraries, trained model, and image preprocessing configuration required for Diabetic Retinopathy prediction.

The project setup includes:

- Python environment
- TensorFlow installation
- OpenCV library

- Streamlit application
- Trained AlexNet model
- NumPy and PIL libraries
- Scikit-learn evaluation tools

The system is developed and executed using the Python programming language because it provides strong support for Artificial Intelligence and image processing applications.

TensorFlow and Keras are used for loading and running the trained Deep Learning model.

OpenCV is used for image preprocessing operations such as:

- image resizing,
- color conversion,
- and CLAHE enhancement.

The model processes retinal images with size:

- 224×224 pixels

This standardized image size ensures compatibility with the AlexNet CNN architecture.

The Streamlit framework is used to create a web-based interface where users can upload retinal images and receive prediction results interactively.

The trained model file used in the setup is:

`alexnet_dr_best.keras`

The experimental setup also includes preprocessing techniques such as:

- CLAHE enhancement,
- image normalization,
- and RGB image conversion.

4.3 Results and Analysis

The project successfully classifies retinal fundus images into multiple Diabetic Retinopathy severity categories.

The trained AlexNet model predicts the disease class based on retinal image features extracted during Deep Learning processing.

The Streamlit application provides:

- Predicted class
- Confidence score

- Detailed class probabilities
- Progress bars for prediction confidence
- Prediction uncertainty values
- Prediction margin values

The prediction system displays the disease severity class with the highest probability score.

The project also calculates uncertainty and prediction margin values to better understand prediction reliability.

The probability distribution generated by the model helps users analyze how strongly the model predicts each class category.

The system supports the following disease classes:

- Mild
- Moderate
- No_DR
- Proliferate_DR
- Severe

The visual interface improves user understanding by displaying confidence percentages and prediction results clearly.

The implemented system demonstrates the practical use of Deep Learning in medical image classification and automated disease detection.

4.4 Performance Evaluation

The evaluation system measures multiple performance metrics to analyze the effectiveness of the trained AlexNet model.

The evaluation system measures:

- Accuracy
- Precision
- Recall
- F1-Score
- Macro average metrics
- Weighted average metrics
- Confusion matrix values

- ROC and AUC scores

Accuracy

Accuracy measures the percentage of correctly classified retinal images among all predictions.

Precision

Precision measures how many predicted disease classes are actually correct.

Recall

Recall measures the ability of the model to correctly identify actual disease cases.

F1-Score

F1-score provides a balanced measurement between precision and recall.

Macro Average Metrics

Macro average metrics calculate the average performance equally across all classes.

Weighted Average Metrics

Weighted average metrics consider class imbalance and calculate average performance based on class sample size.

The evaluation process helps in understanding model performance for all disease classes and identifies strengths and weaknesses of the classification system.

The confusion matrix and classification report help analyze correct and incorrect predictions for each category.

4.5 Comparison with Existing Systems

Compared to traditional machine learning and manual diagnosis methods, the proposed system provides several improvements.

The proposed system provides:

- Automated prediction
- Faster analysis
- Multi-class classification
- User-friendly interface
- Improved preprocessing using CLAHE
- Confidence-based prediction output
- Real-time image analysis
- Reduced manual effort

Traditional diagnosis methods require expert ophthalmologists to manually examine retinal images. This process takes more time and may become difficult for large-scale screening. Some traditional machine learning systems also require manual feature extraction before classification.

The proposed Deep Learning-based system automatically learns image features using the AlexNet CNN architecture. This reduces dependency on handcrafted feature engineering techniques.

The CLAHE preprocessing technique improves retinal image quality and helps the model identify important retinal abnormalities more effectively.

The Streamlit-based interface also improves usability by allowing users to upload images and receive predictions interactively.

Overall, the project reduces manual effort, improves automation, and supports large-scale Diabetic Retinopathy screening systems.

Chapter 5: Discussion

5.1 Interpretation of Results

The project demonstrates that Deep Learning techniques can effectively classify retinal fundus images into multiple Diabetic Retinopathy severity categories. The implemented AlexNet CNN model successfully identifies important retinal patterns and abnormalities from the uploaded eye images.

The results show that image preprocessing plays an important role in improving prediction quality. The CLAHE preprocessing technique improves image visibility, enhances local contrast, and highlights important retinal features such as blood vessels and affected regions. This helps the model detect disease-related patterns more clearly.

The AlexNet model successfully performs multi-class disease prediction for the following classes:

- Mild
- Moderate
- No_DR
- Proliferate_DR
- Severe

The Streamlit-based prediction system provides confidence scores and probability distributions for all classes. These outputs help users understand prediction reliability and model confidence.

The generated prediction probabilities also help analyze how strongly the model predicts a particular disease category. Overall, the project demonstrates that Deep Learning-based medical image analysis can support automated disease screening systems.

5.2 Key Findings

The major findings of the project are:

1. Deep Learning Improves Automated DR Detection

The project shows that Deep Learning models can automatically analyze retinal fundus images and classify disease severity levels effectively. CNN-based models reduce the dependency on manual image analysis.

2. CLAHE Preprocessing Enhances Image Quality

The CLAHE preprocessing technique improves retinal image contrast and visibility. Enhanced image quality helps the model identify retinal abnormalities more accurately.

3. AlexNet Supports Effective Image Classification

The AlexNet CNN architecture successfully performs multi-class image classification and learns important retinal image features automatically.

4. Streamlit Provides a Simple and Interactive User Interface

The Streamlit application makes the system user-friendly by allowing users to upload images and receive predictions in real time.

5. Multi-Class Classification is Possible Using CNN-Based Models

The project demonstrates that CNN-based systems can classify retinal images into multiple disease severity categories rather than only binary classification.

6. Automated Systems Help Reduce Manual Effort

The developed system supports automated retinal image screening and reduces the workload involved in manual disease detection.

5.3 Limitations

Although the project performs successfully, some limitations still exist in the current system.

1. The System Depends on Image Quality

Prediction accuracy may decrease if retinal images contain noise, blur, low contrast, or poor lighting conditions.

2. Large Datasets Require Higher Computational Power

Training and evaluating Deep Learning models require good computational resources such as high RAM, GPUs, and processing power.

3. The Project Does Not Replace Medical Experts

The system is designed as a supporting tool for automated screening and should not replace professional medical diagnosis by ophthalmologists.

4. Real Clinical Validation is Not Included

The project is developed for educational and research purposes. Real-time clinical testing and hospital validation are not included in the current implementation.

5. Performance May Vary with Unseen Datasets

The model performance may change when tested on different retinal image datasets collected from other sources or medical environments.

6. Limited Dataset Size

Although the dataset supports multi-class classification, a larger dataset could further improve model generalization and prediction accuracy.

7. Internet and System Dependency for Deployment

The Streamlit-based application requires a proper software environment and system setup for execution and deployment.

Chapter 6: Conclusion and Future Work

6.1 Conclusion

This project presents an automated Diabetic Retinopathy detection system using Deep Learning techniques for retinal fundus image classification. The system is developed to assist in identifying different stages of Diabetic Retinopathy using image processing and CNN-based classification methods.

The system uses:

- AlexNet CNN model
- CLAHE preprocessing
- Streamlit interface
- Multi-class retinal image classification

The project demonstrates that Deep Learning techniques can effectively analyze retinal images and classify disease severity levels automatically. The implemented AlexNet model successfully identifies important retinal features and predicts the corresponding disease category.

The CLAHE preprocessing technique improves retinal image quality by enhancing image contrast and visibility. Better image quality helps the model detect retinal abnormalities more clearly and improves prediction performance.

The Streamlit-based web application provides a simple and interactive platform for users to upload retinal images and receive prediction results in real time. The system also generates confidence scores and class probability distributions, helping users better understand prediction reliability.

The project demonstrates that automated Deep Learning-based systems can support healthcare professionals in early disease detection and reduce manual screening effort. Overall, the proposed system combines image preprocessing, Deep Learning classification, and real-time prediction into a complete Diabetic Retinopathy detection workflow.

6.2 Contributions of the Study

The project provides several important contributions in the field of automated medical image analysis and Deep Learning-based healthcare applications.

The project contributions include:

1. Development of an Automated DR Detection System

The project successfully develops an automated system capable of analyzing retinal fundus images and predicting Diabetic Retinopathy severity levels.

2. Use of AlexNet for Retinal Image Classification

The study applies the AlexNet CNN architecture for multi-class retinal image classification and automated feature extraction.

3. Integration of CLAHE Preprocessing

The project integrates CLAHE preprocessing to improve retinal image contrast and enhance important retinal features before prediction.

4. Streamlit-Based Deployment

A Streamlit-based web application is developed to provide a simple and user-friendly interface for image upload and prediction generation.

5. Multi-Class Disease Severity Prediction

The system supports prediction of multiple disease severity classes including:

- Mild
- Moderate
- No_DR
- Proliferate_DR
- Severe

6. Detailed Evaluation Framework

The project includes evaluation metrics such as:

- accuracy,
- precision,
- recall,
- F1-score,
- confusion matrix,
- and ROC-AUC analysis

to measure model performance.

7. Real-Time Prediction System

The implemented application provides real-time disease prediction along with confidence scores and probability distributions.

6.3 Future Scope

Although the current project performs successfully, several improvements and extensions can be implemented in the future to further enhance the system.

Future improvements can include:

1. Using Larger Datasets

Using larger and more diverse retinal image datasets can improve model generalization and prediction accuracy.

2. Testing Advanced CNN Architectures

Advanced Deep Learning architectures such as:

- ResNet,
- DenseNet,
- EfficientNet,
- and Inception models

can be tested and compared with AlexNet for improved performance.

3. Integration with Hospital Systems

The project can be integrated with hospital management systems and healthcare databases for practical clinical usage.

4. Real-Time Cloud Deployment

The application can be deployed on cloud platforms to provide online retinal image prediction services.

5. Mobile Application Development

A mobile-based version of the system can help improve accessibility for remote healthcare applications and rural screening programs.

6. Clinical Testing and Validation

Future work can include real clinical testing and validation using hospital datasets and medical expert feedback.

7. Explainable AI Techniques for Medical Transparency

Explainable AI methods can be integrated to help doctors understand how the model makes predictions and improve trust in AI-based healthcare systems.

8. Improved Image Preprocessing Techniques

Additional preprocessing methods such as noise reduction and advanced enhancement techniques can further improve retinal image quality.

9. Real-Time Video or Live Screening Support

Future systems may support live retinal scanning and real-time disease analysis directly from medical devices.

References

The project includes multiple reference papers, documents, and study materials related to:

- Automated Diabetic Retinopathy Detection
- Deep Learning in Medical Imaging
- CNN-based Classification
- SVM-based Detection Systems
- Retinal Image Processing
- Medical Image Enhancement Techniques
- Artificial Intelligence in Healthcare

The reference files available in the project folder were analyzed to understand:

- existing research methodologies,
- disease detection approaches,
- preprocessing techniques,
- and Deep Learning-based retinal image classification systems.

These research papers and documents helped provide the theoretical foundation and technical understanding required for developing the proposed system.

The reference materials also helped identify:

- research gaps,
- limitations of existing systems,
- and possible improvements for automated Diabetic Retinopathy detection.