
Slide 22: Common Interview Questions

Hashing

- Frequency Count
- Two Sum
- First Unique Character

Input:
s = "leetcode"

Characters:
l e e t c o d e

Frequency:
l = 1
e = 3
t = 1
c = 1
o = 1
d = 1

First unique character = 'l'

Output = 0

Example 2

Input:
s = "loveleetcode"

Frequency:
l = 2
o = 2
v = 1
e = 4
t = 1
c = 1
d = 1

First unique character = 'v'

Output = 2

- Longest Consecutive Sequence

- Input:
[100, 4, 200, 1, 3, 2]

Sequence:
1 → 2 → 3 → 4

Length = 4

Output = 4

-
-

- **Example 2**

- Input:
[9, 1, 4, 7, 3, 2, 6, 8, 0]

Sequence:
0 → 1 → 2 → 3 → 4

Length = 5

Output = 5

-
- **Example 3**

- Input:
[1, 2, 0, 1]

Unique numbers:
0, 1, 2

Sequence:
0 → 1 → 2

Length = 3

Output = 3

-

- **Group Anagrams**

Map

- **Count Occurrences**

- Input:
[1, 2, 2, 3, 1, 4, 2]

Output:
1 -> 2
2 -> 3
3 -> 1
4 -> 1

-

- **Top K Freq..**

Set

- Remove Duplicates
- Contains Duplicate

String Hashing

- Rabin-Karp
- Pattern Matching

