

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display CustomerId and CustomerName of the "Regular" or "Prime" type customer(s) who have subscribed to any journal.

The following records will appear as a part of output along with other record(s).

Sample Output:

CUSTOMERID	CUSTOMERNAME
C101	Sam
C105	Clara

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
			rating given to the publisher

Assignment_Join_AndOr

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the journal, must begin with character 'J'. For

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR),

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

Genre	VARCHAR(20)	NOT NULL, CHECK	should not be equal to genre	journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. Ex: C101, C102

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

			published in the publisher table
--	--	--	----------------------------------

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
			unique id of the

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
-------------	---------------	--------	-----------

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4	8765678932
P102	Wiley	2	NULL
P103	Sage Publications	2	7885678932
P104	World Scientific	3	9765678932
P105	Routledge	5	NULL
P106	Springer Nature	4	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

--	--	--	--

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

P100

Springer Nature

T

1000000000

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNT
S301	J202	C107	2023-11-22	8	
S302	J205	C105	2023-09-10	6	

Assignment_Join_AndOr

Summary

Questions

<

>

Tryout > 1: Question 1

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Assignment_Join_Where

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display JournalId and PublisherName for the journals whose publisher's contact number is available.

The following records will appear as a part of output along with other record(s).

Sample Output:

JOURNALID	PUBLISHERNAME
J207	Sage Publications
J208	Taylor & Francis

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Assignment_Join_CustomerWiseSubscriptionCount

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

Identify the customer id, customer name and the total number of subscriptions as "SUBSCRIPTIONCOUNT" for the customers who have subscribed to more than one journal.

The following records will appear as a part of output along with other record(s).

Sample Output:

CUSTOMERID	CUSTOMERNAME	SUBSCRIPTIONCOUNT
C102	Jimmy	2
C107	Robert	2

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Assignment_Join_FilterStartdate

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Identify the customer(s) who have subscribed for any journal on or before 1st November, 2023. Display customer name, subscribed journal name, subscription start date and the duration for the identified customers.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

CUSTOMERNAME	JOURNALNAME	STARTDATE	DURATIONINMONTHS
Jimmy	The Hollywood Reporter	2023-10-15	4
Jimmy	Global Policy	2023-08-17	2

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_Join_SelectiveJournals

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display journal name and genre of the Journal(s) for which more than 10% discount was given at the time of subscription.

For the given sample data, the following is the expected output.

Sample Output:

JOURNALNAME	GENRE
The Lancet	Scientific
Global Policy	Politics

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Togg

Assignment_Join_SameGenre_DifferentPublisher

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

Identify the publisher(s) who have published journals in same genre. Display the publishername, genre and rating for the identified publisher(s).

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

PUBLISHERNAME	GENRE	RATING
Routledge	Politics	5.0
Sage Publications	Politics	2.0

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Togg

Assignment_Join_CountPublisherWiseUniqueSubscriptions

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display the names of publishers as "PublisherName" whose journal is subscribed by at least 3 different customers, along with numbers of unique subscribers as "NoOfUniqueSubscribers".

For the given requirements, display UNIQUE records wherever applicable.

For the given sample data, the following is the expected output.

Sample Output:

PublisherName	NoOfUniqueSubscribers
Wiley	4

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Assignment_Join_PublisherWiseMonthlyCharges

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

Calculate total revenue generated by each publisher, based on monthly charges, subscription duration and applicable discount (if any). Display PublisherName and the calculated revenue as "TOTALREVENUE" in decreasing order of revenue generated.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

PUBLISHERNAME	TOTALREVENUE
Wiley	3084.70000
Routledge	1510.00000

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_Join_CountPublisherWiseSubscriptions

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display the names of publishers whose journal is subscribed at least 3 times, along with numbers of subscriptions as "NO_SUBSCRIPTION".

For the given sample data, the following is the expected output.

Sample Output:

PUBLISHERNAME	NO_SUBSCRIPTION
Wiley	5

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Tryout > 1: Question 1

Problem Statement

Identify the customers of 'Illinois' who have subscribed 'Trade' journals. Display customer name and subscribed journal name for the identified customers.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

CUSTOMERNAME	JOURNALNAME
Robert	Kirkus Reviews

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Assignment_Join_SamePublisher_SameGenre

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

Display journal id, journal name, genre and publisher id for the journals of same genre published by same publisher.

For the given sample data, the following is the expected output.

Sample Output:

JOURNALID	JOURNALNAME	GENRE	PUBLISHERID
J202	Kirkus Reviews	Trade	P102
J205	Pulp and Paper	Trade	P102

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Assignment_Join_CountSubscriptions

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

For each publisher, identify genre wise total number of subscribers. Display publisher name, genre and number of subscribers as "SUBSCRIBERCOUNT". If the publisher has not yet published a journal, display genre as "NOT PUBLISHED".

Note: All the customers might not be the subscribers.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

PUBLISHERNAME	GENRE	SUBSCRIBERCOUNT
Taylor & Francis	Academics	0
Wiley	Trade	4
World Scientific	NOT PUBLISHED	0

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in range 0.0 to 5.0

Assignment_Join_AllPublishers

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display PublisherName, ContactNo and JournalName for all publishers. Consider JournalName as "NO JOURNAL" if the publisher has not yet published any journal.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

PUBLISHERNAME	CONTACTNO	JOURNALNAME
Taylor & Francis	8765678932	LOS Biology
Wiley	NULL	Kirkus Reviews
World Scientific	9765678932	NO JOURNAL

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC(10)		contact number of the publisher

Assignment_Join_Publisher's Journals

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display PublisherId and the Journal name as "JOURNALPUBLISHED" for the journals published by the publishers. Display "Yet To Publish" for publishers who have not published any journal.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

PUBLISHERID	JOURNALPUBLISHED
P102	Kirkus Reviews
P102	eLife
P104	Yet To Publish

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Tryout > 1: Question 1

Problem Statement

For all the publishers with rating more than or same as 4, check if they have published any academic journal. If so, display publisher name along with journal name. Otherwise, display journal name as 'NA'.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

PUBLISHERNAME	JOURNALNAME
Taylor & Francis	LOS Biology
Routledge	NA

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher