

Tryout > 1: Question 1

Problem Statement

Apply a discount of 70.25 rupees on the MonthlyCharges for those journals whose Genre contains more than 8 characters. Display the JournalId as "JournalId" and round off the calculated price to the lower(integer) and display as "Rounded_Integer".

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

JournalId	Rounded_Integer
J203	4
J204	14

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot

Assignment_Functions_Numeric

Summary

Questions

<

>

Tryout > 1: Question 1

J204

14

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the journal, must begin with

Tryout > 1: Question 1

publisner

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
				monthly subscription

Tryout > 1: Question 1

Genre	VARCHAR(20)	NOT NULL, CHECK	JournalName should not be equal to genre	genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Assignment_Functions_Numeric

Summary

Questions

<

>

Tryout > 1: Question 1

PublisherId	VARCHAR(4)	FOREIGN KEY	to existing PublisherId in the publisher table
-------------	------------	-------------	--

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description

Assignment_Functions_Numeric

Summary

Questions

<

>

Tryout > 1: Question 1

Table structure: Subscription (this table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
-------------	---------------	--------	-----------

Tryout > 1: Question 1

DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)
-----------------	---------	--	--

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105

Assignment_Functions_Numeric

Summary

Questions

<

>

Tryout > 1: Question 1

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan

Tryout > 1: Question 1

J208	LOS Biology	Academics	95	P101
------	-------------	-----------	----	------

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNT
S301	J202	C107	2023-11-22	8	
			2023-00-		

Assignment_Functions_Numeric

Summary

Questions

<

>

Tryout > 1: Question 1

DESCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCE
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0

Summary

Questions

<

>

Tryout > 1: Question 1

S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Problem Statement

Identify the publishers whose contact number is known and their name contains more than 5 characters. Display the number of such publishers as "NUMBEROF PUBLISHERS".

For the given sample data, the following is the expected output.

Sample Output:

NUMBEROF PUBLISHERS
4

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)

Assignment_Functions_CountSelectivePublishers

[Summary](#)[Questions](#)

Tryout > 1: Question 1

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the journal, must begin with character 'J'. For ex. J201, J202
		NOT	name of the

Assignment_Functions_CountSelectivePublishers

Tryout > 1: Question 1

ContactNo	NUMERIC	Contact number of the publisher
-----------	---------	---------------------------------

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
				monthly

Tryout > 1: Question 1

		CHECK		25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK	JournalName should not be equal to genre	genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Tryout > 1: Question 1

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302

Tryout > 1: Question 1

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

--	--	--	--

Tryout > 1: Question 1

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106

Tryout > 1: Question 1

P106	Springer Nature	4.0	7685655932
------	-----------------	-----	------------

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan

Summary

Questions

<

>

Tryout > 1: Question 1

J208	LOS Biology	Academics	95	P101
------	-------------	-----------	----	------

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNT
S301	J202	C107	2023-11-22	8	

Assignment_Functions_CountSelectivePublishers

Summary

Questions

<

>

Tryout > 1: Question 1

C107	ROBERT	regular	Illinois	Galesburg
------	--------	---------	----------	-----------

Data: Subscription

SubscriptionID	JournalID	CustomerID	StartDate	DurationInMonths	DiscountPercent
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10

Tryout > 1: Question 1

S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Assignment_Functions_RoundOff2DecimalDigits

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

The monthly charges of 'Academics' Journals is reduced by 37.5%. Display the JournalId as "JournalId", Genre as "Genre", existing monthlycharges as "Old_Price", and revised monthlycharges as "New_Price" for all the 'Academic' Journals. Revised Monthly charges should be rounded up to 2 decimal places.

Note: To calculate New_Price use $(\text{MonthlyCharges} * 0.625)$

For the given sample data, the following is the expected output.

Sample Output:

JournalId	Genre	Old_Price	New_Price
J204	Academics	85	53.13
J208	Academics	95	59.38

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102

Assignment_Functions_regularCustomers

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display CustomerId and CustomerName of 'Regular' customer(s) who reside in a state that contains character 'o' anywhere.

(Do case-insensitive comparison for CustomerType)

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

CUSTOMERID	CUSTOMERNAME
C107	Robert

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters

Assignment_Functions_regularCustomers

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the journal, must begin with character 'J'. For ex. J201, J202

Tryout > 1: Question 1

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more

Tryout > 1: Question 1

Genre	VARCHAR(20)	NOT NULL, CHECK	Journal name should not be equal to genre	journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY CHECK	unique id of the customer, must begin with character 'C'.

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)		
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302

Tryout > 1: Question 1

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

Tryout > 1: Question 1

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106

Tryout > 1: Question 1

P106	Springer Nature	4.0	7685655932
------	-----------------	-----	------------

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan

Tryout > 1: Question 1

J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg
C108	Allen	regular	Illinois	Galesburg
C109	Christy	prime	Texas	Dallas
C110	Samuel	ReguLar	Illinois	Galesburg

Tryout > 1: Question 1

C110	Samuel	ReguLar	Illinois	Galesburg
------	--------	---------	----------	-----------

Data: Subscription

SCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
			2023-06-		

Tryout > 1: Question 1

S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Assignment_Functions_SelectiveJournals

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display JournalId and JournalName for all the journal(s) whose last digit of the publisher id is more than 2 and journal name contains character 'o' and 't' anywhere, but in the same order.

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

JOURNALID	JOURNALNAME
J206	Acta Politica

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(2,1)	NOT NULL,	rating given to the publisher, should be in the range of 1 to

Assignment_Functions_Aggregate

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display Maximum, Minimum and Average values of DiscountPercent which is offered on any subscription. The display should have the column names as "MaxDiscount", "MinDiscount" and "AvgDiscount".

For the given sample data, the following is the expected output.

Sample Output:

MaxDiscount	MinDiscount	AvgDiscount
15	0	7.40000

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(2,1)	NOT NULL,	rating given to the publisher, should be in the range of 1 to

Tryout > 1: Question 1

Problem Statement

Display CustomerId along with the first four character of their CustomerType separated by slash (/) as "Customer-ID".

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

Customer-ID
C101/Regu
C102/Priv
C105/Regu
C106/Priv

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'.

Tryout > 1: Question 1

Problem Statement

Display the total number of unique StartDates as "Total_Dates" on which the subscription is taken.

For the given requirements, display UNIQUE records wherever applicable.

For the given sample data, the following is the expected output.

Sample Output:

Total_Dates
7

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters

Assignment_Functions_MinDiscountPercent

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

For the Subscriptions bought in the month of November, display the minimum discount(percent) offered as "Min Discount Percent", along with the total number of customers who subscribed in that month as "No. Of Customers"

Expected Output:

Min Discount Percent	No. Of Customers
10	3

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(2,1)	NOT NULL,	rating given to the publisher, should be in the range of 1 to

Assignment_Functions_NoOfUniqueCustomers

Summary

Questions



Tryout > 1: Question 1

Problem Statement

Find the number of unique customers who have subscribed to a journal in any month except 'June'. Display the identified number of unique customers as "NoOfUniqueCustomer".

For the given requirements, display UNIQUE records wherever applicable.

For the given sample data, the following is the expected output.

Sample Output:

NoOfUniqueCustomer
6

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters

Assignment_Functions_TotalMonthlyCharges

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

Display the total MonthlyCharges as "Monthly_Charges" of all the Journals whose last digit of the numeric part of PublisherId is more than 4.

Note: The size of column PublisherId is as per the given table structure.

For the given sample data, the following is the expected output.

Sample Output:

Monthly_Charges
315

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex, P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters

Summary

Questions

<

>

Tryout > 1: Question 1

Problem Statement

On 30th June 2024, an executive is asked to send subscription renewal reminder to the customers whose subscription is going to end within a month. For this, he wants to identify the subscription id and corresponding customer id.

Help him write this query.

For the given sample data, the following is the expected output.

Sample Output:

SUBSCRIPTIONID	CUSTOMERID
S301	C107

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters

Assignment_Case_JournalCategory

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

A publisher wants to categorize the journals based on the monthly charges of the journals. Write a query to display JournalName, Monthly Charges and JournalCategory. The categorization is done as: If the MonthlyCharges is less than 75, then the JournalCategory will be 'LowCost'. Else if, MonthlyCharges is between 75 and 100, then the JournalCategory will be 'AverageCost'. Else, the JournalCategory will be 'HighCost'.

The following records will appear as a part of output along with other record(s).

Sample Output:

JOURNALNAME	MONTHLYCHARGES	JOURNALCATEGORY
The Hollywood Reporter	130	HighCost
Pulp and Paper	125	HighCost

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102

Assignment_Case_NewMonthlycharges

[Summary](#)[Questions](#)

<

>

Tryout > 1: Question 1

Problem Statement

Monthly charge of Journal is appraised to certain percentage based on the genre as per the table given below. Find the new monthly charges for all the journals. Write a query to display JournalName, Genre, MonthlyCharges and NewMonthlyCharges, arranged in ascending order of Genre.

GENRE	Appraisal %
Trade	10
Scientific	15
Academics	5
Politics	25
Others	20

The following records will appear as a part of output along with other record(s).

Sample Output:

JOURNALNAME	GENRE	MONTHLYCHARGES	NEWMONTHLYCHARGES
The Hollywood Reporter	Trade	130	143.00