

Assignment_DML_InsertJournalColumns

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_InsertJournalColumns

Problem Statement

Insert the following data into Journal table.

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J209	Omnitrix	Scientific	120	P105

Database Structure:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Assignment_DML_InsertJournalColumns

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertJournalColumns

ContactNo	NUMERIC		publisher
-----------	---------	--	-----------

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
				monthly subscription

Assignment_DML_InsertJournalColumns

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertJournalColumns

JournalName	VARCHAR(25)	NULL, CHECK	JournalName should not be equal to genre	journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Assignment_DML_InsertJournal

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_InsertJournal

Problem Statement

Insert the following data into Journal table.

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J210	Tech-Era	Scientific	10	NULL

Database Structure:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_DML_InsertJournal

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertJournal

Problem Statement

Insert the following data into Journal table.

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J210	Tech-Era	Scientific	10	NULL

Database Structure:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P' For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_DML_InsertPublisher

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertPublisher

Problem Statement

Insert the following data into Publisher table.

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P108	Oxford Press	4.6	NULL

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_DML_InsertCustomer

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertCustomer

Problem Statement

Insert the following data into Customer table.

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C110	Joseph	Null	Florida	Miami

Database Structure:

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Assignment_DML_InsertSubscriptions

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

Problem Statement

Insert the following data into Subscription table.

Note: In case of any value is violating the constraint(s), replace that value with NULL while inserting.

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S315	J206	C103	2023-08-17	6	NULL
S316	J210	C110	2023-02-15	5	10

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description

Assignment_DML_InsertSubscriptions

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description

Assignment_DML_InsertSubscriptions

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL,	duration of the subscription (in months). should be more than 0.

Assignment_DML_InsertSubscriptions

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932

Assignment_DML_InsertSubscriptions

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103

Assignment_DML_InsertSubscriptions

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix

Assignment_DML_InsertSubscriptions

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

J208	LOS Biology	Academics	95	P101
------	-------------	-----------	----	------

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0

Assignment_DML_InsertSubscriptions

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscriptions

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Assignment_DML_InsertSubscription

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscription

Problem Statement

Insert the following record in Subscription table.

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S317	J201	C105	DEFAULT value of date to be entered	6	15

Database Structure:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description

Assignment_DML_InsertSubscription

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscription

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
		PRIMARY KEY	unique id of the customer, must begin

Assignment_DML_InsertSubscription

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscription

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0,

Assignment_DML_InsertSubscription

Summary

Questions

<

>

Tryout > 1: Assignment_DML_InsertSubscription

CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Assignment_DML_DisplayJournals

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DisplayJournals

Problem Statement

Identify the journals from 'Scientific' or 'Politics' genre. Display the journalid and journalname of those journals.

The following records will appear as a part of output along with other record(s).

Sample Output:

JOURNALID	JOURNALNAME
J203	The Lancet
J206	Acta Politica

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Assignment_DML_DisplayDiscountedAmount

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

Problem Statement

The publishers want to give a discount of 5% on monthly charges. Write a query to display the following:

1. journal name
2. current monthly charges
3. monthly charges applicable after discount
4. discount in INR

Hint: Use the formula $\text{MonthlyCharges} * (1 - 5/100)$ and $\text{MonthlyCharges} * (5/100)$ to find monthly charges applicable after discount and discount in INR.

The following records will appear as a part of output along with other record(s).

Sample Output:

JOURNALNAME	CURRENT CHARGES	OFFER PRICE	DISCOUNTED AMOUNT
eLife	85	80.75000	4.25000
Kirkus Reviews	90	85.50000	4.50000

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL,	name of the publisher, cannot be more

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Fiction', 'Non-Fiction', 'Mystery', 'Science Fiction', 'Fantasy', 'Horror', 'Romance', 'Drama', 'Comedy', 'Tragedy', 'Mystery', 'Science Fiction', 'Fantasy', 'Horror', 'Romance', 'Drama', 'Comedy', 'Tragedy'

Assignment_DML_DisplayDiscountedAmount

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Travel'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
		PRIMARY KEY,	unique id of the customer, must begin

Assignment_DML_DisplayDiscountedAmount

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0,

Assignment_DML_DisplayDiscountedAmount

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932

Assignment_DML_DisplayDiscountedAmount

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix

Assignment_DML_DisplayDiscountedAmount

Summary

Questions



Tryout > 1: Assignment_DML_DisplayDiscountedAmount

J208	LOS Biology	Academics	95	P101
------	-------------	-----------	----	------

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0

Tryout > 1: Assignment_DML_DisplayDiscountedAmount

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Assignment_DML_DatesRange

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DatesRange

Problem Statement

Retrieve subscriptionid and customerid of the customers who have their startdate between the dates '1-Jan-2023' and '30-Jun-2023';

The following records will appear as a part of output along with other record(s).

Sample Output:

SUBSCRIPTIONID	CUSTOMERID
S304	C103
S307	C106

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Assignment_DML_DisplayNonRegularCustomers

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DisplayNonRegularCustomers

Problem Statement

Display customerid, customername, state and city of customers whose type is other than Regular .

The following records will appear as a part of output along with other record(s).

Sample Output:

CUSTOMERID	CUSTOMERNAME	STATE	CITY
C102	Jimmy	Illinois	Chicago
C106	Amelia	Arizona	Cottonwood

Database Structure and Data:

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Data: Customer

Assignment_DML_DisplayNonRegularCustomers

Summary

Questions

<

>

Tryout > 1: Assignment_DML_DisplayNonRegularCustomers

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Privileged	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Regular	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	NULL	Illinois	Galesburg

Assignment_DML_SQLOperators

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_SQLOperators

Problem Statement

Retrieve the journal name and genre of journals whose genre is either 'Trade' or 'Politics' and monthly charges lie in the range of 90 to 125 (both inclusive).

For the given sample data, the following record will feature as part of the output along with other record(s).

Sample Output:

JOURNALNAME	GENRE
Pulp and Paper	Trade

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Assignment_DML_Operators

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_Operators

Problem Statement

Display CustomerId, CustomerName, CustomerType and State of the customer(s) from Illinois who have 'rime' or 'gul' in their customertype.

The following records will appear as a part of output along with other record(s).

Sample Output:

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE
C104	Oliver	Regular	Illinois

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Tryout > 1: Assignment_DML_Operators

ContactNo	NUMERIC	contact number of the publisher
-----------	---------	---------------------------------

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
-------------	--------------------	------------	-------------

Summary

Questions

<

>

Tryout > 1: Assignment_DML_Operators

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
		NOT NULL	duration of the subscription (in

Summary

Questions

<

>

Tryout > 1: Assignment_DML_Operators

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932

Assignment_DML_Operators

Summary

Questions

<

>

Tryout > 1: Assignment_DML_Operators

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103

Assignment_DML_Operators

Summary

Questions

<

>

Tryout > 1: Assignment_DML_Operators

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix

Assignment_DML_Operators

Summary

Questions

<

>

Tryout > 1: Assignment_DML_Operators

J208	LOS Biology	Academics	95	P101
------	-------------	-----------	----	------

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0

Assignment_DML_Operators

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_Operators

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Assignment_DML_MissingContactNos

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_MissingContactNos

Problem Statement

Retrieve the publishername of publishers who do not have contact number.

The following records will appear as a part of output.

Expected Output:

PUBLISHERNAME
Wiley
Routledge

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Assignment_DML_MonthlyChargesRange

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_MonthlyChargesRange

Problem Statement

Retrieve journal id, journal name and monthly charges for journals that have monthly charges in the range 85 to 130 (excluding these values).

For the given sample data, the following records will feature as part of the output along with other record(s).

Sample Output:

JOURNALID	JOURNALNAME	MONTHLYCHARGES
J205	Pulp and Paper	125
J208	LOS Biology	95

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_DML_MonthlyChargesRange

Summary

Questions

<

>

Tryout > 1: Assignment_DML_MonthlyChargesRange

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102

Tryout > 1: Assignment_DML_MonthlyChargesRange

PublisherId	VARCHAR(4)	FOREIGN KEY	publisher of the journal, refers to existing PublisherId in the publisher table
-------------	------------	-------------	---

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default

MonthlyChargesRange

Summary

Questions

<

>

Tryout > 1: Assignment_DML_MonthlyChargesRange

State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL

Tryout > 1: Assignment_DML_MonthlyChargesRange

DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)
-----------------	---------	--	--

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102

Tryout > 1: Assignment_DML_MonthlyChargesRange

P106	Springer Nature	4.0	7685655932
------	-----------------	-----	------------

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago

Tryout > 1: Assignment_DML_MonthlyChargesRange

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15

Summary

Questions

<

>

Tryout > 1: Assignment_DML_MonthlyChargesRange

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Assignment_DML_SelectiveGenre

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DML_SelectiveGenre

Problem Statement

Retrieve the journalid and monthlycharges of all 'Trade' and 'Politics' genre.

The following records will appear as a part of output along with other record(s).

Sample Output:

JOURNALID	MONTHLYCHARGES
J201	130
J202	90

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

JournalId	JournalName	Genre	MonthlyCharges
-----------	-------------	-------	----------------

Assignment_DML_UniqueStates

Summary

Questions

<

>

Tryout > 1: Assignment_DML_UniqueStates

Problem Statement

Display the names of states in which the customers reside.
Note: Display unique names

The following records will appear as a part of output along with other record(s).

Sample Output:

STATE
Arizona
Illinois

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Tryout > 1: Assignment_DML_UniqueStates

		CHECK	the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to genre	name of the journal, cannot be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK		genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Table Structure: Customer (This table provides the details of all the customers)

Tryout > 1: Assignment_DML_UniqueStates

PublisherId	VARCHAR(4)	FOREIGN KEY	refers to existing PublisherId in the publisher table
-------------	------------	-------------	---

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date

Tryout > 1: Assignment_DML_UniqueStates

DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
DiscountPercent	NUMERIC		discount given to the customer on subscription (in percentage)

Table Data: Publisher

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P101	Taylor & Francis	4.0	8765678932
P102	Wiley	2.0	NULL
P103	Sage Publications	2.0	7885678932
P104	World Scientific	3.0	9765678932
P105	Routledge	5.0	NULL
P106	Springer Nature	4.0	7685655932

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106

Summary

Questions

<

>

Tryout > 1: Assignment_DML_UniqueStates

Table Data: Journal

JOURNALID	JOURNALNAME	GENRE	MONTHLYCHARGES	PUBLISHERID
J201	The Hollywood Reporter	Trade	130	P105
J202	Kirkus Reviews	Trade	90	P102
J203	The Lancet	Scientific	75	P106
J204	eLife	Academics	85	P102
J205	Pulp and Paper	Trade	125	P102
J206	Acta Politica	Politics	110	P105
J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago

Summary

Questions



Tryout > 1: Assignment_DML_UniqueStates

J207	Global Policy	Politics	105	P103
J208	LOS Biology	Academics	95	P101

Table Data: Customer

CUSTOMERID	CUSTOMERNAME	CUSTOMERTYPE	STATE	CITY
C101	Sam	Regular	New York	Manhattan
C102	Jimmy	Privileged	Illinois	Chicago
C103	Michael	Prime	Texas	Dallas
C104	Oliver	Regular	Illinois	Chicago
C105	Clara	Regular	Arizona	Phoenix
C106	Amelia	Privileged	Arizona	Cottonwood
C107	Robert	Regular	Illinois	Galesburg

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
			2023-10		

Summary

Questions

<

>

Tryout > 1: Assignment_DML_UniqueStates

Table Data: Subscription

SUBSCRIPTIONID	JOURNALID	CUSTOMERID	STARTDATE	DURATIONINMONTHS	DISCOUNTPERCENT
S301	J202	C107	2023-11-22	8	10
S302	J205	C105	2023-09-10	6	7
S303	J201	C102	2023-10-15	4	0
S304	J207	C103	2023-02-25	12	15
S305	J203	C101	2023-11-22	12	15
S306	J206	C105	2023-11-22	10	10
S307	J202	C106	2023-01-12	6	7
S308	J204	C107	2023-06-29	8	10
S309	J205	C103	2023-01-12	5	0
S310	J207	C102	2023-08-17	2	0

Tog

Assignment_DML_UniqueStartDates

Summary

Questions

<

>

Tryout > 1: Assignment_DML_UniqueStartDates

Problem Statement

Retrieve all the unique dates on which any subscription has been started.

For the given sample data, the following is the expected output.

Sample Output:

STARTDATE
2023-01-12
2023-02-25
2023-06-29
2023-08-17
2023-09-10
2023-10-15
2023-11-22

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102

Summary

Questions

<

>

Tryout > 1: Assignment_DML_UniqueStatePerCustomerType

Problem Statement

For each customer type display the states in which customers reside.

Note: Display unique values.

The following records will appear as a part of output along with other record(s).

Sample Output:

CUSTOMERTYPE	STATE
Prime	Texas
Privileged	Arizona
Privileged	Illinois

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_DML_Like_ti

Summary

Questions

<

>

Tryout > 1: Assignment_DML_Like_ti

Problem Statement

Display JournalName and Genre of journal(s) whose Genre contains the string 'ti'.

The following record will appear as a part of output along with other record(s).

Sample Output:

JOURNALNAME	GENRE
Acta Politica	Politics

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
			unique id of the journal

Assignment_DML_LIKE

Tryout > 1: Assignment_DML_LIKE

Problem Statement

Retrieve publisher details for publishers whose names have 'i' as the second last character.

The following records will appear as a part of output along with other record(s).

Sample Output:

PUBLISHERID	PUBLISHERNAME	RATING	CONTACTNO
P104	World Scientific	3.0	9765678932

Database Structure and Data:

Table Structure: Publisher (This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint	Description
			unique id of the journal