

Assignment_DDL_Create_Publisher

Summary

Questions

<

>

Tryout > 1: Assignment_DDL_Create_Publisher

Problem Statement

Create the Publisher table as per information below:

Table Structure: Publisher(This table provides the details of all the publishers)

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	NUMERIC		contact number of the publisher

Assignment_DDL_Create_Subscription

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DDL_Create_Subscription

Problem Statement

Create the Subscription table as per information below:

Table Structure: Subscription (This table provides the details of all the subscriptions)

Column Name	Data Type and Size	Constraint	Description
SubscriptionId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the subscription, must begin with character 'S'. For ex. S301, S302
JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date

 Summary Questions

<

>

Tryout > 1: Assignment_DDL_Create_Subscription

JournalId	VARCHAR(4)	FOREIGN KEY	existing JournalId in Journal table
CustomerId	VARCHAR(4)	FOREIGN KEY	existing CustomerId in Customer table
StartDate	DATE		starting date of subscription, default value will be the current system date
DurationInMonths	INTEGER	NOT NULL, CHECK	duration of the subscription (in months), should be more than 0, default value is 3
Discount	NUMERIC		discount given to the customer on subscription (in percentage)

Assignment_DDL_Create_Journal

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DDL_Create_Journal

Problem Statement

Create the Journal table as per information below:

Table Structure: Journal (This table provides the details of all the journals)

Column Name	Data Type and Size	Constraint		Description
JournalId	VARCHAR(4)	PRIMARY KEY, CHECK		unique id of the journal, must begin with character 'J'. For ex. J201, J202
JournalName	VARCHAR(25)	NOT NULL, CHECK	JournalName should not be equal to	name of the journal, cannot be more than 25 characters
				genre of the journal, cannot be

Assignment_DDL_Create_Journal

Summary

Questions

<

>

Tryout > 1: Assignment_DDL_Create_Journal

		CHECK		be more than 25 characters
Genre	VARCHAR(20)	NOT NULL, CHECK	JournalName should not be equal to genre	genre of the journal, cannot be more than 20 characters, and should be either 'Academics', 'Scientific', 'Politics' or 'Trade'
MonthlyCharges	INTEGER	NOT NULL, CHECK		monthly subscription charges for the journal (in INR), should be more than 0
PublisherId	VARCHAR(4)	FOREIGN KEY		publisher of the journal, refers to existing PublisherId in the publisher table

Assignment_DDL_Alter_AddColumn

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DDL_Alter_AddColumn

Problem Statement

Modify the Customer table to store the customer phone number. The column name should be ContactNo and it can have maximum of 10 characters in numeric form.

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Assignment_DDL_Alter_Size

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DDL_Alter_Size

Problem Statement

Modify the size of State column in Customer table from 15 to 20.

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Summary

Questions

<

>

Tryout > 1: Assignment_DDL_Alter_Rename

Problem Statement

Alter the table Customer to change the name of column City to CustomerCity.

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides

Assignment_DDL_Alter_Modify_DataType

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DDL_Alter_Modify_DataType

Problem Statement

Alter the table Publisher to change the data type of ContactNo from VARCHAR to NUMERIC. Contact number can have a maximum length of 10 digits.

Table Structure: Publisher

Column Name	Data Type and Size	Constraint	Description
PublisherId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the publisher, must begin with character 'P'. For ex. P101, P102
PublisherName	VARCHAR(20)	NOT NULL, UNIQUE	name of the publisher, cannot be more than 20 characters
Rating	NUMERIC(3,1)	NOT NULL, CHECK	rating given to the publisher, should be in the range of 1 to 5 (both inclusive)
ContactNo	VARCHAR(10)		contact number of the publisher

Assignment_DDL_DropColumn

[Summary](#)[Questions](#)

<

>

Tryout > 1: Assignment_DDL_DropColumn

Problem Statement

Remove the column city from the customer table given below.

Table Structure: Customer (This table provides the details of all the customers)

Column Name	Data Type and Size	Constraint	Description
CustomerId	VARCHAR(4)	PRIMARY KEY, CHECK	unique id of the customer, must begin with character 'C'. For ex. C101, C102
CustomerName	VARCHAR(15)	NOT NULL	name of the customer
CustomerType	VARCHAR(10)	CHECK	type of the customer, should be either 'Regular', 'Privileged' or 'Prime'
State	VARCHAR(15)		state in which the customer resides
City	VARCHAR(15)		city in which the customer resides