



USN

--	--	--	--	--	--	--	--	--	--

NMAM INSTITUTE OF TECHNOLOGY, NITTE
Off-Campus Centre of Nitte (Deemed to be University)
Sixth Semester B.Tech (CBCS) Degree Examinations

May 2025

CS2211-1 – INTERNET AND WEB PROGRAMMING

(For CS).

Duration: 3 Hours

Max. Marks: 100

Note:

Part – A: Multiple Choice Questions: Answer all **Twenty** questions in the **OMR Sheet** provided. Each question carries equal marks.

Part – B: Descriptive Answer Questions: Answer **Five full** questions choosing **Two full** questions from **Unit – I & Unit – II each** and **One full** question from **Unit – III**.

PART - A: MULTIPLE CHOICE QUESTIONS**20 Marks**

1. **What is the correct way to link an external CSS file to an HTML document?**
A) `<link rel="stylesheet" type="text/css" href="style.css">` B) `<css href="style.css">`
C) `<style src="style.css">` D) `<stylesheet>style.css</stylesheet>`
2. **The id selector in CSS is defined using which symbol?**
A) # B) .
C) * D) @
3. **What is the correct syntax to create an object in JavaScript?**
A) `var obj = {name: "John", age: 25};` B) `var obj = [name: "John", age: 25];`
C) `var obj = "name: John, age: 25";` D) `var obj = (name: "John", age: 25);`
4. **Which keyword is used to create a JavaScript object constructor?**
A) constructor B) class
C) function D) object
5. **Which CSS property is used to create space inside an element, pushing the content away from the edges?**
A) margin B) padding
C) border D) outline
6. **Which of the following CSS selectors are used to specify a group of elements?**
A) tag B) id
C) class D) Both class and tag
7. **What is the purpose of JavaScript in web development?**
A) To structure web pages B) To style web pages
C) To add interactivity and dynamic content to web pages D) To store data on the server
8. **PHP's numerically indexed array begin with position _____**
A) 1 B) 2
C) -1 D) 0
9. **Which function can be used to move the pointer to the previous array position?**
A) `last()` B) `before()`
C) `prev()` D) `previous()`
10. **PHP is _____ scripting Language**
A) Server side B) Client side
C) Middle side D) None of above

11. Which one of the following statements can be used to select the database?
 A) \$mysqli=select_db('databasename'); B) mysqli=select_db('databasename');
 C) mysqli->select_db('databasename'); D) \$mysqli->select_db('databasename');
12. Which of the following is a correct declaration?
 A) static \$varb = array(1,'val',3); B) static \$varb = 1+(2*90);
 C) static \$varb = sqrt(81); D) static \$varb = new Object;
13. Which of the following function returns the number of characters in a string variable?
 A) count(\$variable) B) len(\$variable)
 C) strcount(\$variable) D) strlen(\$variable)
14. Which of the following variables is not a predefined variable?
 A) \$get B) \$post
 C) \$request D) \$ask
15. What is Node.js primarily used for?
 A) Front end development B) Database Management
 C) Server Side Development D) Image processing
16. Which module is used to create an HTTP server in Node.js?
 A) fs B) http
 C) express D) url
17. Which method is used to delete a file in Node.js?
 A) fs.remove() B) fs.unlink()
 C) fs.delete() D) fs.destroy()
18. Which method is used to listen for an event in Node.js?
 A) on() B) listen()
 C) emit() D) trigger()
19. Which command is used to delete a collection in MongoDB?
 A) db.collection.remove() B) db.collection.delete()
 C) db.collection.drop() D) db.collection.erase()
20. What is the primary key in a MongoDB document by default?
 A) _id B) primaryKey
 C) documentID D) keyField

PART - B: DESCRIPTIVE ANSWER QUESTIONS

Unit – I		Marks	BT*	CO*	PO*
1.	a) Explain the different types of selectors in CSS with an example.	8	L*2	1	1
	b) Explain constructors in JavaScript. Build a constructor function in JavaScript to create an object representing a student with properties name, age, and grade.	8	L3	2	2
2.	a) What are nested objects in JavaScript? Explain their types with an example.	7	L2	2	1
	b) Design a webpage with two images that float left and right while keeping the text wrapped around them.	9	L3	1	2
3.	a) What is Normal flow in CSS? Explain the types of normal with example.	8	L2	1	1
	b) Develop a JavaScript program that takes an input string from the user, removes all spaces, and displays the reversed string.	8	L3	2	2
Unit – II					
4.	a) Explain the difference between local, global, and static variables in PHP with an example.	9	L2	3	1

b)	Develop a PHP form that takes a user's name and displays it on the next page using the \$_GET method.	7	L3	3	2
5. a)	Illustrate \$_GET and \$_POST methods in PHP with an example.	8	L2	3	1
b)	Explain and illustrate how inline styles can be applied in JSX within a React component.	8	L2	4	1
6. a)	Compare and contrast controlled vs uncontrolled components in React forms.	8	L2	4	1
b)	Build a PHP script that displays student records (ID, Name, Grade) from a database in an HTML table.	8	L3	3	2
Unit – III					
7. a)	Explain the key features of Node.js with its advantages.	8	L2	5	1
b)	Explain find and sort functions in MongoDB with an example. Write a MongoDB query to find all books written after the year 2000 and sort them in descending order.	8	L3	5	2
8. a)	Explain the CRUD operation in MongoDB with an example.	8	L2	5	1
b)	Explain the File System (fs) module in Node.js handle asynchronous file operations?	8	L2	5	1

BT* Bloom's Taxonomy, L* Level; CO* Course Outcome; PO* Program Outcome
