



RI2013-1 – OBJECT ORIENTED PROGRAMMING AND ITS APPLICATION
(For RI)

Max. Marks: 100

Part – B: Descriptive Answer Questions: Answer **Five full** questions choosing **Two full** questions from **Unit – I & Unit – II each** and **One full** question from **Unit – III**.

20 Marks

- 1-

9. What does the 'protected' access modifier do in Java?
 A) Allows access only within the same class B) Allows access within the same package and by subclasses in other packages
 C) Allows access from any class in any package D) Prevents access from any other class
10. Consider you have two packages: com.shop.electronics and com.shop.clothing, each containing a Product class. How would you use both Product classes in a single Java file?
 A) Use only one 'Product' class and ignore the other B) Use fully qualified names for both Product classes.
 C) Import both classes normally and rename one. D) Import both classes without any modification one.
11. Which of these keywords is used by a class to use an interface defined previously?
 A) import B) static
 C) implements D) extends
12. What does the super keyword do?
 A) It refers to the current object B) It references to the parent class
 C) It calls a child class method D) It is used to declare static variables
13. What happens if an exception is not caught in a program?
 A) The program terminates abruptly B) The exception is ignored
 C) The exception is caught by the JVM D) The program continues to execute normally
14. What type of exceptions can be caught by the 'catch' block?
 A) Only unchecked exceptions B) Both checked and unchecked exceptions
 C) Only checked exceptions D) Only runtime exceptions
15. Which method is used to start the execution of a thread?
 A) start() B) run()
 C) execute() D) begin()
16. Which method would you use to list all the files in a directory in Java?
 A) getFiles() B) listFiles()
 C) readFiles() D) allFiles()
17. Event class is defined in which of these libraries?
 A) java.io B) java.lang
 C) java.net D) java.awt.event
18. By using generics, primarily we can achieve the _____ feature
 A) Code reusability B) Type safety only at runtime
 C) Type casting D) Code complexity
19. Which method is used to make a JFrame visible?
 A) setVisible(true) B) showFrame()
 C) displayWindow() D) showWindow()
20. What kind of event is an ItemEvent in Java Swing?
 A) An event that occurs when the mouse is clicked B) An event that occurs when a key is pressed
 C) An event that occurs when the frame is resized D) An event that occurs when an item is selected or deselected

PART - B: DESCRIPTIVE ANSWER QUESTIONS

Unit – I		Marks	BT*	CO*	PO*
1.	a) What is constructor? Explain the different types of constructors with examples.	8	L*2	1	1
	b) What is super? Explain the different uses of 'super' with suitable program.	8	L3	2	2
2.	a) Define exception. Explain exception handling mechanism with a suitable program.	8	L2	1	1
	b) Illustrate the concept of method overloading using a Java program.	8	L3	2	2

- | | | | | | | |
|----|----|---|---|----|---|---|
| 3. | a) | Explain command line arguments with suitable example program. | 8 | L2 | 1 | 1 |
| | b) | Develop a program to explain multilevel hierarchy. | 8 | L3 | 2 | 2 |

Unit – II

- | | | | | | | |
|----|----|--|---|----|---|---|
| 4. | a) | What do u mean by thread? Explain the different ways of creating threads with suitable example programs. | 8 | L3 | 3 | 2 |
| | b) | Explain the java event listener interfaces with any 4 types. | 8 | L2 | 4 | 1 |
| 5. | a) | Develop a simple program for creating multiple threads. | 8 | L3 | 3 | 2 |
| | b) | Explain the Delegation Event Model with a neat block diagram. | 8 | L2 | 4 | 1 |
| 6. | a) | Develop a program to write data to a file using File Writer. | 8 | L3 | 3 | 2 |
| | b) | What are Swing components and containers? Explain their roles and relationships with examples. | 8 | L2 | 4 | 1 |

Unit – III

- | | | | | | | |
|----|----|--|---|----|---|---|
| 7. | a) | Explain the LinkedList collection class in java with a suitable program and list the different methods of the Java LinkedList. | 8 | L2 | 5 | 1 |
| | b) | Develop a program to illustrate a generic interface example. | 8 | L3 | 5 | 2 |
| 8. | a) | Demonstrate a program to create a simple generic method. | 8 | L2 | 5 | 1 |
| | b) | Implement a program that uses a Array List of the collection class in java to store and display a list of strings. | 8 | L3 | 5 | 2 |

BT* Bloom's Taxonomy, L* Level; CO* Course Outcome; PO* Program Outcome.
