


OSSP

Practical- Assignment 6

Name: HAADI HASIL

Roll num: 2520030297



```
1 #include <stdio.h>
2 #include <unistd.h>
3 #include <fcntl.h>
4 #include <sys/stat.h>
5
6 int main()
7 {
8     char msg[100];
9
10    mkfifo("fifo", 0666);
11
12    int fd = open("fifo", O_RDONLY);
13
14    int n = read(fd, msg, sizeof(msg) - 1);
15
16    msg[n] = '\0';
17
18    printf("Client: %s\n", msg);
19
20    close(fd);
21
22    return 0;
23 }
24
25
```

Loading file "~/client.c"...

C ▾ Tab Width: 8 ▾ Ln 1, Col 1 INS

```

1 #include <stdio.h>
2 #include <unistd.h>
3 #include <fcntl.h>
4 int main()
5 {
6     char msg [100];
7     printf("Enter message: ");
8     fgets(msg, sizeof(msg), stdin);
9     int fd = open("fifo", O_WRONLY);
10    write(fd, msg, sizeof(msg));
11    close(fd);
12    return 0;
13 }

```

```

1 #include <stdio.h>
2 #include <signal.h>
3 #include <unistd.h>
4
5 void handler(int sig)
6 {
7     if (sig == SIGINT)
8         printf("\nSIGINT received\n");
9
10    else if (sig == SIGTERM)
11        printf("\nSIGTERM received\n");
12
13    else if (sig == SIGUSR1)
14        printf("\nSIGUSR1 received\n");
15 }
16
17 int main()
18 {
19     signal(SIGINT, handler);
20     signal(SIGTERM, handler);
21     signal(SIGUSR1, handler);
22
23     printf("Process ID: %d\n", getpid());
24     printf("Waiting for signals...\n");
25
26     while(1)
27     {
28         printf("Program is running...\n");
29         sleep(2);
30     }
31
32     return 0;
33 }

```

