


Ossp_practical_6

2520030096_M Gurukiran

1.



```
@LAPTO b2      execv.c      generateSignal.c      newWrite1      pipe0.c      practical2.c
612): c2      execv.c      linux_task4      open2.c      pipe7.c      practical3.c
@LAPTO client.c      fifo      malloc.c      pipe.c      private.txt
938): 1 #include<stdio.h>
      2 #include<unistd.h>
      3 #include<fcntl.h>
      4 #include<sys/stat.h>
      5 int main()
      6 {
      7 int fd1, fd2;
      8 char buf[100];
      9 mkfifo("client_fifo", 0666);
     10 mkfifo("server_fifo", 0666);
     11 printf("Server started...\n");
     12 fd1=open("client_fifo",O_RDONLY);
     13 read(fd1,buf,sizeof(buf));
     14 close(fd1);
     15 printf("Client: %s\n",buf);
     16 fd2=open("server_fifo",O_WRONLY);
     17 write(fd2,"Message received by server", sizeof("Message received by server"));
     18 close(fd2);
     19 return 0;
     20 }
     21

rted..
am kir

@LAPTO

3464): namespace 'Peas',
3464): for namespace 'Peas'
```

```
client.c
~
Save
server.c x client.c x
1 #include<stdio.h>
2 #include<unistd.h>
3 #include<fcntl.h>
4 int main()
5 {
6     int fd1,fd2;
7     char buf[100];
8     char response[100];
9
10    printf("Enter message: ");
11    fgets(buf,sizeof(buf),stdin);
12
13    fd1=open("client_fifo",O_WRONLY);
14    write(fd1,buf,sizeof(buf));
15    close(fd1);
16
17    fd2=open("server_fifo",O_RDONLY);
18    read(fd2,response,sizeof(response));
19    close(fd2);
20
21    printf("server: %s\n",response);
22    return 0;
23 }
```

```
guru_kiran@LAPTOP-OTG3R07B:~$ gedit client.c
** (gedit:2073): WARNING **: 09:16:27.224: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found
** (gedit:2073): WARNING **: 09:16:27.224: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
guru_kiran@LAPTOP-OTG3R07B:~$ gcc server.c
guru_kiran@LAPTOP-OTG3R07B:~$ ./a.out
Server started...
```

```
guru_kiran@LAPTOP-OTG3R07B:~$ gedit client.c
** (gedit:2804): WARNING **: 09:17:20.652: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found
** (gedit:2804): WARNING **: 09:17:20.652: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
guru_kiran@LAPTOP-OTG3R07B:~$ gcc client.c
guru_kiran@LAPTOP-OTG3R07B:~$ ./a.out
-bash: ./a.out: No such file or directory
guru_kiran@LAPTOP-OTG3R07B:~$ ./a.out
Enter message: I am kiran
```

```
guru_kiran@LAPTOP-OTG3R07B:~$ gedit client.c
** (gedit:2073): WARNING **: 09:16:27.224: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found
** (gedit:2073): WARNING **: 09:16:27.224: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
guru_kiran@LAPTOP-OTG3R07B:~$ gcc server.c
guru_kiran@LAPTOP-OTG3R07B:~$ ./a.out
Server started...
Client: I am kiran
```

```

guru_kiran@LAPTOP-OTG3R07B:~$ gedit client.c

** (gedit:2804): WARNING **: 09:17:20.652: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found

** (gedit:2804): WARNING **: 09:17:20.652: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found

guru_kiran@LAPTOP-OTG3R07B:~$ gcc client.c
guru_kiran@LAPTOP-OTG3R07B:~$ ./a.out
-bash: ./a.out: No such file or directory
guru_kiran@LAPTOP-OTG3R07B:~$ ./a.out
Enter message: I am kiran
server: Message received by server

```

2.


```

not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found

not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found

not found

```



```

1 #include <unistd.h>
2 #include <stdio.h>
3 #include <signal.h>
4 #include <sys/wait.h>
5 void handler(int sig)
6 {
7     if(sig == SIGINT)
8         printf("SIGINT handled\n");
9     if(sig == SIGTERM)
10        printf("SIGTERM handled\n");
11    if(sig == SIGUSR1)
12        printf("SIGUSR1 handled\n");
13 }
14 int main()
15 {
16     pid_t pid;
17     signal(SIGINT, handler);
18     signal(SIGTERM, handler);
19     signal(SIGUSR1, handler);
20     printf("Parent process ID = %d\n", getpid());
21     pid = fork();
22     if(pid == 0)
23     {
24         printf("Child process ID = %d\n", getpid());
25         printf("Generating SIGINT...\n");
26         raise(SIGINT);
27         return 0;
28     }
29     wait(NULL);
30     pid = fork();
31     if(pid == 0)
32     {
33         printf("Child process ID = %d\n", getpid());
34         printf("Generating SIGTERM...\n");
35         raise(SIGTERM);
36         return 0;
37     }
38     wait(NULL);

```

```

guru_kiran@LAPTOP-OTG3R07B:~$ gedit signal.c

** (gedit:7735): WARNING **: 09:26:00.533: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found

** (gedit:7735): WARNING **: 09:26:00.533: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found

guru_kiran@LAPTOP-OTG3R07B:~$ gcc signal.c
guru_kiran@LAPTOP-OTG3R07B:~$ ./a.out
Parent process ID = 8105
Child process ID = 8106
Generating SIGINT...
SIGINT handled
Child process ID = 8107
Generating SIGTERM...
SIGTERM handled
Child process ID = 8108
Generating SIGUSR1...
SIGUSR1 handled
guru_kiran@LAPTOP-OTG3R07B:~$ |

```