

Assignment-15.5

Name:K.Pranathi

HTNO:2303A51615

Batch:20

Task1:


Prompt: Create a REST API using Express.js for student attendance.

Include GET, POST, PUT, DELETE endpoints.

Store data in an array.

Use JSON format for requests and responses.

Code:



```
JS task1.js > ...
1  let attendance = [];
2
3  app.get("/attendance", (req, res) => {
4    res.json(attendance);
5  });
6
7  app.post("/attendance", (req, res) => {
8    const record = { id: Date.now(), name: req.body.name, status: req.body.status };
9    attendance.push(record);
10   res.json(record);
11 });
12
13 app.put("/attendance/:id", (req, res) => {
14   let record = attendance.find(a => a.id == req.params.id);
15   if (record) {
16     record.status = req.body.status;
17     res.json(record);
18   } else res.send("Not found");
19 });
20
21 app.delete("/attendance/:id", (req, res) => {
22   attendance = attendance.filter(a => a.id != req.params.id);
23   res.send("Deleted");
24 });
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

- PS C:\Users\manus\OneDrive\Documents\Desktop\AI Assistance> node server.js
Server running on http://localhost:3000
- PS C:\Users\manus\OneDrive\Documents\Desktop\AI Assistance>

New Import POST http://localhost:3000/attendance + ...

http://localhost:3000/attendance Save

POST http://localhost:3000/attendance Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary JSON

```
1 {
2   "name": "Manu",
3   "status": "Present"
4 }
```

Body Cookies Headers (7) Test Results Status: 200 OK Time: 17 ms Size: 276 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 2,
3   "name": "Manu",
4   "status": "Present"
5 }
```

History New Import GET http://localhost:3000/attendance + ...

Today

- GET http://localhost:3000/attendance
- POST http://localhost:3000/attendance

http://localhost:3000/attendance Save

GET http://localhost:3000/attendance Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary JSON

```
1 {
2   "name": "Manu",
3   "status": "Present"
4 }
```

Body Cookies Headers (7) Test Results Status: 200 OK Time: 17 ms Size: 320 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   {
3     "id": 2,
4     "name": "Manu",
5     "status": "Present"
6   },
7   {
8     "id": 3,
9     "name": "Manu",
10    "status": "Present"
11  }
12 }
```

Today

- PUT http://localhost:3000/attendance/3
- PUT http://localhost:3000/attendance/3
- GET http://localhost:3000/attendance
- POST http://localhost:3000/attendance

http://localhost:3000/attendance/3 Save

PUT http://localhost:3000/attendance/3 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify


none form-data x-www-form-urlencoded raw binary JSON

```
1 {
2   "status": "Absent"
3 }
```

Body Cookies Headers (7) Test Results Status: 200 OK Time: 20 ms Size: 261 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 3,
3   "status": "Absent"
4 }
```



Observation:

The API performs CRUD operations on attendance records.

Data is stored in memory using an array.

Each request returns JSON response.

Endpoints work correctly for adding, updating, and deleting data.

Task2:

Prompt: The task is to develop a REST API for warehouse inventory management using Node.js and Express.

The API should provide endpoints to list all inventory items, add new items, update stock quantity, and delete items. The system should validate stock quantity and price values before updating the inventory. The API must handle JSON-based requests and responses for inventory operations.

```
Assignment-14.3.html JS Assignment-15.5.js 9+ X Assignment-16.3.py Assignment-17.5.py
JS Assignment-15.5.js > ...
104 #Task-2 :
105 // Import Express
106 const express = require('express');
107 const app = express();
108
109 // Middleware to parse JSON
110 app.use(express.json());
111
112 // Inventory storage
113 let inventory = [];
114
115 // Home route
116 app.get('/', (req, res) => {
117   res.send("Inventory API is running...");
118 });
119
120 // GET /inventory + List all items
121 app.get('/inventory', (req, res) => {
122   res.json(inventory);
123 });
124
125 // POST /inventory + Add new item
126 app.post('/inventory', (req, res) => {
127   const { itemName, quantity, price } = req.body;
128
129   // Validation
130   if (!itemName || quantity === undefined || price === undefined) {
131     return res.status(400).json({
132       message: "All fields are required"
133     });
134   }
135
136   if (quantity < 0 || price <= 0) {
137     return res.status(400).json({
138       message: "Invalid stock or price value"
139     });
140   }
141
142   const newItem = {
143     id: inventory.length + 1,
144     itemName,
145     quantity,
146     price
147   };
148
149   inventory.push(newItem);
150   res.status(201).json(newItem);
151 });
152
153 // PUT /inventory/:id + Update stock quantity
154 app.put('/inventory/:id', (req, res) => {
155   const itemId = parseInt(req.params.id);
156   const { quantity } = req.body;
157
```

Output:

```
Pretty-print
[{"id":1,"itemName":"Laptop","quantity":10,"price":50000}, {"id":2,"itemName":"mouse","quantity":10,"price":5000}, {"id":3,"itemName":"cpu","quantity":10,"price":30000}]
```

Observation:

This project demonstrates how REST APIs can be used to manage warehouse inventory and stock levels efficiently. It helps in understanding CRUD operations, data validation, and API development using Node.js and Express. The system ensures that invalid stock values are not entered through validation. This project is useful for learning backend development and inventory management systems.

Task 3:

Prompt: The task is to develop a RESTful API for hotel room booking using Node.js and Express. The API should allow users to view available rooms, book a room, view booking details by room ID, and

cancel bookings. The system should handle errors such as booking unavailable rooms or invalid room IDs. The API must use JSON-based request and response handling.

```
JS Assignment-15.5.js > ...
197 # Task-3 :
198 // Import Express
199 const express = require('express');
200 const app = express();
201
202 // Middleware to parse JSON
203 app.use(express.json());
204
205 // Sample rooms data
206 let rooms = [
207   { id: 1, roomNumber: "101", type: "Single", price: 1000, isBooked: false, customer: null },
208   { id: 2, roomNumber: "102", type: "Double", price: 2000, isBooked: false, customer: null },
209   { id: 3, roomNumber: "103", type: "Suite", price: 4000, isBooked: false, customer: null },
210   { id: 4, roomNumber: "104", type: "Single", price: 1200, isBooked: false, customer: null }
211 ];
212
213 // Home route
214 app.get('/', (req, res) => {
215   res.send("Hotel Booking API Is running...");
216 });
217
218 // GET /rooms -> View available rooms
219 app.get('/rooms', (req, res) => {
220   const availableRooms = rooms.filter(room => !room.isBooked);
221   res.json(availableRooms);
222 });
223
224 // POST /rooms/book -> Book a room
225 app.post('/rooms/book', (req, res) => {
226   const { roomId, customerName } = req.body;
227
228   if (!roomId || !customerName) {
229     return res.status(400).json({
230       message: "roomId and customerName are required"
231     });
232   }
233
234   const room = rooms.find(r => r.id === roomId);
235
236   if (!room) {
237     return res.status(404).json({ message: "Room not found" });
238   }
239
240   if (room.isBooked) {
241     return res.status(400).json({ message: "Room already booked" });
242   }
243
244   room.isBooked = true;
245   room.customer = customerName;
246
247   res.status(201).json({
248     message: "Room booked successfully",
249     room
250   });
251 }
```

Output:

```
pretty-print()
[{"id":1,"roomNumber":"101","type":"Single","price":1000,"isBooked":false,"customer":null}, {"id":2,"roomNumber":"102","type":"Double","price":2000,"isBooked":false,"customer":null}, {"id":3,"roomNumber":"103","type":"Suite","price":4000,"isBooked":false,"customer":null}, {"id":4,"roomNumber":"104","type":"Single","price":1200,"isBooked":false,"customer":null}]
```

Observation:

This project demonstrates how RESTful APIs can be used to simulate hotel room booking operations. It helps in understanding API routing, booking logic, and error handling in backend

development. The system ensures that rooms cannot be double booked and handles invalid booking requests. This project is useful for learning real-world booking system API development using Node.js and Express.

Task4:

Prompt: The task is to create a RESTful API for an online voting system using Node.js and Express. The API should allow users to view the list of candidates, cast a vote, and view voting results. The system must ensure that each user can vote only once using in-memory validation. The API should handle JSON-based requests and responses for voting operations.

```
Assignment-14.3.html JS Assignment-15.5.js Assignment-16.3.py Assignment-17.5.py
# Task-4
// Import Express
const express = require('express');
const app = express();

// Middleware
app.use(express.json());

// In-memory data (Candidates)
let candidates = [
  { id: 1, name: "Alice", votes: 0 },
  { id: 2, name: "Bob", votes: 0 },
  { id: 3, name: "Charlie", votes: 0 }
];

// Store users who have voted
let votedUsers = new Set();

// Home route
app.get('/', (req, res) => {
  res.send("Online Voting API is running...");
});

// GET /candidates - List candidates
app.get('/candidates', (req, res) => {
  res.json(candidates);
});

// POST /vote - Cast a vote
app.post('/vote', (req, res) => {
  const { userId, candidateId } = req.body;

  // Validate input
  if (!userId || !candidateId) {
    return res.status(400).json({
      message: "userId and candidateId are required"
    });
  }

  // Check if user already voted
  if (votedUsers.has(userId)) {
    return res.status(403).json({
      message: "User has already voted"
    });
  }

  // Find candidate
  const candidate = candidates.find(c => c.id === candidateId);

  if (!candidate) {
    return res.status(404).json({
      message: "Candidate not found"
    });
  }
});
```

Output:

```
Pretty-print
[{"id":1,"name":"Alice","votes":0}, {"id":2,"name":"Bob","votes":0}, {"id":3,"name":"Charlie","votes":0}]
```

Observation:

This project demonstrates how RESTful APIs can be used to implement an online voting system with basic security validation. It helps in understanding API development, data validation, and preventing duplicate voting using in-memory storage. The system simulates a secure voting process and result calculation. This project is useful for learning backend API development and voting system logic.

Task5:

Prompt: The task is to develop a RESTful API to manage teacher records using Node.js and Express.

The API should allow users to list all teachers, add new teacher records, update teacher details, and delete teacher records. The system must handle JSON-based requests and responses and include proper error handling for invalid teacher IDs or missing data. The API should support CRUD operations for teacher management.

```
JS Assignment-15.5.js > ...
371
372 # Task - 5:
373 // Import Express
374 const express = require('express');
375 const app = express();
376
377 // Middleware to parse JSON
378 app.use(express.json());
379
380 // In-memory data (Candidates)
381 let candidates = [
382   { id: 1, name: "Alice", votes: 0 },
383   { id: 2, name: "Bob", votes: 0 },
384   { id: 3, name: "Charlie", votes: 0 }
385 ];
386
387 // Store users who have voted
388 let votedUsers = new Set();
389
390 // Home route
391 app.get('/', (req, res) => {
392   res.send("Online Voting API is running...");
393 });
394
395 // GET /candidates -> List candidates
396 app.get('/candidates', (req, res) => {
397   res.json(candidates);
398 });
399
400 // POST /vote -> Cast a vote
401 app.post('/vote', (req, res) => {
402   const { userId, candidateId } = req.body;
403
404   // Validate input
405   if (!userId || !candidateId) {
406     return res.status(400).json({
407       message: "userId and candidateId are required"
408     });
409   }
410
411   // Check if user already voted
412   if (votedUsers.has(userId)) {
413     return res.status(403).json({
414       message: "User has already voted"
415     });
416   }
417
418   // Find candidate
419   const candidate = candidates.find(c => c.id === candidateId);
420
421   if (!candidate) {
422     return res.status(404).json({
423       message: "Candidate not found"
424     });
425   }
426
427   // Increment votes
428   candidate.votes++;
429
430   // Add user to votedUsers
431   votedUsers.add(userId);
432
433   res.json({ message: "Vote cast successfully" });
434 });
435
```

Output:

```
pretty-print
{"success":true,"data":[{"id":1,"name":"Abhila","subject":"C++","email":"abhila@gmail.com","experience":2}, {"id":2,"name":"Ilgal","subject":"PHP","email":"ilgal@gmail.com","experience":3}, {"id":3,"name":"poor","subject":"Java","email":"poor@gmail.com","experience":4}]}
```

Observation:

This project demonstrates how RESTful APIs can be used to manage teacher information using CRUD operations. It helps in understanding API routing, JSON data handling, and error handling in backend development. The system allows efficient management of teacher records such as adding, updating, and deleting information. This project is useful for learning backend API development and data management systems.