

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp

| No. | Time | Source | Destination | Protocol | Length | Info |
|------|------------|------------------------|-----------------------|----------|--------|---|
| 2847 | 114.948278 | 2401:4900:6271:2f74... | 2404:6800:4007:829... | TCP | 74 | 65204 → 443 [ACK] Seq=592 Ack=5297 Win=64768 Len=0 |
| 2848 | 114.948326 | 2401:4900:6271:2f74... | 2404:6800:4007:829... | TCP | 74 | 65203 → 443 [ACK] Seq=592 Ack=5298 Win=64768 Len=0 |
| 2849 | 114.966415 | 142.250.182.147 | 192.168.21.185 | TCP | 54 | 443 → 65202 [ACK] Seq=5798 Ack=1287 Win=68864 Len=0 |
| 2850 | 114.966416 | 142.250.182.147 | 192.168.21.185 | TCP | 54 | 443 → 65202 [ACK] Seq=5798 Ack=1322 Win=68864 Len=0 |
| 2851 | 115.915905 | 142.250.183.237 | 192.168.21.185 | TCP | 66 | [TCP Retransmission] 443 → 65205 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1400 SACK_PERM=1 WS=256 |
| 2852 | 116.125672 | 142.250.183.237 | 192.168.21.185 | TCP | 66 | [TCP Retransmission] 443 → 65206 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1400 SACK_PERM=1 WS=256 |
| 2853 | 116.125674 | 5.9.71.92 | 192.168.21.185 | TCP | 54 | [TCP Keep-Alive] 443 → 65046 [ACK] Seq=0 Ack=2 Win=501 Len=0 |
| 2854 | 116.125782 | 192.168.21.185 | 5.9.71.92 | TCP | 54 | [TCP Keep-Alive ACK] 65046 → 443 [ACK] Seq=2 Ack=1 Win=254 Len=0 |
| 2855 | 117.016659 | 192.168.21.185 | 5.9.71.92 | TCP | 55 | [TCP Keep-Alive] 65046 → 443 [ACK] Seq=1 Ack=1 Win=254 Len=1 |
| 2856 | 117.705600 | 5.9.71.92 | 192.168.21.185 | TCP | 66 | [TCP Keep-Alive ACK] 443 → 65046 [ACK] Seq=1 Ack=2 Win=501 Len=0 SLE=1 SRE=2 |
| 2859 | 120.055826 | 192.168.21.185 | 13.89.179.9 | TCP | 54 | 65154 → 443 [RST, ACK] Seq=2 Ack=1 Win=0 Len=0 |

> Ethernet II, Src: 9e:12:0f:95:f0:75 (9e:12:0f:95:f0:75), Dst: fa:d8:a6:b5:cc:4c (fa:d8:a6:b5:cc:4c)

> Internet Protocol Version 4, Src: 192.168.21.185, Dst: 5.9.71.92

> Transmission Control Protocol, Src Port: 65046, Dst Port: 443, Seq: 1, Ack: 1, Len: 1

Source Port: 65046
Destination Port: 443
[Stream index: 0]
[TCP Segment Len: 1]
Sequence number: 1 (relative sequence number)
Sequence number (raw): 4177291844
[Next sequence number: 2 (relative sequence number)]
Acknowledgment number: 1 (relative ack number)
Acknowledgment number (raw): 864924320

0000 fa d8 a6 b5 cc 4c 9e 12 0f 95 f0 75 08 00 45 00 L...u..E..

0010 00 29 a6 43 40 00 80 06 31 c5 c0 a8 15 b9 05 09)C@...1.....

0020 47 5c fe 16 01 bb f8 fc 6a 44 33 8d b2 a0 50 10 G\.....jD3...P..

0030 00 fe 42 ce 00 00 00 ..B...

Transmission Control Protocol (tcp), 20 bytes

Packets: 2861 · Displayed: 1960 (68.5%)

Profile: Default

Capturing from Wi-Fi

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

tcp

| No. | Time | Source | Destination | Protocol | Length | Info |
|------|------------|------------------------|------------------------|----------|--------|---|
| 3207 | 133.879940 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=57624 Win=140032 Len=0 |
| 3208 | 133.879941 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=59016 Win=142848 Len=0 |
| 3209 | 133.879942 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=63192 Win=151296 Len=0 |
| 3210 | 133.879943 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=64584 Win=154112 Len=0 |
| 3211 | 133.879943 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=65976 Win=156928 Len=0 |
| 3212 | 133.879949 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=67368 Win=159488 Len=0 |
| 3213 | 133.879949 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=68760 Win=162304 Len=0 |
| 3214 | 133.879950 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=70152 Win=165120 Len=0 |
| 3215 | 134.081104 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=253769 Ack=71508 Win=167936 Len=0 |
| 3216 | 134.182813 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TLSv1.3 | 160 | Application Data |
| 3217 | 134.230731 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TCP | 74 | 65199 → 443 [ACK] Seq=71508 Ack=253855 Win=66560 Len=0 |

0101 = Header Length: 20 bytes (5)

> Flags: 0x010 (ACK)

Window size value: 254

[Calculated window size: 254]

[Window size scaling factor: -1 (unknown)]

Checksum: 0x42ce [unverified]

[Checksum Status: Unverified]

Urgent pointer: 0

> [SEQ/ACK analysis]

> [Timestamps]

TCP payload (1 byte)

TCP segment data (1 byte)

0000 fa d8 ad b5 cc 4c 9e 12 0f 95 f0 75 08 00 45 00 ..L...u..E..

0010 00 29 a6 43 40 00 08 06 31 c5 c0 a8 15 b9 05 09 ..)C@...1.....

0020 47 5c fe 16 01 bb f8 fc 6a 44 33 8d b2 a0 50 10 G\.....jD3...P..

0030 00 fe 42 ce 00 00 00 ..B...

Transmission Control Protocol (tcp), 20 bytes

Packets: 3219 · Displayed: 2303 (71.5%)

Profile: Default

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp

| No. | Time | Source | Destination | Protocol | Length | Info |
|------|------------|------------------------|------------------------|----------|--------|--|
| 3486 | 147.310176 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TLSv1.3 | 154 | Application Data |
| 3487 | 147.355579 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TCP | 74 | 65199 → 443 [ACK] Seq=87307 Ack=254398 Win=66048 Len=0 |
| 3488 | 147.864814 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TLSv1.3 | 160 | Application Data |
| 3489 | 147.889570 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=254398 Ack=87393 Win=201472 Len=0 |
| 3490 | 148.274072 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TLSv1.3 | 153 | Application Data |
| 3491 | 148.276961 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TLSv1.3 | 152 | Application Data |
| 3492 | 148.329540 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=254477 Ack=87471 Win=201472 Len=0 |
| 3493 | 148.720778 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TLSv1.3 | 151 | Application Data |
| 3494 | 148.788019 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 → 65199 [ACK] Seq=254477 Ack=87548 Win=201472 Len=0 |
| 3495 | 152.583407 | 192.168.21.185 | 5.9.71.92 | TCP | 55 | [TCP Keep-Alive] 65046 → 443 [ACK] Seq=1 Ack=1 Win=254 Len=1 |
| 3496 | 152.986037 | 5.9.71.92 | 192.168.21.185 | TCP | 54 | [TCP Keep-Alive] 443 → 65046 [ACK] Seq=0 Ack=2 Win=501 Len=0 |

> Frame 1: 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface \Device\NPF_{EDE36157-97EB-419E-B7A2-ACC0E984070E}, id 0

> Ethernet II, Src: 9e:12:0f:95:f0:75 (9e:12:0f:95:f0:75), Dst: fa:d8:a6:b5:cc:4c (fa:d8:a6:b5:cc:4c)

> Internet Protocol Version 4, Src: 192.168.21.185, Dst: 5.9.71.92

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

> Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 41

Identification: 0xa643 (42563)

> Flags: 0x4000, Don't fragment

Fragment offset: 0

Time to live: 128

Protocol: TCP (6)

Header checksum: 0x32e5 (13189) [validation disabled]

0000 fa d8 a6 b5 cc 4c 9e 12 0f 95 f0 75 08 00 45 00 ...L...u..E..

0010 00 29 a6 43 40 00 80 06 31 c5 c0 a8 15 b9 05 09 ...C...I.....

0020 47 5c fe 16 01 bb f8 fc 6a 44 33 8d b2 a0 50 10 G\...jD3...P..

0030 00 fe 42 ce 00 00 00 ..B...

Transmission Control Protocol (tcp), 20 bytes

Packets: 3496 · Displayed: 2580 (73.8%)

Profile: Default

Capturing from Wi-Fi

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

tcp

| No. | Time | Source | Destination | Protocol | Length | Info |
|------|------------|------------------------|------------------------|----------|--------|---|
| 3902 | 164.358284 | 13.89.179.9 | 192.168.21.185 | TCP | 1454 | 443 → 65214 [ACK] Seq=4201 Ack=230 Win=524544 Len=1400 [TCP segment of a reassembled PDU] |
| 3903 | 164.358393 | 192.168.21.185 | 13.89.179.9 | TCP | 54 | 65214 → 443 [ACK] Seq=230 Ack=5601 Win=262144 Len=0 |
| 3904 | 164.402672 | 13.89.179.9 | 192.168.21.185 | TLSv1.2 | 710 | Server Hello, Certificate, Certificate Status, Server Key Exchange, Server Hello Done |
| 3905 | 164.402673 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TLSv1.3 | 113 | Application Data |
| 3906 | 164.402674 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | 443 + 65188 [FIN, ACK] Seq=73551 Ack=2570 Win=75264 Len=0 |
| 3907 | 164.402799 | 192.168.21.185 | 13.89.179.9 | TCP | 54 | 65214 → 443 [ACK] Seq=230 Ack=6257 Win=261376 Len=0 |
| 3908 | 164.403079 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TCP | 74 | 65188 → 443 [ACK] Seq=2570 Ack=73552 Win=65792 Len=0 |
| 3909 | 164.403582 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TCP | 74 | 65188 → 443 [FIN, ACK] Seq=2570 Ack=73552 Win=65792 Len=0 |
| 3910 | 164.416891 | 192.168.21.185 | 13.89.179.9 | TLSv1.2 | 212 | Client Key Exchange, Change Cipher Spec, Encrypted Handshake Message |
| 3911 | 164.443140 | 2a03:2880:f268:c1:f... | 2401:4900:6271:2f74... | TCP | 74 | [TCP Out-Of-Order] 443 + 65188 [FIN, ACK] Seq=73551 Ack=2570 Win=75264 Len=0 |
| 3912 | 164.443207 | 2401:4900:6271:2f74... | 2a03:2880:f268:c1:f... | TCP | 74 | [TCP Dup ACK 3908#1] 65188 → 443 [ACK] Seq=2571 Ack=73552 Win=65792 Len=0 |

> Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 41
Identification: 0xa643 (42563)
> Flags: 0x4000, Don't fragment
Fragment offset: 0
Time to live: 128
Protocol: TCP (6)
Header checksum: 0x31c5 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.21.185
Destination: 5.9.71.92

> Transmission Control Protocol, Src Port: 65046, Dst Port: 443, Seq: 1, Ack: 1, Len: 1

0000 fa d8 a6 b5 cc 4e 9e 12 0f 95 f0 75 08 00 45 00

0010 00 29 a6 43 40 00 80 06 31 c5 c0 a8 15 b9 05 09 ..) C@... 1.....

0020 47 5c fe 16 01 bb f8 fc 6a 44 33 8d b2 a0 50 10 G\..... jD3...P..

0030 00 fe 42 ce 00 00 00 ..B...

Transmission Control Protocol (tcp), 20 bytes

Packets: 3912 · Displayed: 2981 (76.2%)

Profile: Default