

PIZZA SALES SQL QUERIES

A. KPI'S

1. Total Revenue:

```
select SUM(total_price) as Total_Revenue from pizza_sales
```

Results		Messages
	Total_Revenue	
1	817860.05083847	

2. Average Order Value:

```
select sum(total_price) / count(distinct(order_id)) as  
Avg_Order_Value from pizza_sales
```

Results		Messages
	Avg_Order_Value	
1	38.3072623343546	

3.Total Pizzas Sold:

```
select sum(quantity) as Total_Pizza_Sold from pizza_sales
```

Results		Messages
	Total_Pizza_Sold	
1	49574	

4.Total Orders:

```
select COUNT(distinct order_id) as Total_Orders from  
pizza_sales
```

Results		Messages
	Total_Orders	
1	21350	

5.Average Pizzas Per Order:

```
select cast(cast(sum(quantity) as decimal(10,2)) /  
cast(count(distinct order_id) as decimal(10,2)) as  
decimal(10,2)) as Avg_Pizzas_Per_Order from pizza_sales
```

	Avg_Pizzas_Per_Order
1	2.32

B. CHARTS

1.Daily Trend for Total Orders:

```
select DATENAME(DW,order_date) as Order_Day , count(distinct  
order_id) as Total_Orders from pizza_sales  
group by DATENAME(DW,order_date)
```

	Order_Day	Total_Orders
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

2.Monthly Trend for Total Orders:

```
select DATENAME(MONTH,order_date) as Month_Name ,  
count(distinct order_id) as Total_Orders from pizza_sales  
group by DATENAME(MONTH,order_date)  
order by Total_Orders desc
```

	Month_Name	Total_Orders
1	July	1935
2	May	1853
3	January	1845
4	August	1841
5	March	1840
6	April	1799
7	November	1792
8	June	1773
9	February	1685
10	December	1680
11	September	1661
12	October	1646

3.Percentage of Sales by Pizza Category:

```
select pizza_category , sum(total_price) * 100 / (select
sum(total_price) from pizza_sales) as PCT
from pizza_sales
group by pizza_category
```

	pizza_category	PCT
1	Classic	26.9059602306976
2	Chicken	23.9551375322885
3	Veggie	23.6825910258677
4	Supreme	25.4563112111462

4.Percentage of Sales by Pizza Size:

```
select pizza_size , cast(sum(total_price) * 100 / (select
sum(total_price) from pizza_sales) as decimal(10,2)) as PCT
from pizza_sales
group by pizza_size
order by PCT desc
```

	pizza_size	PCT
1	L	45.89
2	M	30.49
3	S	21.77
4	XL	1.72
5	XXL	0.12

5.Total pizzas Sold by Pizza Category:

```
select pizza_category , sum(quantity) as Total_Quantity_Sold
from pizza_sales
group by pizza_category
order by Total_Quantity_Sold desc
```

	pizza_category	Total_Quantity_Sold
1	Classic	14888
2	Supreme	11987
3	Veggie	11649
4	Chicken	11050

6.Top 5 Pizzas by Revenue:

```
select top 5 pizza_name , sum(total_price) as Total_Revenue
from pizza_sales
group by pizza_name
order by Total_Revenue desc
```

	pizza_name	Total_Revenue
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768
3	The California Chicken Pizza	41409.5
4	The Classic Deluxe Pizza	38180.5
5	The Spicy Italian Pizza	34831.25

7.Bottom 5 Pizzas by Revenue:

```
select top 5 pizza_name , sum(total_price) as Total_Revenue
from pizza_sales
group by pizza_name
order by Total_Revenue asc
```

	pizza_name	Total_Revenue
1	The Brie Carre Pizza	11588.4998130798
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.5
5	The Spinach Pesto Pizza	15596

8.Top 5 Pizzas by Quantity:

```
select top 5 pizza_name , sum(quantity) as Total_Quantity
from pizza_sales
group by pizza_name
order by Total_Quantity desc
```

	pizza_name	Total_Quantity
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

9.Bottom 5 Pizzas by Quantity:

```
select top 5 pizza_name , sum(quantity) as Total_Quantity
from pizza_sales
group by pizza_name
order by Total_Quantity asc
```

	pizza_name	Total_Quantity
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961

10.Top 5 Pizzas by Orders:

```
select top 5 pizza_name , count(distinct order_id) as  
Total_Orders from pizza_sales  
group by pizza_name  
order by Total_Orders desc
```

	pizza_name	Total_Orders
1	The Classic Deluxe Pizza	2329
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Pizza	2273
5	The Thai Chicken Pizza	2225

11.Bottom 5 Pizzas by Orders:

```
select top 5 pizza_name , count(distinct order_id) as  
Total_Orders from pizza_sales  
group by pizza_name  
order by Total_Orders asc
```

	pizza_name	Total_Orders
1	The Brie Carre Pizza	480
2	The Mediterranean Pizza	912
3	The Spinach Supreme Pizza	918
4	The Calabrese Pizza	918
5	The Chicken Pesto Pizza	938