


Advance Computer network PCS223


Assignment-1

Pranav Bhardwaj 8025320073

Google ping and captured data packets:



IP filter



Tcp filter

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp

No.	Time	Source	Destination	Protocol	Length	Info
3623	5.742091300	13.107.9.158	172.16.85.18	TCP	60	443 → 60465 [FIN, ACK] Seq=1 Ack=
36732	50.216570700	4.213.25.241	172.16.85.18	TLSv1.2	205	Application Data
166021	228.362473600	172.64.155.209	172.16.85.18	TLSv1.2	93	Application Data
166022	228.362473600	172.64.155.209	172.16.85.18	TCP	60	443 → 60465 [FIN, ACK] Seq=40 Ack=
166121	228.571362300	172.64.155.209	172.16.85.18	TCP	93	[TCP Retransmission] 443 → 60465
166313	228.993337000	172.64.155.209	172.16.85.18	TCP	93	[TCP Retransmission] 443 → 60465
166948	229.830437000	172.64.155.209	172.16.85.18	TCP	93	[TCP Retransmission] 443 → 60465
168216	231.510156500	172.64.155.209	172.16.85.18	TCP	93	[TCP Retransmission] 443 → 60465
171484	234.870696100	172.64.155.209	172.16.85.18	TCP	93	[TCP Retransmission] 443 → 60465
175485	241.608365900	172.64.155.209	172.16.85.18	TCP	93	[TCP Retransmission] 443 → 60465
184349	255.071375700	172.64.155.209	172.16.85.18	TCP	93	[TCP Retransmission] 443 → 60465


Frame 3623: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface 0

Ethernet II, Src: BrocadeCommu_90:80:78 (74:8e:f8:90:00:10), Dst: 74:8e:f8:90:00:10


Internet Protocol Version 4, Src: 13.107.9.158, Dst: 172.16.85.18

Transmission Control Protocol, Src Port: 443, Dst Port: 60465


UDP filter



Icmp filter



Packet Analysis



Observation :

- **Interface used: Wi-Fi**
- **Protocols observed: IP, UDP, DNS (Multicast DNS)**
- **Source IP address: 172.16.92.230**
- **Destination IP address: 224.0.0.251**
- **Packet length: 1483 bytes**