Rajalakshmi Engineering College

Name: Pranav Narayanan

Email: 240701393@rajalakshmi.edu.in

Roll no:

Phone: 9500579427

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 6_MCQ_Updated_1

Attempt : 1 Total Mark : 20

Marks Obtained: 17

Section 1: MCQ

1. Let P be a quick sort program to sort numbers in ascending order using the first element as a pivot. Let t1 and t2 be the number of comparisons made by P for the inputs {1, 2, 3, 4, 5} and {4, 1, 5, 3, 2}, respectively. Which one of the following holds?

Answer

t1 > t2

Status: Correct Marks: 1/1

2. The following code snippet is an example of a quick sort. What do the 'low' and 'high' parameters represent in this code?

```
void quickSort(int arr[], int low, int high) {
  if (low < high) {</pre>
```

```
int pivot = partition(arr, low, high);
    quickSort(arr, low, pivot - 1);
    quickSort(arr, pivot + 1, high);
  }
}
Answer
The range of elements to sort within the array
Status: Correct
                                                                   Marks: 1/1
3. Is Merge Sort a stable sorting algorithm?
Answer
Yes, always stable.
Status: Correct
                                                                   Marks: 1/1
4. Why is Merge Sort preferred for sorting large datasets compared to
Ouick Sort?
Answer
Merge Sort is always faster than Quick Sort
                                                                   Marks: 0/1
Status: Wrong
5. Which of the following statements is true about the merge sort
algorithm?
Answer
It requires additional memory for merging
Status: Correct
                                                                   Marks: 1/1
6. Merge sort is _____.
Answer
```

Comparison-based sorting algorithm

Status: Correct Marks: 1/1

7. Which of the following is true about Quicksort?

Answer

It is an in-place sorting algorithm

Status: Correct Marks: 1/1

8. Which of the following is not true about QuickSort?

Answer

It can be implemented as a stable sort

Status: Correct Marks: 1/1

9. Consider the Quick Sort algorithm, which sorts elements in ascending order using the first element as a pivot. Then which of the following input sequences will require the maximum number of comparisons when this algorithm is applied to it?

Answer

52 25 89 67 76

Status: Wrong Marks: 0/1

10. Which of the following modifications can help Quicksort perform better on small subarrays?

Answer

Switching to Insertion Sort for small subarrays

Status: Correct Marks: 1/1

11. Which of the following scenarios is Merge Sort preferred over Quick

Sort?

Answer

When sorting linked lists

Status: Correct Marks: 1/1

12. What happens during the merge step in Merge Sort?

Answer

Two sorted subarrays are combined into one sorted array

Status: Correct Marks: 1/1

13. What is the best sorting algorithm to use for the elements in an array that are more than 1 million in general?

Answer

Quick sort.

Status: Correct Marks: 1/1

14. Which of the following sorting algorithms is based on the divide and conquer method?

Answer

Merge Sort

Status: Correct Marks: 1/1

15. What is the main advantage of Quicksort over Merge Sort?

Answer

Quicksort requires less auxiliary space

Status: Correct Marks: 1/1

16. In a quick sort algorithm, where are smaller elements placed to the pivot during the partition process, assuming we are sorting in increasing order?

Answer

To the left of the pivot

Status: Correct Marks: 1/1

17. In a quick sort algorithm, what role does the pivot element play?

Answer

It is used to partition the array

Status: Correct Marks: 1/1

18. Which of the following strategies is used to improve the efficiency of Quicksort in practical implementations?

Answer

Choosing the pivot randomly or using the median-of-three method

Status: Correct Marks: 1/1

19. Which of the following methods is used for sorting in merge sort?

Answer

partitioning

Status: Wrong Marks: 0/1

20. What happens when Merge Sort is applied to a single-element array?

Answer

The array remains unchanged and no merging is required

Status: Correct Marks: 1/1