Lab 03

Agile / Scrum – Jira

Project: Patient Health Record Consent Management System

Pranav V Menon
SRN: PES1UG24AM198

1. Epics and User Stories

Epic 1: Consent Granting

Description: Enable patients to grant time-bounded access permissions for specific diagnostic records to verified clinic doctors.

User Stories:	As a	I want to	So that
Story 1.1: Grant Consent for Selected Health Records	As a patient	I want to grant consent for selected health records to a verified clinic doctor	So that I can control which records are shared and with whom
Story 1.2: Set Consent Duration	As a patient	I want to specify a time-bounded duration for the consent I grant	So that access automatically expires after the period I set
Story 1.3: Record Consent Grant in Audit Trail	As a system	I want to record every consent grant event in the audit trail	So that there is a permanent, traceable record of when access was authorized

Epic 2: Consent Revocation

Description: Enable patients to revoke previously granted consent before its expiry, and ensure consent is automatically revoked when it expires.

User Stories:	As a	I want to	So that
Story 2.1: Revoke Active Consent	As a patient	I want to revoke an active consent before its expiry	So that I can immediately stop a doctor's access when I choose to
Story 2.2: Remove Access After Revocation	As a system	I want to remove a doctor's access immediately after consent is revoked	So that revoked permissions cannot still be used to view records
Story 2.3: Record Consent Revocation	As a system	I want to record every consent revocation event in the audit trail	So that there is a permanent record of when access was withdrawn

Epic 3: Doctor Verification

Description: Enable the clinic administrator to verify doctors before they are granted access to patient health records.

User Stories:	As a	I want to	So that
Story 3.1: Verify Clinic Doctor	As a clinic administrator	I want to verify a doctor's credentials	So that only legitimate healthcare personnel can be granted access to patient records
Story 3.2: Restrict Unverified Doctors	As a system	I want to prevent unverified doctors from receiving any patient record access	So that unauthorized personnel cannot view sensitive data
Story 3.3: Allow Verified Doctors to Request Access	As a clinic doctor	I want to request access to a patient's records once I am verified	So that I can begin providing care once consent is granted

Epic 4: Clinical Record Access

Description: Enable authorized clinic doctors to access patient health records only when valid consent exists.

User Stories:	As a	I want to	So that
Story 4.1: Access Permitted Health Records	As a clinic doctor	I want to access a patient's health records when valid consent exists	So that I can provide informed care
Story 4.2: Deny Access Without Valid Consent	As a system	I want to deny record access when no valid consent exists	So that patient data stays protected from unauthorized viewing
Story 4.3: Automatically Revoke Expired Access	As a system	I want to automatically revoke a doctor's access once consent expires	So that access never extends beyond the patient-authorized period

Epic 5: Audit Trail Management

Description: Ensure all consent grant, revoke, and access events are permanently written to an append-only audit trail.

User Stories:	As a	I want to	So that
Story 5.1: Record Consent Grant Events	As a system	I want to log every consent grant event to an append-only audit trail	So that all authorizations are permanently traceable
Story 5.2: Record Consent Revocation Events	As a system	I want to log every consent revocation event to an append-only audit trail	So that all access removals are permanently traceable
Story 5.3: Prevent Modification of Audit Records	As a system	I want to prevent any modification or deletion of existing audit trail records	So that the audit history remains tamper-proof and reliable for investigations

Epic 6: Security & Access Control

Description: Ensure patient health records are accessible only to authorized users with valid consent, protecting against unauthorized access.

User Stories:	As a	I want to	So that
Story 6.1: Restrict Patient Records to Authorized Users	As a system	I want to restrict patient health records to only authorized users with valid consent	So that sensitive data is never exposed to unauthorized parties
Story 6.2: Deny Unauthorized Access Attempts	As a system	I want to deny and log any unauthorized access attempt	So that security breaches can be detected and investigated
Story 6.3: Maintain Secure Access Control	As a system administrator	I want to maintain consistent access control policies across the platform	So that patient data protection remains reliable at all times




Figure 1: Product Backlog showing all 6 Epics and 18 User Stories grouped by Epic.




Figure 2: List view of all 18 User Stories with assignee, reporter, status, and priority fields.

2. Story Points and Planning Poker Estimation

Story points for this project were estimated using the Planning Poker technique. In Planning Poker, each person on the team privately picks an estimate for a user story from the Fibonacci sequence (1, 2, 3, 5, 8, 13, …), and everyone reveals their number at the same time so that nobody's guess is influenced by hearing someone else's estimate first. If the highest and lowest estimates are far apart, the reasoning behind each is discussed, and the round is repeated until the team converges on a single agreed value, which is then recorded against the story in Jira.

The values agreed for this project were 2, 3 and 5 story points – all drawn from the Fibonacci deck – and every one of the 18 User Stories carries an estimate, giving 68 story points across the product backlog. These estimates are visible in the Story Points column of the Jira backlog in Figures 1 and 2, and are summarised below.

Story Points	User Stories with this estimate	Number of Stories	Total Points
2	PHRCMS2-11, PHRCMS2-14	2	4
3	PHRCMS2-10, PHRCMS2-12, PHRCMS2-16, PHRCMS2-17, PHRCMS2-19, PHRCMS2-21, PHRCMS2-22, PHRCMS2-25	8	24
5	PHRCMS2-9, PHRCMS2-13, PHRCMS2-15, PHRCMS2-18, PHRCMS2-20, PHRCMS2-23, PHRCMS2-24, PHRCMS2-26	8	40
Total	**18 User Stories**	**18**	**68**

3. Priority and Backlog Ranking




Figure 3: Work items sorted by Priority – Highest, High, then Medium.

4. Sprint Planning and Execution




Figure 4: Sprint 1 planned in the Backlog with 9 work items selected, before starting the Sprint.

5. Sprint 1




Figure 5: Sprint 1 board immediately after starting the Sprint – all 9 items in To Do.




Figure 6: Sprint 1 board in progress – 6 items in To Do, 3 items moved to In Progress.




Figure 7: Sprint 1 board further along – 3 items in To Do, 3 In Progress, 2 completed in Done.




Figure 8: Sprint 1 board near completion – 0 items in To Do, 3 In Progress, 5 items in Done.

6. Sprint 2



Figure 9: Sprint 2 board immediately after starting the Sprint – all 9 items in To Do.




Figure 10: Sprint 2 board in progress – 3 items in To Do, 3 In Progress, 3 completed in Done.




Figure 11: Sprint 2 board near completion – 9 items in Done.

7. Comments




Figure 12: Comment added on PHRCMS2-9 – Grant Consent for Selected Health Records: "Implemented consent granting functionality for selected patient health records with appropriate access control."

8. Burndown Chart / Sprint Progress




Figure 13: Sprint 1 – Burndown Chart.




Figure 14: Sprint 2 – Burndown Chart.




Figure 15: Sprint 2 – Completed Work Items with Story Points.

9. Summary / Overall Jira View




Figure 16: Jira project Summary dashboard showing overall status, priority breakdown, work item types, and Epic progress.

10. Final Reflection

This lab gave me a better understanding of how Agile and Scrum are actually used in a software project. While working with Jira, I learned how to create Epics and User Stories, organize them in the backlog, assign story points, and divide the work into Sprints.

Running the Sprints helped me understand how tasks are tracked in real projects by moving them from To Do → In Progress → Done. I also got to see how comments can be used to keep track of updates and communicate about the work.

The Burndown Chart was useful for seeing how much work was left in a Sprint and how the progress compared with the expected completion rate. The Summary section also helped me get an overall view of the project's progress.

Overall, this lab made the Scrum concepts we learned in class more practical. Instead of just learning the terms, I got to actually use Jira to plan, track, and monitor a project, which made the Agile workflow much easier to understand.