Acentra HEALTH



Criteria Guide for the

Texas Prior Authorization Program

PDL Criteria

July 24, 2026

Texas Prior Authorization Program Copyright © 2026 Acentra Health

1 Contents

2 Document Overview 1
3 Acne Agents, Oral 3
4 Acne Agents, Topical 8
5 Alzheimer's Agents 14
6 Analgesics, Narcotic – Long Acting 18
7 Analgesics, Narcotic – Short Acting 23
8 Androgenic Agents, Topical 29
9 Angiotensin Modulators 33
10 Angiotensin Modulator Combinations 39
11 Anti-Allergens, Oral 43
12 Antibiotics, GI 47
13 Antibiotics, Inhaled 51
14 Antibiotics, Topical 55
15 Antibiotics, Vaginal 59
16 Anticoagulants 63
17 Anticonvulsants 69
18 Antidepressants, Other 71
19 Antidepressants, SSRI 77
20 Antidepressants, Tricyclic 82
21 Antiemetic-Antivertigo Agents, Oral 87
22 Antifungals, Oral 92
23 Antifungals, Topical 97
24 Antihistamines, First Generation 104
25 Antihistamines, Minimally Sedating 113
26 Antihypertensives, Sympatholytics 120
27 Antihyperuricemics 124
28 Antimigraine Agents, Non-Triptans 128
29 Antimigraine Agents, Triptans 132
30 Antiparasitics, Topical 137
31 Antiparkinson's Agents 142

32 Antipsychotics 147
33 Antipsychotics, Long-Acting Injectables 155
34 Antivirals, Oral/Nasal 160
35 Antivirals, Topical 164
36 Anxiolytics 168
37 Beta Blockers, Oral 173
38 Bile Salts 180
39 Bladder Relaxant Preparations 184
40 Bone Resorption Suppression and Related Agents 188
41 BPH Agents 192
42 Bronchodilators, Beta Agonist 196
43 Calcium Channel Blockers 200
44 Cephalosporins and Related Antibiotics 206
45 Colony Stimulating Factors 211
46 COPD Agents 215
47 Cough and Cold Agents 219
48 Cytokine and CAM Antagonists 252
49 DMD Agents 261
50 Epinephrine 265
51 Erythropoiesis Stimulating Proteins 269
52 Fluoroquinolones, Oral 274
53 GI Motility, Chronic 278
54 Glucagon Agents 282
55 Glucocorticoids, Inhaled 286
56 Glucocorticoids, Oral 291
57 Growth Hormone 296
58 H. Pylori Treatment 301
59 Hemophilia Treatment 305
60 Hepatitis C Agents 307
61 Hereditary Angioedema (HAE) Treatments 311
62 HIV/AIDS 315

63 Hypoglycemics, Incretin Mimetics/Enhancers 317
64 Hypoglycemics, Insulin and related 322
65 Hypoglycemics, Meglitinides 327
66 Hypoglycemics, Metformin 331
67 Hypoglycemics, SGLT2 Inhibitors 335
68 Hypoglycemics, TZD 339
69 Immune Globulins 343
70 Immunomodulators, Asthma 349
71 Immunomodulators, Atopic Dermatitis 353
72 Immunosuppressives 357
73 Intranasal Rhinitis Agents 362
74 Iron, Oral 367
75 Leukotriene Modifiers 372
76 Lincosamides/Oxazolidinones/Streptogramins 376
77 Lipotropics, Other 380
78 Lipotropics, Statins 385
79 Macrolides/Ketolides 390
80 Movement Disorders 395
81 Multiple Sclerosis Agents 399
82 Neuropathic Pain 401
83 Non-Narcotic Analgesics 407
84 Oncology, Oral – Breast 412
85 Oncology, Oral – Hematologic 414
86 Oncology, Oral – Lung 416
87 Oncology, Oral – Other 418
88 Oncology, Oral – Prostate 420
89 Oncology, Oral – Renal Cell 422
90 Oncology, Oral – Skin 424
91 Ophthalmics, Antibiotic – Steroid Combinations 426
92 Ophthalmics, Antibiotic 430
93 Ophthalmics, Allergic Conjunctivitis 434

94 Ophthalmics, Anti-Inflammatories 438
95 Ophthalmics, Anti-Inflammatory/Immunomodulators 443
96 Ophthalmics, Glaucoma Agents 447
97 Opiate Dependence Treatments 452
98 Otic Antibiotics 454
99 Otic Anti-Infectives/Anesthetics 458
100 PAH Agents 462
101 Pancreatic Enzymes 466
102 Pediatric Vitamin Preparations 470
103 Penicillins 474
104 Phosphate Binders 478
105 Platelet Aggregation Inhibitors 482
106 Potassium Binders 486
107 Prenatal Vitamins 490
108 Progestins for Cachexia 494
109 Rosacea Agents, Topical 498
110 Sedatives and Hypnotics 502
111 Sickle Cell Anemia Treatments 507
112 Skeletal Muscle Relaxants and Related Agents 509
113 Smoking Cessation 513
114 Steroids, Topical 521
115 Stimulants and Related Agents 527
116 Stomach Acid Reducers and Related 535
117 Tetracyclines 539
118 Thrombopoiesis Stimulating Proteins 543
119 Transthyretin-Related Amyloidosis Agents 547
120 Ulcerative Colitis Agents 551
121 Urea Cycle Disorders 555
122 Uterine Disorder Treatments 559
123 Version History 563
124 Change Log 568

2 Document Overview

Purpose

The Texas HHSC Prior Authorization Program Criteria Guide explains the criteria used by the Gainwell Technologies system to evaluate the prior authorization (PA) requests submitted by Texas Medicaid prescribers. This guide, *PDL Criteria*, describes the criteria logic that is based on the Texas Prior Authorization Program's Preferred Drug List (PDL).

Organization

Each section in this guide describes the criteria used for a particular drug class. The sections include the following information:

- **Prior authorization criteria logic** — a description of how the Gainwell Technologies PA system evaluates the prior authorization request against the PDL criteria rules
- **Logic diagram** — a visual depiction of the criteria logic
- **Alternate therapy list** — the list of preferred drugs within the drug class

A section may also include the following information:

- **Stable therapy list** — the list of non-preferred drugs within the drug class
- **Diagnosis codes** — diagnosis (ICD-10) codes relevant to specific steps in the evaluation
- **Procedure codes** — procedure (CPT; J-) codes relevant to specific steps in the evaluation

PDL Criteria Exceptions

Each section in this guide contains the following criteria used for a particular drug class. The sections include the following criteria information:

Table 1:

- **Treatment failure with preferred drugs within any subclass**
- **Contraindication to preferred drugs†**
- **Allergic reaction to preferred drugs†**
- **Treatment of stage-four advanced, metastatic cancer and associated conditions**

HB 3286, Section 2, 88th Legislature, Regular Session, 2023, requires the Health and Human Services Commission (HHSC) to allow the additional exceptions on the Preferred Drug List.

Table 2:

- **Is contraindicated**
- **Will likely cause an adverse reaction or physical or mental harm to the recipient**
- **Is expected to be ineffective based on the known clinical characteristics of the recipient and the known characteristics of the prescription drug regimen**
- **The recipient previously discontinued taking the preferred drug at any point in their clinical history and for any length of time due to ineffectiveness, diminished effect, or adverse event(s)**

These specific PDL exceptions referencing contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exceptions listed in Table 1 and will be notated with "†" on each prior authorization criteria question and logic diagram of each section.

HB 3286, Section 2, 88th Legislature, Regular Session, 2023 requires the Health and Human Services Commission (HHSC) to allow the additional exceptions on the Preferred Drug List within the antidepressant and antipsychotic drug class. For the antipsychotic and antidepressant drug classes, if the member was prescribed and is taking a non-preferred drug, the following PDL exception criteria will apply:

Table 3:

- **The member was prescribed a non-preferred drug before being discharged from an inpatient facility**
- **The member is stable on the non-preferred drug**
- **The member is at risk of experiencing complications from switching from the non-preferred drug to another drug**

These specific PDL exceptions will be included in the prior authorization criteria questions and logic diagram of the antipsychotic and antidepressant drug class sections.

3 Acne Agents, Oral

Acne Agents, Oral
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Acne Agents, Oral
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are on page 1 of the PDL Criteria Guide in the Document Overview section.

Acne Agents, Oral
Alternate Therapies

Preferred Acne Agents, Oral

GCN	Drug Name
59841	ABSORICA 10 MG CAPSULE
59842	ABSORICA 20 MG CAPSULE
37016	ABSORICA 25 MG CAPSULE
20383	ABSORICA 30 MG CAPSULE
37017	ABSORICA 35 MG CAPSULE
59843	ABSORICA 40 MG CAPSULE
59841	ACCUTANE 10 MG CAPSULE
59842	ACCUTANE 20 MG CAPSULE
20383	ACCUTANE 30 MG CAPSULE
59843	ACCUTANE 40 MG CAPSULE
59841	AMNESTEEM 10 MG CAPSULE
59842	AMNESTEEM 20 MG CAPSULE
20383	AMNESTEEM 30 MG CAPSULE
59843	AMNESTEEM 40 MG CAPSULE
59841	CLARAVIS 10 MG CAPSULE
59842	CLARAVIS 20 MG CAPSULE
20383	CLARAVIS 30 MG CAPSULE
59843	CLARAVIS 40 MG CAPSULE
59841	ISOTRETINOIN 10 MG CAPSULE
59842	ISOTRETINOIN 20 MG CAPSULE
37016	ISOTRETINOIN 25 MG CAPSULE

GCN	Drug Name
20383	ISOTRETINOIN 30 MG CAPSULE
37017	ISOTRETINOIN 35 MG CAPSULE
59843	ISOTRETINOIN 40 MG CAPSULE
59841	ZENATANE 10 MG CAPSULE
59842	ZENATANE 20 MG CAPSULE
20383	ZENATANE 30 MG CAPSULE
59843	ZENATANE 40 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

4 Acne Agents, Topical

Acne Agents, Topical
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Acne Agents, Topical
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Acne Agents, Topical
Alternate Therapies

Preferred Acne Agents, Topical

GCN	Drug Name
29418	ACANYA GEL PUMP
24673	ACNE FOAMING 10% WASH
22930	ACNE MEDICATION 10% GEL
28610	ACNE MEDICATION 10% LOTION
22931	ACNE MEDICATION 5% GEL
28611	ACNE MEDICATION 5% LOTION
22930	ACNE TREATMENT 10% GEL
22930	ACNECLEAR GEL
29300	ADAPALENE 0.1% GEL
39163	ADAPALENE-BNZYL PEROX 0.3-2.5%
22872	ATRALIN 0.05% GEL
22930	BENZOYL PEROXIDE 10% GEL
22984	BENZOYL PEROXIDE 10% WASH
24673	BENZOYL PEROXIDE 10% WASH
22932	BENZOYL PEROXIDE 2.5% GEL
22931	BENZOYL PEROXIDE 5% GEL
99676	BENZOYL PEROXIDE 5% WASH
22982	BENZOYL PEROXIDE 5% WASH
24673	BP WASH 10% LIQUID
99676	BP WASH 5% LIQUID
31770	CLEOCIN T 1% LOTION

GCN	Drug Name
98232	CLIND PH-BENZOYL PEROX 1.2-5%
45411	CLINDACIN ETZ 1% PLEDGET
45411	CLINDACIN P 1% PLEDGETS
20176	CLINDAGEL 1% GEL
45410	CLINDAMYCIN PH 1% GEL
31720	CLINDAMYCIN PH 1% SOLUTION
45411	CLINDAMYCIN PHOS 1% PLEDGET
31770	CLINDAMYCIN PHOSP 1% LOTION
08205	CLINDAMYCIN-BENZOYL PEROX 1-5%
99665	CLINDAMYCIN-BNZ PEROX 1-5% PMP
24673	CVS ACNE CONTROL 10 % CLEANSER
22930	CVS ACNE TREATMENT 10% GEL
29300	CVS ADAPALENE 0.1% GEL
99676	CVS ADV EXFOLIATING 5% CLEANSR
24673	CVS FOAMING ACNE FACE 10% WASH
24673	DAYLOGIC ACNE FOAMING 10% WASH
22930	DAYLOGIC ACNE TREATMNT 10% GEL
29301	DIFFERIN 0.1% CREAM
28403	DIFFERIN 0.1% LOTION
29300	EFFACLAR ADAPALENE 0.1% GEL
39163	EPIDUO FORTE 0.3-2.5% GEL PUMP
31710	ERYGEL 2% GEL
31710	ERYTHROMYCIN 2% GEL
77562	ERYTHROMYCIN 2% SOLUTION
85400	ERYTHROMYCIN-BENZOYL GEL

GCN	Drug Name
29300	GNP ADAPALENE 0.1% GEL
94446	KLARON 10% LOTION
36745	NEUAC 1.2-5% KIT
37564	ONEXTON GEL PUMP
29300	PANOXYL 0.1% ACNE GEL
24673	PANOXYL 10% ACNE FOAMING WASH
22930	PERSA-GEL 10%
17443	RETIN-A MICRO 0.04% GEL
22874	RETIN-A MICRO 0.1% GEL
22870	TRETINOIN 0.01% GEL
22882	TRETINOIN 0.025% CREAM
22871	TRETINOIN 0.025% GEL
22880	TRETINOIN 0.05% CREAM
22881	TRETINOIN 0.1% CREAM
97560	ZIANA GEL

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

5 Alzheimer's Agents

Alzheimer's Agents
Prior Authorization Criteria

1. Has the client been stable on a non-preferred agent for 30 days in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

†Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Alzheimer's Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are on page 1 of the PDL Criteria Guide in the Document Overview section.

Alzheimer's Agents
Alternate Therapies

Preferred Alzheimer's Agents

GCN	Drug Name
04300	DONEPEZIL HCL 10 MG TABLET
04302	DONEPEZIL HCL 5 MG TABLET
24595	DONEPEZIL HCL ODT 10 MG TABLET
24594	DONEPEZIL HCL ODT 5 MG TABLET
33208	EXELON 13.3 MG/24HR PATCH
98640	EXELON 4.6 MG/24HR PATCH
98641	EXELON 9.5 MG/24HR PATCH
03253	MEMANTINE HCL 10 MG TABLET
20773	MEMANTINE HCL 5 MG TABLET
34537	NAMENDA (ORAL) TAB DS PK

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

6 Analgesics, Narcotic – Long Acting

Analgesics, Narcotic – Long Acting Prior Authorization Criteria

1. Has the client failed a 6-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)


3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

Note: Methadone Oral Solution will be authorized for patients less than 24 months of age.

†Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Analgesics, Narcotic – Long Acting Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Analgesics, Narcotic – Long Acting Alternate Therapies

Preferred Long Acting Narcotics

GCN	Drug Name
25309	BUTRANS 10 MCG/HR PATCH
35214	BUTRANS 15 MCG/HR PATCH
25312	BUTRANS 20 MCG/HR PATCH
25308	BUTRANS 5 MCG/HR PATCH
36946	BUTRANS 7.5 MCG/HR PATCH
19203	FENTANYL 100 MCG/HR PATCH
24635	FENTANYL 12 MCG/HR PATCH
19200	FENTANYL 25 MCG/HR PATCH
19201	FENTANYL 50 MCG/HR PATCH
19202	FENTANYL 75 MCG/HR PATCH
16410	METHADONE 10 MG/5 ML SOLUTION
16400	METHADONE 5 MG/5 ML SOLN CUP
16400	METHADONE 5 MG/5 ML SOLUTION
16420	METHADONE HCL 10 MG TABLET
16422	METHADONE HCL 5 MG TABLET
16642	MORPHINE SULF ER 100 MG TABLET
16643	MORPHINE SULF ER 15 MG TABLET
16078	MORPHINE SULF ER 200 MG TABLET
16640	MORPHINE SULF ER 30 MG TABLET
16641	MORPHINE SULF ER 60 MG TABLET
37158	OXYCONTIN ER 10 MG TABLET
37159	OXYCONTIN ER 15 MG TABLET

GCN	Drug Name
37161	OXYCONTIN ER 20 MG TABLET
37162	OXYCONTIN ER 30 MG TABLET
37163	OXYCONTIN ER 40 MG TABLET
37164	OXYCONTIN ER 60 MG TABLET
37165	OXYCONTIN ER 80 MG TABLET
26387	TRAMADOL HCL ER 100 MG TABLET
50417	TRAMADOL HCL ER 200 MG TABLET
50427	TRAMADOL HCL ER 300 MG TABLET
41273	XTAMPZA ER 13.5 MG CAPSULE
41274	XTAMPZA ER 18 MG CAPSULE
41275	XTAMPZA ER 27 MG CAPSULE
41276	XTAMPZA ER 36 MG CAPSULE
41272	XTAMPZA ER 9 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

7 Analgesics, Narcotic – Short Acting

Analgesics, Narcotic – Short Acting Prior Authorization Criteria

1. Has the client failed a 6-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Analgesics, Narcotic – Short Acting Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Analgesics, Narcotic – Short Acting Alternate Therapies

Preferred Short Acting Narcotics

GCN	Drug Name
33606	ACETAMIN-CODEIN 300-30 MG/12.5
33589	ACETAMINOP-CODEINE 120-12 MG/5
55402	ACETAMINOP-CODEINE 120-12 MG/5
70131	ACETAMINOPHEN-COD #2 TABLET
70134	ACETAMINOPHEN-COD #3 TABLET
70136	ACETAMINOPHEN-COD #4 TABLET
14966	ENDOCET 10-325 MG TABLET
70492	ENDOCET 2.5-325 MG TABLET
70491	ENDOCET 5-325 MG TABLET
14965	ENDOCET 7.5-325 MG TABLET
22929	HYDROCODONE-ACETAMIN 10-300 MG
70330	HYDROCODONE-ACETAMIN 10-325 MG
16227	HYDROCODONE-ACETAMIN 10-325/15
99967	HYDROCODONE-ACETAMIN 10-325/15
35153	HYDROCODONE-ACETAMIN 2.5-108/5
70337	HYDROCODONE-ACETAMIN 2.5-325
35154	HYDROCODONE-ACETAMIN 5-217/10
26470	HYDROCODONE-ACETAMIN 5-300 MG
12486	HYDROCODONE-ACETAMIN 5-325 MG
26709	HYDROCODONE-ACETAMIN 7.5-300
12488	HYDROCODONE-ACETAMIN 7.5-325

GCN	Drug Name
21146	HYDROCODONE-ACETAMN 7.5-325/15
31419	HYDROCODONE-ACETAMN 7.5-325/15
16141	HYDROMORPHONE 2 MG TABLET
16143	HYDROMORPHONE 4 MG TABLET
20251	HYDROMORPHONE 5 MG/5 ML SOLN (AG)
16144	HYDROMORPHONE 8 MG TABLET
16060	MORPHINE SULF 10 MG/5 ML CUP
16060	MORPHINE SULF 10 MG/5 ML SOLN
16063	MORPHINE SULF 100 MG/5 ML CONC
16062	MORPHINE SULF 20 MG/5 ML SOLN
16070	MORPHINE SULFATE IR 15 MG TAB
16071	MORPHINE SULFATE IR 30 MG TAB
16291	OXYCODONE HCL (IR) 10 MG TAB
20091	OXYCODONE HCL (IR) 15 MG TAB
21194	OXYCODONE HCL (IR) 20 MG TAB
20092	OXYCODONE HCL (IR) 30 MG TAB
16290	OXYCODONE HCL (IR) 5 MG TABLET
56315	OXYCODONE HCL 10 MG TABLET
16280	OXYCODONE HCL 5 MG/5 ML CUP
16280	OXYCODONE HCL 5 MG/5 ML SOLN
14966	OXYCODONE-ACETAMINOPHEN 10-325
70491	OXYCODONE-ACETAMINOPHEN 5-325
70492	OXYCODONE-ACETAMINOPHN 2.5-325
14965	OXYCODONE-ACETAMINOPHN 7.5-325
07221	TRAMADOL HCL 50 MG TABLET

GCN	Drug Name
13909	TRAMADOL-ACETAMINOPHN 37.5-325

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

8 Androgenic Agents, Topical

Androgenic Agents, Topical
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

†Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Androgenic Agents, Topical
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Androgenic Agents, Topical
Alternate Therapies

Preferred Androgenic Agents, Topical

GCN	Drug Name
29905	ANDROGEL 1.62% GEL PUMP
97089	TESTIM 1% (50MG) GEL
47851	TESTOSTERONE 1% (25MG/2.5G) PK
47852	TESTOSTERONE 1% (50 MG/5 G) PK
29905	TESTOSTERONE 1.62% GEL PUMP
97089	TESTOSTERONE 50 MG/5 GRAM GEL
47852	TESTOSTERONE 50 MG/5 GRAM PKT

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

9 Angiotensin Modulators

Angiotensin Modulators
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Angiotensin Modulators Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Angiotensin Modulators Alternate Therapies

Preferred Angiotensin Modulators

GCN	Drug Name
48612	BENAZEPRIL HCL 10 MG TABLET
48613	BENAZEPRIL HCL 20 MG TABLET
48614	BENAZEPRIL HCL 40 MG TABLET
48611	BENAZEPRIL HCL 5 MG TABLET
13844	DIOVAN 160 MG TABLET
13838	DIOVAN 320 MG TABLET
18092	DIOVAN 40 MG TABLET
13846	DIOVAN 80 MG TABLET
09760	DIOVAN HCT 160-12.5 MG TAB
17245	DIOVAN HCT 160-25 MG TABLET
27015	DIOVAN HCT 320-12.5 MG TAB
27014	DIOVAN HCT 320-25 MG TABLET
07833	DIOVAN HCT 80-12.5 MG TABLET
29595	EDARBI 40 MG TABLET
29597	EDARBI 80 MG TABLET
31163	EDARBYCLOR 40-12.5 MG TABLET
31164	EDARBYCLOR 40-25 MG TABLET
42337	ENALAPRIL 1 MG/ML ORAL SOLN
00961	ENALAPRIL MALEATE 10 MG TAB
00963	ENALAPRIL MALEATE 2.5 MG TAB
00962	ENALAPRIL MALEATE 20 MG TAB

GCN	Drug Name
00960	ENALAPRIL MALEATE 5 MG TABLET
54860	ENALAPRIL-HCTZ 10-25 MG TABLET
54862	ENALAPRIL-HCTZ 5-12.5 MG TAB
39046	ENTRESTO 24 MG-26 MG TABLET
39047	ENTRESTO 49 MG-51 MG TABLET
39048	ENTRESTO 97 MG-103 MG TABLET
48581	FOSINOPRIL SODIUM 10 MG TAB
48582	FOSINOPRIL SODIUM 20 MG TAB
48580	FOSINOPRIL SODIUM 40 MG TAB
04749	IRBESARTAN 150 MG TABLET
04750	IRBESARTAN 300 MG TABLET
04752	IRBESARTAN 75 MG TABLET
11042	IRBESARTAN-HCTZ 150-12.5 MG TB
11295	IRBESARTAN-HCTZ 300-12.5 MG TB
47261	LISINOPRIL 10 MG TABLET
47264	LISINOPRIL 2.5 MG TABLET
47262	LISINOPRIL 20 MG TABLET
47265	LISINOPRIL 30 MG TABLET
47263	LISINOPRIL 40 MG TABLET
47260	LISINOPRIL 5 MG TABLET
88002	LISINOPRIL-HCTZ 10-12.5 MG TAB
88000	LISINOPRIL-HCTZ 20-12.5 MG TAB
88001	LISINOPRIL-HCTZ 20-25 MG TAB
14853	LOSARTAN POTASSIUM 100 MG TAB
14850	LOSARTAN POTASSIUM 25 MG TAB

GCN	Drug Name
14851	LOSARTAN POTASSIUM 50 MG TAB
25851	LOSARTAN-HCTZ 100-12.5 MG TAB
14854	LOSARTAN-HCTZ 100-25 MG TAB
14852	LOSARTAN-HCTZ 50-12.5 MG TAB
27570	QUINAPRIL 10 MG TABLET
27571	QUINAPRIL 20 MG TABLET
27573	QUINAPRIL 40 MG TABLET
27572	QUINAPRIL 5 MG TABLET
48541	RAMIPRIL 1.25 MG CAPSULE
48544	RAMIPRIL 10 MG CAPSULE
48542	RAMIPRIL 2.5 MG CAPSULE
48543	RAMIPRIL 5 MG CAPSULE
39046	SACUBITRIL-VALSARTAN 24-26 MG
39047	SACUBITRIL-VALSARTAN 49-51 MG
39048	SACUBITRIL-VALSARTAN 97-103 MG
98077	TEKTURNA 150 MG TABLET
98076	TEKTURNA 300 MG TABLET
32191	TRANDOLAPRIL 1 MG TABLET
32192	TRANDOLAPRIL 2 MG TABLET
32193	TRANDOLAPRIL 4 MG TABLET
54860	VASERETIC 10-25 MG TABLET
00961	VASOTEC 10 MG TABLET
00963	VASOTEC 2.5 MG TABLET
00962	VASOTEC 20 MG TABLET
00960	VASOTEC 5 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

10 Angiotensin Modulator Combinations

Angiotensin Modulator Combinations Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Angiotensin Modulator Combinations Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Angiotensin Modulator Combinations Alternate Therapies

Preferred Angiotensin Modulator Combinations

GCN	Drug Name
17604	AMLODIPINE-BENAZEPRIL 10-20 MG
26950	AMLODIPINE-BENAZEPRIL 10-40 MG
33093	AMLODIPINE-BENAZEPRIL 2.5-10
33092	AMLODIPINE-BENAZEPRIL 5-10 MG
33090	AMLODIPINE-BENAZEPRIL 5-20 MG
26949	AMLODIPINE-BENAZEPRIL 5-40 MG
98937	AMLODIPINE-OLMESARTAN 10-20 MG
98939	AMLODIPINE-OLMESARTAN 10-40 MG
98936	AMLODIPINE-OLMESARTAN 5-20 MG
98938	AMLODIPINE-OLMESARTAN 5-40 MG
97963	AMLODIPINE-VALSARTAN 10-160 MG
98580	AMLODIPINE-VALSARTAN 10-320 MG
97962	AMLODIPINE-VALSARTAN 5-160 MG
98579	AMLODIPINE-VALSARTAN 5-320 MG
22631	EXFORGE HCT 10-160-12.5 MG TAB
22649	EXFORGE HCT 10-160-25 MG TAB
22705	EXFORGE HCT 10-320-25 MG TAB
22625	EXFORGE HCT 5-160-12.5 MG TAB
22648	EXFORGE HCT 5-160-25 MG TAB

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

11 Anti-Allergens, Oral

Anti-Allergens, Oral
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Anti-Allergens, Oral
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Anti-Allergens, Oral
Alternate Therapies

Preferred Anti-Allergens, Oral

GCN	Drug Name
35777	GRASTEK 2,800 BAU SL TABLET
42527	ODACTRA 12 SQ-HDM SL TABLET
33969	ORALAIR 100 IR STARTER PACK
41118	ORALAIR 100-300 IR CHILD SAMPL
33970	ORALAIR 300 IR ADULT SAMPLE KT
33970	ORALAIR 300 IR STARTER PACK
33970	ORALAIR 300 IR SUBLINGUAL TAB
36402	RAGWITEK SUBLINGUAL TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

12 Antibiotics, GI

Antibiotics, GI
Prior Authorization Criteria

1. Has the client failed a 10-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antibiotics, GI
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antibiotics, GI
Alternate Therapies

Preferred Gastrointestinal Antibiotics

GCN	Drug Name
30035	DIFICID 200 MG TABLET
44411	FIRVANQ 25 MG/ML SOLUTION
41291	FIRVANQ 50 MG/ML SOLUTION
43031	METRONIDAZOLE 250 MG TABLET
43032	METRONIDAZOLE 500 MG TABLET
41072	NEOMYCIN 500 MG TABLET
22867	TINIDAZOLE 250 MG TABLET
52220	TINIDAZOLE 500 MG TABLET
41370	VANCOCIN HCL 125 MG CAPSULE
41371	VANCOCIN HCL 250 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

13 Antibiotics, Inhaled

Antibiotics, Inhaled
Prior Authorization Criteria

1. Has the client failed a 10-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section

Antibiotics, Inhaled
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antibiotics, Inhaled
Alternate Therapies

Preferred Inhaled Antibiotics

GCN	Drug Name
16122	BETHKIS 300 MG/4 ML AMPULE
28039	CAYSTON 75 MG INHAL SOLUTION
37569	KITABIS PAK 300 MG/5 ML
30025	TOBI PODHALER 28 MG INHALE CAP

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

14 Antibiotics, Topical

Antibiotics, Topical
Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims data?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antibiotics, Topical
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antibiotics, Topical
Alternate Therapies

Preferred Topical Antibiotics

GCN	Drug Name
31812	BACITRACIN 500 UNIT/GM OINTMNT
31810	BACITRACIN ZN 500 UNIT/GM OINT
62427	BACITRACIN/POLYMYXIN B OINTMENT OTC (TOPICAL)
47450	MUPIROCIN 2% OINTMENT
98748	NEOMYCIN/BACITRACIN/POLYMYXIN B OINTMENT
97206	TRIPLE ANTIBIOTIC OINT PKT
85459	TRIPLE ANTIBIOTIC OINTMENT
12623	TRIPLE ANTIBIOTIC PLUS OINTMENT

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

15 Antibiotics, Vaginal

Antibiotics, Vaginal
Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antibiotics, Vaginal
Prior Authorization Criteria



†Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antibiotics, Vaginal
Alternate Therapies

Preferred Vaginal Antibiotics

GCN	Drug Name
91969	CLEOCIN 100 MG VAGINAL OVULE
28581	CLEOCIN 2% VAGINAL CREAM
49261	METRONIDAZOLE VAGINAL 0.75% GL
36303	NUVESSA VAGINAL 1.3% GEL
52753	XACIATO 2% VAGINAL GEL

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

16 Anticoagulants

Anticoagulants
Prior Authorization Criteria

1. Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Anticoagulants
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Anticoagulants
Alternate Therapies

Preferred Anticoagulants

GCN	Drug Name
99709	DABIGATRAN ETEXILATE 110 MG CP
29166	DABIGATRAN ETEXILATE 150 MG CP
99708	DABIGATRAN ETEXILATE 75 MG CAP
57655	ELIQUIS 0.5 MG PKT(1X0.5MG TB SUSP)
58331	ELIQUIS 1.5 MG PKT(3X0.5MG TB SUSP)
58332	ELIQUIS 2 MG PKT(4X 0.5 MG TB SUSP)
30239	ELIQUIS 2.5 MG TABLET
33935	ELIQUIS 5 MG TABLET
44357	ELIQUIS DVT-PE TREAT START 5MG
62773	ENOXAPARIN 100 MG/ML SYRINGE
42091	ENOXAPARIN 120 MG/0.8 ML SYR
42071	ENOXAPARIN 150 MG/ML SYRINGE
00420	ENOXAPARIN 30 MG/0.3 ML SYR
96334	ENOXAPARIN 300 MG/3 ML VIAL
70022	ENOXAPARIN 40 MG/0.4 ML SYR
62771	ENOXAPARIN 60 MG/0.6 ML SYR
62772	ENOXAPARIN 80 MG/0.8 ML SYR
25792	JANTOVEN 1 MG TABLET
25790	JANTOVEN 10 MG TABLET
25791	JANTOVEN 2 MG TABLET
25794	JANTOVEN 2.5 MG TABLET
25796	JANTOVEN 3 MG TABLET

GCN	Drug Name
25797	JANTOVEN 4 MG TABLET
25793	JANTOVEN 5 MG TABLET
25798	JANTOVEN 6 MG TABLET
25795	JANTOVEN 7.5 MG TABLET
62773	LOVENOX 100 MG/ML SYRINGE
42091	LOVENOX 120 MG/0.8 ML SYRINGE
42071	LOVENOX 150 MG/ML SYRINGE
00420	LOVENOX 30 MG/0.3 ML SYRINGE
70022	LOVENOX 40 MG/0.4 ML SYRINGE
62771	LOVENOX 60 MG/0.6 ML SYRINGE
62772	LOVENOX 80 MG/0.8 ML SYRINGE
25792	WARFARIN SODIUM 1 MG TABLET
25790	WARFARIN SODIUM 10 MG TABLET
25791	WARFARIN SODIUM 2 MG TABLET
25794	WARFARIN SODIUM 2.5 MG TABLET
25796	WARFARIN SODIUM 3 MG TABLET
25797	WARFARIN SODIUM 4 MG TABLET
25793	WARFARIN SODIUM 5 MG TABLET
25798	WARFARIN SODIUM 6 MG TABLET
25795	WARFARIN SODIUM 7.5 MG TABLET
50027	XARELTO 1 MG/ML SUSPENSION
14427	XARELTO 10 MG TABLET
30818	XARELTO 15 MG TABLET
36934	XARELTO 2.5 MG TABLET
30819	XARELTO 20 MG TABLET

GCN	Drug Name
37212	XARELTO DVT-PE TREAT START 30D

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

17 Anticonvulsants

Anticonvulsants
Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

18 Antidepressants, Other

Antidepressants, Other
Prior Authorization Criteria

1. Has the client been stable on a non-preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Has the client been prescribed and is taking a non-preferred agent before being discharged from an inpatient facility?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Will the client be at risk of experiencing complications from switching from a non-preferred drug to another drug?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #5)

5. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #6)

6. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antidepressants, Other
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antidepressants, Other
Alternate Therapies

Preferred Other Antidepressants

GCN	Drug Name
26198	APLENZIN ER 174 MG TABLET
16996	APLENZIN ER 348 MG TABLET
17050	APLENZIN ER 522 MG TABLET
16385	BUPROPION HCL 100 MG TABLET
16384	BUPROPION HCL 75 MG TABLET
16387	BUPROPION HCL SR 100 MG TABLET
16386	BUPROPION HCL SR 150 MG TABLET
17573	BUPROPION HCL SR 200 MG TABLET
20317	BUPROPION HCL XL 150 MG TABLET
20318	BUPROPION HCL XL 300 MG TABLET
16818	EFFEXOR XR 150 MG CAPSULE
16816	EFFEXOR XR 37.5 MG CAPSULE
16817	EFFEXOR XR 75 MG CAPSULE
35335	FETZIMA 20-40 MG TITRATION PAK
35334	FETZIMA ER 120 MG CAPSULE
35327	FETZIMA ER 20 MG CAPSULE
35328	FETZIMA ER 40 MG CAPSULE
35329	FETZIMA ER 80 MG CAPSULE
33081	FORFIVO XL 450 MG TABLET
12529	MIRTAZAPINE 15 MG ODT
16732	MIRTAZAPINE 15 MG TABLET
12531	MIRTAZAPINE 30 MG ODT

GCN	Drug Name
16733	MIRTAZAPINE 30 MG TABLET
13041	MIRTAZAPINE 45 MG ODT
16734	MIRTAZAPINE 45 MG TABLET
21817	MIRTAZAPINE 7.5 MG TABLET
16406	NEFAZODONE HCL 100 MG TABLET
16407	NEFAZODONE HCL 150 MG TABLET
16408	NEFAZODONE HCL 200 MG TABLET
16409	NEFAZODONE HCL 250 MG TABLET
16404	NEFAZODONE HCL 50 MG TABLET
16417	PHENELZINE SULFATE 15 MG TAB
99452	PRISTIQ ER 100 MG TABLET
38222	PRISTIQ ER 25 MG TABLET
99451	PRISTIQ ER 50 MG TABLET
16392	TRAZODONE 100 MG TABLET
16393	TRAZODONE 150 MG TABLET
16394	TRAZODONE 300 MG TABLET
16391	TRAZODONE 50 MG TABLET
16815	VENLAFAXINE HCL 100 MG TABLET
16811	VENLAFAXINE HCL 25 MG TABLET
16812	VENLAFAXINE HCL 37.5 MG TABLET
16813	VENLAFAXINE HCL 50 MG TABLET
16814	VENLAFAXINE HCL 75 MG TABLET
16818	VENLAFAXINE HCL ER 150 MG CAP
16816	VENLAFAXINE HCL ER 37.5 MG CAP
16817	VENLAFAXINE HCL ER 75 MG CAP

GCN	Drug Name
29916	VIIBRYD 10 MG TABLET
29917	VIIBRYD 20 MG TABLET
29918	VIIBRYD 40 MG TABLET
43601	ZURZUVAE 20 MG CAPSULE
45723	ZURZUVAE 25 MG CAPSULE
48261	ZURZUVAE 30 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

19 Antidepressants, SSRI

Antidepressants, SSRI
Prior Authorization Criteria

1. Has the client been stable on a non-preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Has the client been prescribed and is taking a non-preferred agent before being discharged from an inpatient facility?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Will the client be at risk of experiencing complications from switching from a non-preferred drug to another drug?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #5)

5. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #6)

6. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antidepressants, SSRI
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antidepressants, SSRI Alternate Therapies

Preferred SSRI Antidepressants

GCN	Drug Name
16345	CITALOPRAM HBR 10 MG TABLET
16344	CITALOPRAM HBR 10 MG/5 ML SOLN
16342	CITALOPRAM HBR 20 MG TABLET
34671	CITALOPRAM HBR 20 MG/10 ML CUP
16343	CITALOPRAM HBR 40 MG TABLET
17851	ESCITALOPRAM 10 MG TABLET
17987	ESCITALOPRAM 20 MG TABLET
18975	ESCITALOPRAM 5 MG TABLET
16357	FLUOXETINE 20 MG/5 ML SOLN CUP
16357	FLUOXETINE 20 MG/5 ML SOLUTION
16353	FLUOXETINE HCL 10 MG CAPSULE
16354	FLUOXETINE HCL 20 MG CAPSULE
16355	FLUOXETINE HCL 40 MG CAPSULE
16349	FLUVOXAMINE MALEATE 100 MG TAB
16347	FLUVOXAMINE MALEATE 25 MG TAB
16348	FLUVOXAMINE MALEATE 50 MG TAB
17851	LEXAPRO 10 MG TABLET
17987	LEXAPRO 20 MG TABLET
18975	LEXAPRO 5 MG TABLET
16364	PAROXETINE HCL 10 MG TABLET

GCN	Drug Name
16366	PAROXETINE HCL 20 MG TABLET
16367	PAROXETINE HCL 30 MG TABLET
16368	PAROXETINE HCL 40 MG TABLET
16353	PROZAC 10 MG PULVULE
16354	PROZAC 20 MG PULVULE
16355	PROZAC 40 MG PULVULE
16376	SERTRALINE 20 MG/ML ORAL CONC
16375	SERTRALINE HCL 100 MG TABLET
16373	SERTRALINE HCL 25 MG TABLET
16374	SERTRALINE HCL 50 MG TABLET
16375	ZOLOFT 100 MG TABLET
16376	ZOLOFT 20 MG/ML ORAL CONC
16373	ZOLOFT 25 MG TABLET
16374	ZOLOFT 50 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

20 Antidepressants, Tricyclic

Antidepressants, Tricyclic
Prior Authorization Criteria

1. Has the client been stable on a non-preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Has the client been prescribed and is taking a non-preferred agent before being discharged from an inpatient facility?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Will the client be at risk of experiencing complications from switching from a non-preferred drug to another drug?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #5)

5. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #6)

6. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antidepressants, Tricyclic Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antidepressants, Tricyclic
Alternate Therapies

Preferred Tricyclic Antidepressants

GCN	Drug Name
16512	AMITRIPTYLINE HCL 10 MG TAB
16513	AMITRIPTYLINE HCL 100 MG TAB
16514	AMITRIPTYLINE HCL 150 MG TAB
16515	AMITRIPTYLINE HCL 25 MG TAB
16516	AMITRIPTYLINE HCL 50 MG TAB
16517	AMITRIPTYLINE HCL 75 MG TAB
16602	ANAFRANIL 25 MG CAPSULE
16603	ANAFRANIL 50 MG CAPSULE
16604	ANAFRANIL 75 MG CAPSULE
16563	DOXEPIN 10 MG CAPSULE
16571	DOXEPIN 10 MG/ML ORAL CONC
16564	DOXEPIN 100 MG CAPSULE
16565	DOXEPIN 150 MG CAPSULE
16566	DOXEPIN 25 MG CAPSULE
16567	DOXEPIN 50 MG CAPSULE
16568	DOXEPIN 75 MG CAPSULE
16541	IMIPRAMINE HCL 10 MG TABLET
16542	IMIPRAMINE HCL 25 MG TABLET
16543	IMIPRAMINE HCL 50 MG TABLET
16529	NORTRIPTYLINE HCL 10 MG CAP
16532	NORTRIPTYLINE HCL 25 MG CAP

GCN	Drug Name
16533	NORTRIPTYLINE HCL 50 MG CAP
16534	NORTRIPTYLINE HCL 75 MG CAP

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

21 Antiemetic-Antivertigo Agents, Oral

Antiemetic-Antivertigo Agents, Oral Prior Authorization Criteria

1. Has the client failed a 3-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antiemetic-Antivertigo Agents, Oral Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antiemetic-Antivertigo Agents, Oral Alternate Therapies

Preferred Antiemetic-Antivertigo Agents

GCN	Label Name
73710	ANTI-NAUSEA LIQUID
18303	ANTIVERT 50 MG TABLET
42645	BONJESTA ER 20-20 MG TABLET
73860	DICLEGIS DR 10-10 MG TABLET
18231	DIMENHYDRINATE 50 MG TABLET
27992	MARINOL 10 MG CAPSULE
27990	MARINOL 2.5 MG CAPSULE
27991	MARINOL 5 MG CAPSULE
18301	MECLIZINE 12.5 MG CAPLET
18302	MECLIZINE 25 MG TABLET
18312	MECLIZINE 25 MG TABLET CHEW
18303	MECLIZINE 50 MG TABLET
21020	METOCLOPRAMIDE 10 MG TABLET
34798	METOCLOPRAMIDE 10 MG/10 ML CUP
21021	METOCLOPRAMIDE 5 MG TABLET
34797	METOCLOPRAMIDE 5 MG/5 ML CUP
03610	METOCLOPRAMIDE 5 MG/5 ML SOLN
20040	ONDANSETRON 4 MG/5 ML SOLUTION
20041	ONDANSETRON HCL 4 MG TABLET
20042	ONDANSETRON HCL 8 MG TABLET
20045	ONDANSETRON ODT 4 MG TABLET

GCN	Label Name
20046	ONDANSETRON ODT 8 MG TABLET
14771	PROCHLORPERAZINE 10 MG TAB
14773	PROCHLORPERAZINE 5 MG TABLET
15042	PROMETHAZINE 12.5 MG TABLET
15043	PROMETHAZINE 25 MG TABLET
15044	PROMETHAZINE 50 MG TABLET
15035	PROMETHAZINE 6.25 MG/5 ML CUP
18160	TRANSDERM-SCOP 1 MG/3 DAY PTCH

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

22 Antifungals, Oral

Antifungals, Oral
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antifungals, Oral
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antifungals, Oral
Alternate Therapies

Preferred Oral Antifungals

GCN	Label Name
07590	CLOTRIMAZOLE 10 MG LOZENGE
07590	CLOTRIMAZOLE 10 MG TROCHE
60822	FLUCONAZOLE 10 MG/ML SUSPENSION
60821	FLUCONAZOLE 40 MG/ML SUSPENSION
42192	FLUCONAZOLE 50 MG TABLET
42190	FLUCONAZOLE 100 MG TABLET
42193	FLUCONAZOLE 150 MG TABLET
42191	FLUCONAZOLE 200 MG TABLET
42390	GRISEOFULVIN 125 MG/5 ML SUSPENSION
42402	GRISEOFULVIN 500 MG TAB
42410	GRISEOFULVIN ULTRAMICROSIZE 125 MG TAB
42411	GRISEOFULVIN ULTRAMICROSIZE 165 MG TAB
42412	GRISEOFULVIN ULTRAMICROSIZE 250 MG TAB
42590	KETOCONAZOLE 200 MG TABLET
26502	NOXAFIL 40 MG/ML SUSPENSION
35649	NOXAFIL DR 100 MG TABLET
42486	NYSTATIN 100,000 UNIT/ML ENFIT
42440	NYSTATIN 100,000 UNIT/ML SUSPENSION
42452	NYSTATIN 500,000 UNIT ORAL TAB
42440	NYSTATIN 500,000 UNIT/5 ML CUP
26502	POSACONAZOLE 200 MG/5 ML SUSP

GCN	Label Name
35649	POSACONAZOLE DR 100 MG TABLET (AG)
49100	SPORANOX 10 MG/ML SOLUTION
49101	SPORANOX 100 MG CAPSULE
60823	TERBINAFINE HCL 250 MG TABLET
21513	VFEND 40 MG/ML SUSPENSION
17497	VFEND 50 MG TABLET
17498	VFEND 200 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

23 Antifungals, Topical

Antifungals, Topical
Prior Authorization Criteria

1. Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antifungals, Topical
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antifungals, Topical Alternate Therapies

Preferred Topical Antifungals

GCN	Drug Name
30300	ANTIFUNGAL 1% CREAM
30370	ANTIFUNGAL 1% TOPICAL CREAM
30410	ANTIFUNGAL 2% POWDER
30400	ANTIFUNGAL 2% TOPICAL CREAM
30400	ANTIFUNGAL EX THICK 2% TOP CRM
62498	ATHLETES FOOT 1% CREAM
30370	ATHLETE'S FOOT 1% CREAM
62498	ATHLETE'S FOOT 1% CREAM
30380	ATHLETE'S FOOT 1% SOLUTION
30410	ATHLETE'S FOOT 2% POWDER
30400	BAZA ANTIFUNGAL 2% CREAM
30400	CARRINGTON ANTIFUNGAL 2% CREAM
94677	CICLOPIROX 0.77% CREAM
08040	CICLOPIROX 8% SOLUTION
30380	CLOTRIMAZOLE 1% SOLUTION
30380	CLOTRIMAZOLE 1% SOLUTION SPRAY
30370	CLOTRIMAZOLE 1% TOPICAL CREAM
06919	CLOTRIMAZOLE-BETAMETHASONE CREAM
30410	CVS ANTI-FUNGAL 2% POWDER
30300	CVS ATHLETE'S FOOT 1% CREAM
62498	CVS ATHLETE'S FOOT 1% CREAM

GCN	Drug Name
30380	CVS CLOTRIMAZOLE 1% SOLUTION
30370	CVS CLOTRIMAZOLE 1% TOP CREAM
30370	CVS ITCH RELIEF 1% TOP CREAM
62498	CVS JOCK ITCH 1% CREAM
30370	CVS RINGWORM 1% CREAM
30400	DERMAFUNGAL 2% CREAM
30410	DESENEX 2% POWDER
30430	ECONAZOLE NITRATE 1% CREAM
30300	EQ ATHLETE'S FOOT 1% CREAM
30370	EQ ATHLETE'S FOOT 1% CREAM
62498	EQ ATHLETE'S FOOT 1% CREAM
30370	EQ JOCK ITCH 1% CREAM
62498	EQ TERBINAFINE 1% CREAM
30300	FT ANTIFUNGAL 1% CREAM
30400	FT ANTIFUNGAL 2% TOPICAL CREAM
30370	FT ATHLETE'S FOOT 1% CREAM
62498	FT ATHLETE'S FOOT 1% CREAM
30370	GNP ATHLETE'S FOOT 1% CREAM
30410	GNP MICONAZORB AF 2% POWDER
62498	GNP TERBINAFINE 1% CREAM
30300	GNP TOLNAFTATE 1% CREAM
30370	GS ATHLETE'S FOOT 1% CREAM
30400	INZO ANTIFUNGAL 2% CREAM
30370	JOCK ITCH 1% CREAM
30370	JOCK ITCH RELIEF 1% CREAM

GCN	Drug Name
36653	JUBLIA 10% TOPICAL SOLUTION
31850	KETOCONAZOLE 2% CREAM
31271	KETOCONAZOLE 2% SHAMPOO
30160	KLAYESTA 100,000 UNIT/GM POWD
62498	LAMISIL AT 1% CREAM
58628	LAMISIL AT 1% SPRAY
30380	LASOLEX 1% SOLUTION
30400	MICATIN 2% ANTIFUNGAL CREAM
30400	MICONAZOLE 2% TOPICAL CREAM
30410	MICONAZOLE NITRATE 2% POWDER
30410	MICRO-GUARD 2% POWDER
30160	NYAMYC 100,000 UNIT/GM POWDER
30140	NYSTATIN 100,000 UNIT/GM CREAM
30150	NYSTATIN 100,000 UNIT/GM OINTMENT
30160	NYSTATIN 100,000 UNIT/GM POWD
30160	NYSTOP 100,000 UNIT/GM POWDER
30370	PUB ATHLETIC FOOT 1% CREAM
30300	QC ANTIFUNGAL 1% CREAM
30370	QC CLOTRIMAZOLE 1% TOP CREAM
30300	RA ANTIFUNGAL 1% CREAM
62498	RA ANTIFUNGAL 1% CREAM
30370	RA ANTIFUNGAL RINGWORM 1% CRM
30370	RA CLOTRIMAZOLE 1% TOP CREAM
30370	RA JOCK ITCH CREAM
30410	REMEDY ANTIFUNGAL 2% POWDER

GCN	Drug Name
30410	REMEDY PHYTOPLEX ANTIFUNGAL 2%
30300	SM ANTIFUNGAL 1% CREAM
30370	SM ANTIFUNGAL 1% TOPICAL CREAM
62498	SM ATHLETE'S 1% FOOT CREAM
30400	SM MICONAZOLE 2% TOPICAL CREAM
62498	TERBINAFINE 1% CREAM
30410	THERA ANTIFUNGAL 2% POWDER
30370	TM-CLOTRIMAZOLE 1% TOP CREAM
30300	TOLNAFTATE 1% CREAM
30310	TOLNAFTATE 1% POWDER
30370	TRIMAZOLE 1% TOPICAL CREAM
26571	VUSION OINTMENT
30410	ZEASORB AF 2% POWDER

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

24 Antihistamines, First Generation

Antihistamines, First Generation
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihistamines, First Generation
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihistamines, First Generation
Alternate Therapies

Preferred First Generation Antihistamines

GCN	Drug Name
45971	ALER-CAPS 25 MG CAPSULE
46512	ALLER-CHLOR 4 MG TABLET
46071	ALLER-G-TIME 25 MG CAPLET
46071	ALLERGY (DIPHEN) 25 MG CAPLET
46071	ALLERGY (DIPHEN) 25 MG MINITAB
46071	ALLERGY (DIPHEN) 25 MG TABLET
45971	ALLERGY 25 MG CAPSULE
45971	ALLERGY 25 MG SOFTGEL
46071	ALLERGY 25 MG TABLET
46512	ALLERGY 4 MG TABLET
48831	ALLERGY 50 MG/20 ML SOLUTION
46071	ALLERGY MEDICINE 25 MG TABLET
48831	ALLERGY RELIEF 12.5 MG/5 ML
45971	ALLERGY RELIEF 25 MG CAPSULE
45971	ALLERGY RELIEF 25 MG SOFTGEL
46071	ALLERGY RELIEF 25 MG TABLET
48831	ALLERGY RELIEF 25 MG/10 ML
46512	ALLERGY RELIEF 4 MG TABLET
46512	ALLERGY-TIME 4 MG TABLET
45971	BANOPHEN 25 MG CAPSULE
46071	BANOPHEN 25 MG TABLET

GCN	Drug Name
45972	BANOPHEN 50 MG CAPSULE
45971	BENADRYL 25 MG LIQUI-GELS
46071	BENADRYL ALLERGY 25 MG ULTRATB
14949	CARBINOXAMINE 4 MG/5 ML LIQUID
46170	CARBINOXAMINE MALEATE 4 MG TAB
43082	CARBINOXAMINE MALEATE 6 MG TAB
14949	CARBZAH 4 MG/5 ML SOLUTION
48831	CHILD ALLERGY 12.5 MG/5 ML
48831	CHILD ALLERGY RLF 12.5 MG/5 ML
48831	CHILD'S ALLERGY 12.5 MG/5 ML
48831	CHILD'S WAL-DRYL 12.5 MG/5 ML
46512	CHLORHIST 4 MG TABLET
46512	CHLORPHENIRAMINE 4 MG TABLET
46071	COMPLETE ALLERGY 25 MG CAPLET
45971	CVS ALLERGY (DIPHEN) 25 MG CAP
48831	CVS ALLERGY 50 MG/20 ML LIQ
46071	CVS ALLERGY RELIEF 25 MG TAB
46512	CVS ALLERGY RELIEF 4 MG TABLET
48831	CVS CHILD ALLERGY 12.5 MG/5 ML
15803	CYPROHEPTADINE 2 MG/5 ML SOLN
15803	CYPROHEPTADINE 2 MG/5 ML SYRUP
15811	CYPROHEPTADINE 4 MG TABLET
45971	DIMETANE 25 MG SOFTGEL
45972	DIMETANE 50 MG SOFTGEL
48831	DIPHEDRYL 12.5 MG/5 ML ELIXIR

GCN	Drug Name
46071	DIPHEN 25 MG CAPLET
48831	DIPHENHYDRAMINE 12.5 MG/5 ML
48831	DIPHENHYDRAMINE 12.5MG/5ML CUP
46071	DIPHENHYDRAMINE 25 MG CAPLET
45971	DIPHENHYDRAMINE 25 MG CAPSULE
46071	DIPHENHYDRAMINE 25 MG TABLET
48831	DIPHENHYDRAMINE 25 MG/10ML CUP
45972	DIPHENHYDRAMINE 50 MG CAPSULE
45971	EQ ALLERGY RELIEF 25 MG CAP
46071	EQ ALLERGY RELIEF 25 MG TABLET
48831	EQ CHILD ALLERGY 12.5 MG/5 ML
46512	EQ CHLORTABS 4 MG TABLET
45971	EQL ALLERGY (DIPHEN) 25 MG CAP
46071	EQL ALLERGY (DIPHEN) 25 MG TAB
46512	EQL ALLERGY 4 MG TABLET
48831	EQL CHILD ALLERGY 12.5 MG/5 ML
46512	FT ALLERGY (CHLORPHEN) 4 MG TB
45971	FT ALLERGY (DIPHEN) 25 MG CAP
46071	FT ALLERGY (DIPHEN) 25 MG TAB
48831	FT CHILD ALLERGY 12.5 MG/5 ML
48831	GERI-DRYL 12.5 MG/5 ML LIQUID
46071	GERI-DRYL 25 MG TABLET
45971	GNP ALLERGY 25 MG SOFTGEL
46071	GNP ALLERGY 25 MG TABLET
45971	GNP ALLERGY RELIEF 25 MG CAP

GCN	Drug Name
45971	GNP ALLERGY RELIEF 25 MG SFGL
46071	GNP ALLERGY RELIEF 25 MG TAB
46512	GNP ALLERGY RELIEF 4 MG TABLET
48831	GNP ALLERGY RELIEF 50 MG/20 ML
48831	GNP CHILD ALLERGY 12.5 MG/5 ML
48831	GNP DIPHEDRYL 12.5 MG/5 ML ELX
46512	GS ALLERGY (CHLORPHEN) 4 MG TB
45971	GS ALLERGY (DIPHEN) 25 MG CAP
46071	GS ALLERGY (DIPHEN) 25 MG TAB
48831	GS CHILD ALLERGY 12.5 MG/5 ML
36886	HISTEX 2.5 MG/5 ML SYRUP
36284	HISTEX PD 0.938 MG/ML DROP
43586	HISTEX PD 1.25 MG/ML DROP
45971	HM ALLERGY RELIEF 25 MG CAP
46071	HM ALLERGY RELIEF 25 MG TABLET
46512	HM ALLERGY RELIEF 4 MG TABLET
13932	HYDROXYZINE 10 MG/5 ML CUP
13932	HYDROXYZINE 10 MG/5 ML SOLN
13932	HYDROXYZINE 10 MG/5 ML SYRUP
13932	HYDROXYZINE 25 MG/12.5 ML CUP
38217	HYDROXYZINE 50 MG/25 ML CUP
13941	HYDROXYZINE HCL 10 MG TABLET
13943	HYDROXYZINE HCL 25 MG TABLET
13944	HYDROXYZINE HCL 50 MG TABLET
13951	HYDROXYZINE PAM 100 MG CAP

GCN	Drug Name
13952	HYDROXYZINE PAM 25 MG CAP
13953	HYDROXYZINE PAM 50 MG CAP
48831	KRO CHILD ALLERGY 12.5 MG/5 ML
48831	MAXALLERGY KIDS 12.5 MG/5 ML
48831	M-DRYL 12.5 MG/5 ML SOLUTION
46071	NIGHT ALLERGY RLF 25 MG CAPLET
31501	PEDIACLEAR PD 0.625 MG/ML DROP
46798	PEDIACLEAR-8 12.5 MG/15 ML LIQ
46512	PHARBECHLOR 4 MG TABLET
45971	PHARBEDRYL 25 MG CAPSULE
45972	PHARBEDRYL 50 MG CAPSULE
48831	PUB ALLERGY 12.5 MG/5 ML LIQ
45971	PUB ALLERGY 25 MG CAPSULE
46071	PUB ALLERGY 25 MG TABLET
46512	QC ALLERGY (CHLORPHEN) 4 MG TB
45971	QC ALLERGY (DIPHEN) 25 MG CAP
45971	QC ALLERGY (DIPHEN) 25 MG SFGL
46071	QC ALLERGY (DIPHEN) 25 MG TAB
48831	QC CHILD ALLERGY 12.5 MG/5 ML
45971	QC COMPLETE ALLERGY 25 MG CAP
46071	RA ALLERGY 25 MG TABLET
45971	RA ALLERGY MED 25 MG CAPSULE
46071	RA ALLERGY MED 25 MG TABLET
45971	RA ALLERGY MED CAPSULE
45971	RA ALLERGY RELIEF 25 MG CAP

GCN	Drug Name
46512	RA ALLERGY RELIEF 4 MG TABLET
48831	RA CHILD ALLERGY 12.5 MG/5 ML
46512	RA CHLORPHENIRAMINE 4 MG TAB
46071	RA COMPLETE ALLERGY 25 MG CPLT
48831	RA DIPHEDRYL 12.5 MG/5 ML ELIX
48831	RA DIPHEDRYL 12.5 MG/5 ML LIQ
48831	SILADRYL 12.5 MG/5 ML LIQUID
45971	SM ALLERGY (DIPHEN) 25 MG CAP
46071	SM ALLERGY (DIPHEN) 25 MG TAB
46512	SM ALLERGY 4 MG TABLET
48831	SM ALLERGY RELIEF 12.5 MG/5 ML
48831	SM CHILD ALLERGY 12.5 MG/5 ML
36284	TRIPROLIDINE 0.938 MG/ML DROPS
48831	WAL-DRYL ALLERGY 12.5 MG/5 ML
45971	WAL-DRYL ALLERGY 25 MG CAPSULE
46071	WAL-DRYL ALLERGY 25 MG MINITAB
45971	WAL-DRYL ALLERGY 25 MG SOFTGEL
46512	WAL-FINATE 4 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

25 Antihistamines, Minimally Sedating

Antihistamines, Minimally Sedating
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihistamines, Minimally Sedating
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihistamines, Minimally Sedating
Alternate Therapies

Preferred Minimally Sedating Antihistamines

GCN	Drug Name
49291	24HOUR ALLERGY 10 MG TABLET
49291	ALL DAY ALLERGY 10 MG TABLET
60563	ALLERCLEAR 10 MG TABLET
60563	ALLERGY (LORATADINE) 10 MG TAB
49291	ALLERGY 10 MG TABLET
49291	ALLERGY RELIEF 10 MG TABLET
60563	ALLERGY RELIEF 10 MG TABLET
60562	ALLERGY RELIEF 5 MG/5 ML SOLN
49291	ALLERGY RLF (CETRZN) 10 MG TAB
49292	ALLERGY RLF (CETRZN) 5 MG TAB
49291	ALLER-TEC 10 MG TABLET
49290	CETIRIZINE HCL 1 MG/ML SOLN
49290	CETIRIZINE HCL 1 MG/ML SYRUP
49291	CETIRIZINE HCL 10 MG TABLET
49292	CETIRIZINE HCL 5 MG TABLET
49290	CHILD ALL DAY ALLERGY 1 MG/ML
60562	CHILD ALLERGY 5 MG/5 ML SOLN
49290	CHILD ALLERGY RELIEF 1 MG/ML
60562	CHILD ALLERGY RELIEF 5 MG/5 ML
49290	CHILD CETIRIZINE HCL 1 MG/ML
60562	CHILD LORATADINE 5 MG/5 ML SOL

GCN	Drug Name
60562	CHILD LORATADINE 5 MG/5 ML SYR
60562	CHILD WAL-ITIN 5 MG/5 ML SOLN
60562	CHILD WAL-ITIN 5 MG/5 ML SYRUP
49290	CHILD WAL-ZYR 1 MG/ML SOLUTION
49290	CHILD'S ALLER-TEC 1 MG/ML SOLN
60563	CLARITIN 10 MG TABLET
49291	CVS ALLERGY (CETRZN) 10 MG TAB
60563	CVS ALLERGY (LORAT) 10 MG TAB
60562	CVS CHILD ALLERGY 5 MG/5 ML
49290	CVS CHILD ALLERGY RELF 1 MG/ML
49290	CVS CHILD ALLERGY RLF 1 MG/ML
60563	EQ ALLERGY (LORAT) 10 MG TAB
49290	EQ ALLERGY RELIEF 1 MG/ML SOLN
49291	EQ ALLERGY RELIEF 10 MG TABLET
60562	EQ CHILD ALLERGY 5 MG/5 ML SOL
49290	EQ CHILD ALLERGY RELF 1 MG/ML
60562	EQ CHILD ALLERGY RELIEF SOLN
49290	EQ CHILD CETIRIZINE 1 MG/ML
49291	EQL ALL DAY ALLERGY 10 MG TAB
49291	EQL ALLERGY (CETRZN) 10 MG TAB
60563	EQL ALLERGY RELIEF 10 MG TAB
60562	EQL CHILD ALLERGY (LORAT) SOLN
49291	FT AD ALLERGY (CETRZN) 10MG TB
60563	FT AD ALLERGY (LORAT) 10 MG TB
49291	FT ALLERGY (CETRZN) 10 MG TAB

GCN	Drug Name
60563	FT ALLERGY (LORAT) 10 MG TAB
49290	FT CHILD ALL DAY ALLER 1 MG/ML
60562	FT CHILD ALLERGY 5 MG/5 ML SOL
49290	FT CHILD ALLERGY RLF 1 MG/ML
49291	GNP ALL DAY ALLERGY 10 MG TAB
60562	GNP ALLERGY RELF 5 MG/5 ML SLN
60562	GNP CHILD LORATADINE 5 MG/5 ML
49290	GNP CHLD ALL DAY ALLER 1 MG/ML
60562	GNP CHLD LORATADINE 5 MG/5 ML
60563	GNP LORATADINE 10 MG TABLET
60562	GNP LORATADINE 5 MG/5 ML SYRUP
49291	GS ALL DAY ALLERGY 10 MG TAB
60563	GS ALLERGY (LORAT) 10 MG TAB
60563	GS ALLERGY RELIEF 10 MG TABLET
49290	GS CHILD ALL DAY ALLER 1 MG/ML
60562	GS CHILD ALLERGY RLF 5 MG/5 ML
49291	HM ALLERGY RELIEF 10 MG TABLET
49290	HM CHILD ALL DAY ALLER 1 MG/ML
60563	HM LORATADINE 10 MG TABLET
60563	LORADAMED 10 MG TABLET
60563	LORATADINE 10 MG TABLET
60562	LORATADINE 5 MG/5 ML SOLUTION
60562	LORATADINE 5 MG/5 ML SYRUP
49291	PUB ALLERGY RELIEF 10 MG TAB
60563	PUB ALLERGY RELIEF 10 MG TAB

GCN	Drug Name
49290	PUB CHILDREN'S ALLERGY 1 MG/ML
49291	QC ALLERGY (CETRZN) 10 MG TAB
60563	QC ALLERGY (LORAT) 10 MG TAB
49291	RA ALLERGY RELIEF 10 MG TABLET
60563	RA ALLERGY RELIEF 10 MG TABLET
49291	RA CETIRIZINE HCL 10 MG TABLET
60562	RA CHILD ALLERGY 5 MG/5 ML SOL
49290	RA CHILD ALLERGY RELF 1 MG/ML
60563	RA LORATADINE 10 MG TABLET
49291	SM ALL DAY ALLERGY 10 MG TAB
60563	SM ALL DAY ALLERGY 10 MG TAB
49290	SM CHILD ALL DAY ALLER 1 MG/ML
60562	SM CHILD ALLERGY 5 MG/5 ML SOL
60562	SM LORATADINE 5 MG/5 ML SYRUP
49291	SW ALLERGY RELIEF 10 MG TAB
60563	WAL-ITIN 10 MG TABLET
60562	WAL-ITIN 5 MG/5 ML SYRUP
49291	WAL-ZYR 10 MG TABLET
49290	WAL-ZYR SOLUTION

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

26 Antihypertensives, Sympatholytics

Antihypertensives, Sympatholytics Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihypertensives, Sympatholytics Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihypertensives, Sympatholytics Alternate Therapies

Preferred Antihypertensives, Sympatholytics

GCN	Drug Name
23870	CLONIDINE 0.1 MG/DAY PATCH
23871	CLONIDINE 0.2 MG/DAY PATCH
23872	CLONIDINE 0.3 MG/DAY PATCH
01390	CLONIDINE HCL 0.1 MG TABLET
01391	CLONIDINE HCL 0.2 MG TABLET
01392	CLONIDINE HCL 0.3 MG TABLET
32480	GUANFACINE 1 MG TABLET
32481	GUANFACINE 2 MG TABLET
01431	METHYLDOPA 250 MG TABLET
01432	METHYLDOPA 500 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

27 Antihyperuricemics

Antihyperuricemics
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihyperuricemics
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antihyperuricemics Alternate Therapies

Preferred Antihyperuricemics

GCN	Drug Name
07070	ALLOPURINOL 100 MG TABLET
07071	ALLOPURINOL 300 MG TABLET
37202	MITIGARE 0.6 MG CAPSULE
35072	PROBENECID 500 MG TABLET
14029	PROBENECID-COLCHICINE TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

28 Antimigraine Agents, Non-Triptans

Antimigraine Agents, Non-Triptans
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antimigraine Agents, Non-Triptans
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antimigraine Agents, Non-Triptans
Alternate Therapies

Preferred Antimigraine Agents, Non-Triptans

GCN	Drug Name
46116	AIMOVIG 140 MG/ML AUTOINJECTOR
44753	AIMOVIG 70 MG/ML AUTOINJECTOR
47862	AJOVY 225 MG/1.5 ML AUTOINJECT
45306	AJOVY 225 MG/1.5 ML SYRINGE
40418	EMGALITY 120 MG/ML PEN
40419	EMGALITY 120 MG/ML SYRINGE
47762	NURTEC ODT 75 MG TABLET
51231	QULIPTA 10 MG TABLET
51232	QULIPTA 30 MG TABLET
51236	QULIPTA 60 MG TABLET
47478	UBRELVY 100 MG TABLET
47477	UBRELVY 50 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

29 Antimigraine Agents, Triptans

Antimigraine Agents, Triptans
Prior Authorization Criteria

1. Has the client failed a 3-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antimigraine Agents, Triptans
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antimigraine Agents, Triptans Alternate Therapies

Preferred Antimigraine Agents, Triptans

GCN	Drug Name
14977	FROVA 2.5 MG TABLET
26667	IMITREX 4 MG/0.5 ML CARTRIDGES
26666	IMITREX 4 MG/0.5 ML PEN INJECT
24708	IMITREX 6 MG/0.5 ML CARTRIDGES
50741	IMITREX 6 MG/0.5 ML PEN INJECT
19594	MAXALT MLT 10 MG TABLET
81112	NARATRIPTAN HCL 1 MG TABLET
81111	NARATRIPTAN HCL 2.5 MG TABLET
15173	RELPAX 20 MG TABLET
15174	RELPAX 40 MG TABLET
19594	RIZATRIPTAN 10 MG ODT
19592	RIZATRIPTAN 10 MG TABLET
19593	RIZATRIPTAN 5 MG ODT
19591	RIZATRIPTAN 5 MG TABLET
50744	SUMATRIPTAN 20 MG NASAL SPRAY
50740	SUMATRIPTAN 5 MG NASAL SPRAY
05701	SUMATRIPTAN SUCC 100 MG TABLET
05702	SUMATRIPTAN SUCC 25 MG TABLET
05700	SUMATRIPTAN SUCC 50 MG TABLET
46131	ZOLMITRIPTAN 2.5 MG TABLET
46132	ZOLMITRIPTAN 5 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

30 Antiparasitics, Topical

Antiparasitics, Topical
Prior Authorization Criteria

1. Has the client failed a 1-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antiparasitics, Topical
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antiparasitics, Topical
Alternate Therapies

Preferred Antiparasitics, Topical

GCN	Drug Name
33622	COMPLETE LICE TREATMENT KIT
91071	CVS LICE KILLING SHAMPOO
33622	CVS LICE SOLUTION KIT
44520	CVS LICE TREATMENT 1% CRM RINS
33622	EQ COMPLETE LICE TREATMENT KIT
91071	EQ LICE KILLING SHAMPOO
91071	FT LICE KILLING SHAMPOO
91071	GNP LICE KILLING SHAMPOO
44520	GNP LICE TREATMENT 1% CRM RINS
91071	GNP LICE TREATMENT SHAMPOO
33622	GS COMPLETE LICE TREATMENT KIT
44520	GS LICE KILLING 1 % CRM RINSE
91071	GS LICE KILLING SHAMPOO
33622	KRO LICE COMPLETE KIT 1-2-3
91071	KRO LICE KILLING SHAMPOO
91071	LICE KILLING SHAMPOO
44520	LICE TREATMENT 1% CREME RINSE
44370	PERMETHRIN 5% CREAM
91071	QC LICE KILLING SHAMPOO
91071	RA LICE PYRINYL SHAMPOO
33622	RA LICE SOLUTION KIT

GCN	Drug Name
44520	RA LICE TREATMENT 1% CRM RINSE
33622	RID COMPLETE 1-2-3 LICE KIT
33622	RID COMPLETE LICE KIT
91071	RID ESSENTIAL LICE KIT
91071	RID LICE KILLING SHAMPOO
91071	SB LICE KILLING SHAMPOO
31394	SKLICE 0.5% LOTION
91071	SM LICE KILLING SHAMPOO
44520	SM LICE TREATMENT 1% CRM RINSE
29436	SPINOSAD 0.9% TOPICAL SUSP
45287	VANALICE GEL

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

31 Antiparkinson's Agents

Antiparkinson's Agents
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antiparkinson's Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antiparkinson's Agents
Alternate Therapies

Preferred Antiparkinson's Agents

GCN	Drug Name
17520	AMANTADINE 100 MG CAPSULE
17521	AMANTADINE 100 MG TABLET
17530	AMANTADINE 100 MG/10 ML CUP
17530	AMANTADINE 50 MG/5 ML SOLN CUP
17530	AMANTADINE 50 MG/5 ML SOLUTION
42078	APOKYN 30 MG/3 ML CARTRIDGE
27081	AZILECT 0.5 MG TABLET
24654	AZILECT 1 MG TABLET
17620	BENZTROPINE MES 0.5 MG TAB
17621	BENZTROPINE MES 1 MG TABLET
17622	BENZTROPINE MES 2 MG TABLET
62592	CARBIDOPA-LEVO ER 25-100 TAB
62591	CARBIDOPA-LEVO ER 50-200 TAB
20146	CARBIDOPA-LEVODOPA 100 MG-ENTA
62740	CARBIDOPA-LEVODOPA 10-100 TAB
14474	CARBIDOPA-LEVODOPA 125 MG-ENTA
20145	CARBIDOPA-LEVODOPA 150 MG-ENTA
98948	CARBIDOPA-LEVODOPA 200 MG-ENTA
62741	CARBIDOPA-LEVODOPA 25-100 TAB
62742	CARBIDOPA-LEVODOPA 25-250 TAB
20150	CARBIDOPA-LEVODOPA 50 MG-ENTA

GCN	Drug Name
14473	CARBIDOPA-LEVODOPA 75 MG-ENTA
50692	LODOSYN 25 MG TABLET
19873	PRAMIPEXOLE 0.125 MG TABLET
19874	PRAMIPEXOLE 0.25 MG TABLET
19875	PRAMIPEXOLE 0.5 MG TABLET
98973	PRAMIPEXOLE 0.75 MG TABLET
19871	PRAMIPEXOLE 1 MG TABLET
19872	PRAMIPEXOLE 1.5 MG TABLET
34100	ROPINIROLE HCL 0.25 MG TABLET
34104	ROPINIROLE HCL 0.5 MG TABLET
34101	ROPINIROLE HCL 1 MG TABLET
34102	ROPINIROLE HCL 2 MG TABLET
93048	ROPINIROLE HCL 3 MG TABLET
93038	ROPINIROLE HCL 4 MG TABLET
34103	ROPINIROLE HCL 5 MG TABLET
55311	TASMAR 100 MG TABLET
17561	TRIHEXYPHENIDYL 2 MG TABLET
17550	TRIHEXYPHENIDYL 2 MG/5 ML SOLN
17563	TRIHEXYPHENIDYL 5 MG TABLET
22783	ZELAPAR 1.25 MG ODT TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

32 Antipsychotics

Antipsychotics
Prior Authorization Criteria

1. Has the client been stable on a non-preferred in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Has the client been prescribed and is taking a non-preferred agent before being discharged from an inpatient facility?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Will the client be at risk of experiencing complications from switching from a non-preferred drug to another drug?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #5)

5. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #6)

6. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antipsychotics
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antipsychotics
Alternate Therapies

Preferred Antipsychotics

GCN	Drug Name
18537	ARIPIPRAZOLE 10 MG TABLET
18538	ARIPIPRAZOLE 15 MG TABLET
26305	ARIPIPRAZOLE 2 MG TABLET
18539	ARIPIPRAZOLE 20 MG TABLET
18541	ARIPIPRAZOLE 30 MG TABLET
20173	ARIPIPRAZOLE 5 MG TABLET
52616	CAPLYTA 10.5 MG CAPSULE
52617	CAPLYTA 21 MG CAPSULE
47492	CAPLYTA 42 MG CAPSULE
14431	CHLORPROMAZINE 10 MG TABLET
14434	CHLORPROMAZINE 100 MG TABLET
14390	CHLORPROMAZINE 100 MG/ML CONC
14435	CHLORPROMAZINE 200 MG TABLET
14432	CHLORPROMAZINE 25 MG TABLET
14331	CHLORPROMAZINE 25 MG/ML AMP
14421	CHLORPROMAZINE 25 MG/ML VIAL
14391	CHLORPROMAZINE 30 MG/ML CONC
14433	CHLORPROMAZINE 50 MG TABLET
14331	CHLORPROMAZINE 50 MG/2 ML AMP
14421	CHLORPROMAZINE 50 MG/2 ML VIAL
18142	CLOZAPINE 100 MG TABLET

GCN	Drug Name
31672	CLOZAPINE 200 MG TABLET
18141	CLOZAPINE 25 MG TABLET
18143	CLOZAPINE 50 MG TABLET
14602	FLUPHENAZINE 1 MG TABLET
14603	FLUPHENAZINE 10 MG TABLET
14604	FLUPHENAZINE 2.5 MG TABLET
14580	FLUPHENAZINE 2.5 MG/5 ML ELIX
14571	FLUPHENAZINE 2.5 MG/ML VIAL
14605	FLUPHENAZINE 5 MG TABLET
14590	FLUPHENAZINE 5 MG/ML CONC
15530	HALOPERIDOL 0.5 MG TABLET
15531	HALOPERIDOL 1 MG TABLET
15532	HALOPERIDOL 10 MG TABLET
15533	HALOPERIDOL 2 MG TABLET
15534	HALOPERIDOL 20 MG TABLET
15535	HALOPERIDOL 5 MG TABLET
14801	HALOPERIDOL DEC 100 MG/ML AMP
14781	HALOPERIDOL DEC 100 MG/ML VIAL
14780	HALOPERIDOL DEC 250 MG/5 ML VL
14800	HALOPERIDOL DEC 50 MG/ML AMPUL
14780	HALOPERIDOL DEC 50 MG/ML VIAL
14781	HALOPERIDOL DEC 500 MG/5 ML VL
15520	HALOPERIDOL LAC 10 MG/5 ML CUP
15520	HALOPERIDOL LAC 2 MG/ML CONC
33147	LURASIDONE HCL 120 MG TABLET

GCN	Drug Name
31226	LURASIDONE HCL 20 MG TABLET
29366	LURASIDONE HCL 40 MG TABLET
35192	LURASIDONE HCL 60 MG TABLET
29367	LURASIDONE HCL 80 MG TABLET
44963	NUPLAZID 34 MG CAPSULE
15082	OLANZAPINE 10 MG TABLET
15085	OLANZAPINE 15 MG TABLET
15084	OLANZAPINE 2.5 MG TABLET
15086	OLANZAPINE 20 MG TABLET
15083	OLANZAPINE 5 MG TABLET
15081	OLANZAPINE 7.5 MG TABLET
92008	OLANZAPINE ODT 10 MG TABLET
34022	OLANZAPINE ODT 15 MG TABLET
34023	OLANZAPINE ODT 20 MG TABLET
92007	OLANZAPINE ODT 5 MG TABLET
16674	PERPHEN-AMITRIP 2 MG-10 MG TAB
16676	PERPHEN-AMITRIP 2 MG-25 MG TAB
16675	PERPHEN-AMITRIP 4 MG-10 MG TAB
16677	PERPHEN-AMITRIP 4 MG-25 MG TAB
16678	PERPHEN-AMITRIP 4 MG-50 MG TAB
14650	PERPHENAZINE 16 MG TABLET
14651	PERPHENAZINE 2 MG TABLET
14652	PERPHENAZINE 4 MG TABLET
14653	PERPHENAZINE 8 MG TABLET
93088	QUETIAPINE 150 MG TABLET

GCN	Drug Name
67662	QUETIAPINE FUMARATE 100 MG TAB
67663	QUETIAPINE FUMARATE 200 MG TAB
67661	QUETIAPINE FUMARATE 25 MG TAB
67665	QUETIAPINE FUMARATE 300 MG TAB
26411	QUETIAPINE FUMARATE 400 MG TAB
26409	QUETIAPINE FUMARATE 50 MG TAB
38278	REXULTI 0.25 MG TABLET
38476	REXULTI 0.5 MG TABLET
38589	REXULTI 1 MG TABLET
38609	REXULTI 2 MG TABLET
38618	REXULTI 3 MG TABLET
38619	REXULTI 4 MG TABLET
92872	RISPERIDONE 0.25 MG TABLET
92892	RISPERIDONE 0.5 MG TABLET
16136	RISPERIDONE 1 MG TABLET
16135	RISPERIDONE 1 MG/ML SOLUTION
16137	RISPERIDONE 2 MG TABLET
16135	RISPERIDONE 2 MG/2 ML SOLN CUP
16138	RISPERIDONE 3 MG TABLET
16139	RISPERIDONE 4 MG TABLET
14882	THIORIDAZINE 10 MG TABLET
14883	THIORIDAZINE 100 MG TABLET
14880	THIORIDAZINE 25 MG TABLET
14881	THIORIDAZINE 50 MG TABLET
15690	THIOTHIXENE 1 MG CAPSULE

GCN	Drug Name
15691	THIOTHIXENE 10 MG CAPSULE
15692	THIOTHIXENE 2 MG CAPSULE
15694	THIOTHIXENE 5 MG CAPSULE
14830	TRIFLUOPERAZINE 1 MG TABLET
14831	TRIFLUOPERAZINE 10 MG TABLET
14832	TRIFLUOPERAZINE 2 MG TABLET
14833	TRIFLUOPERAZINE 5 MG TABLET
58649	VRAYLAR 0.5 MG CAPSULE
58648	VRAYLAR 0.75 MG CAPSULE
39579	VRAYLAR 1.5 MG CAPSULE
39582	VRAYLAR 3 MG CAPSULE
39583	VRAYLAR 4.5 MG CAPSULE
39584	VRAYLAR 6 MG CAPSULE
13331	ZIPRASIDONE HCL 20 MG CAPSULE
13332	ZIPRASIDONE HCL 40 MG CAPSULE
13333	ZIPRASIDONE HCL 60 MG CAPSULE
13334	ZIPRASIDONE HCL 80 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

33 Antipsychotics, Long-Acting Injectables

Antipsychotics, Long-Acting Injectables Prior Authorization Criteria

1. Has the client been stable on a non-preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Has the client been prescribed and is taking a non-preferred agent before being discharged from an inpatient facility?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Will the client be at risk of experiencing complications from switching from a non-preferred drug to another drug?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #5)

5. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #6)

6. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antipsychotics, Long-Acting Injectables Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antipsychotics, Long-Acting Injectables Alternate Therapies

Preferred Long-Acting Injectable Antipsychotics

GCN	Drug Name
54058	ABILIFY ASIMTUFII 720 MG/2.4ML
54059	ABILIFY ASIMTUFII 960 MG/3.2ML
37681	ABILIFY MAINTENA ER 300 MG SYR
34284	ABILIFY MAINTENA ER 300 MG VL
37682	ABILIFY MAINTENA ER 400 MG SYR
34285	ABILIFY MAINTENA ER 400 MG VL
43488	ARISTADA ER 1064 MG/3.9 ML SYR
39726	ARISTADA ER 441 MG/1.6 ML SYRN
39727	ARISTADA ER 662 MG/2.4 ML SYRN
39728	ARISTADA ER 882 MG/3.2 ML SYRN
44941	ARISTADA INITIO ER 675 MG/2.4
27416	ERZOFRI 117 MG/0.75 ML SYRINGE
27417	ERZOFRI 156 MG/ML SYRINGE
27418	ERZOFRI 234 MG/1.5 ML SYRINGE
56074	ERZOFRI 351 MG/2.25 ML SYRINGE
27414	ERZOFRI 39 MG/0.25 ML SYRINGE
27415	ERZOFRI 78 MG/0.5 ML SYRINGE
50889	INVEGA HAFYERA 1,092 MG/3.5 ML
50891	INVEGA HAFYERA 1,560 MG/5 ML
27416	INVEGA SUSTENNA 117 MG/0.75 ML
27417	INVEGA SUSTENNA 156 MG/ML SYRG

GCN	Drug Name
27418	INVEGA SUSTENNA 234 MG/1.5 ML
27414	INVEGA SUSTENNA 39 MG/0.25 ML
27415	INVEGA SUSTENNA 78 MG/0.5 ML
38697	INVEGA TRINZA 273 MG/0.88 ML
38698	INVEGA TRINZA 410 MG/1.32 ML
38699	INVEGA TRINZA 546 MG/1.75 ML
38702	INVEGA TRINZA 819 MG/2.63 ML
45128	PERSERIS ER 120 MG SYRINGE KIT
45127	PERSERIS ER 90 MG POWDER SYRNG
45127	PERSERIS ER 90 MG SYRINGE KIT
98414	RISPERDAL CONSTA 12.5 MG VIAL
20217	RISPERDAL CONSTA 25 MG VIAL
20218	RISPERDAL CONSTA 37.5 MG VIAL
20219	RISPERDAL CONSTA 50 MG VIAL
54104	UZEDY ER 100 MG/0.28 ML SYRING
51479	UZEDY ER 125 MG/0.35 ML SYRING
54105	UZEDY ER 150 MG/0.42 ML SYRING
54106	UZEDY ER 200 MG/0.56 ML SYRING
54107	UZEDY ER 250 MG/0.7 ML SYRINGE
54098	UZEDY ER 50 MG/0.14 ML SYRINGE
54099	UZEDY ER 75 MG/0.21 ML SYRINGE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

34 Antivirals, Oral/Nasal

Antivirals, Oral/Nasal
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antivirals, Oral/Nasal
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antivirals, Oral/Nasal
Alternate Therapies

Preferred Oral/Nasal Antivirals

GCN	Drug Name
43790	ACYCLOVIR 200 MG CAPSULE
43731	ACYCLOVIR 200 MG/5 ML SUSP
33593	ACYCLOVIR 200 MG/5 ML SUSP CUP
13724	ACYCLOVIR 400 MG TABLET
43731	ACYCLOVIR 400 MG/10ML SUSP CUP
13721	ACYCLOVIR 800 MG TABLET
14101	FAMCICLOVIR 125 MG TABLET
14109	FAMCICLOVIR 250 MG TABLET
14108	FAMCICLOVIR 500 MG TABLET
29729	OSELTAMIVIR 6 MG/ML SUSPENSION
98980	OSELTAMIVIR PHOS 30 MG CAPSULE
98981	OSELTAMIVIR PHOS 45 MG CAPSULE
73441	OSELTAMIVIR PHOS 75 MG CAPSULE
52199	PAXLOVID 150-100 MG (MODERATE)
57553	PAXLOVID 300/150-100MG(SEVERE)
51742	PAXLOVID 300-100 MG DOSE PACK
13742	VALACYCLOVIR HCL 1 GRAM TABLET
13740	VALACYCLOVIR HCL 500 MG TABLET
13088	VALGANCICLOVIR 450 MG TABLET
14453	VALGANCICLOVIR HCL 50 MG/ML

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

35 Antivirals, Topical

Antivirals, Topical Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antivirals, Topical Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Antivirals, Topical
Alternate Therapies

Preferred Antivirals, Topical

GCN	Drug Name
62420	ACYCLOVIR 5% CREAM (AG)
31640	ACYCLOVIR 5% OINTMENT
37051	DENAVIR 1% CREAM
12866	DOCOSANOL 10% CREAM
28857	XERESE 5%-1% CREAM
62420	ZOVIRAX 5% CREAM
31640	ZOVIRAX 5% OINTMENT

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

36 Anxiolytics

Anxiolytics
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Anxiolytics
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Anxiolytics
Alternate Therapies

Preferred Anxiolytics

GCN	Drug Name
14260	ALPRAZOLAM 0.25 MG TABLET
14261	ALPRAZOLAM 0.5 MG TABLET
14262	ALPRAZOLAM 1 MG TABLET
14263	ALPRAZOLAM 2 MG TABLET
14160	ATIVAN 0.5 MG TABLET
14161	ATIVAN 1 MG TABLET
14162	ATIVAN 2 MG TABLET
28891	BUSPIRONE HCL 10 MG TABLET
28892	BUSPIRONE HCL 15 MG TABLET
92121	BUSPIRONE HCL 30 MG TABLET
28890	BUSPIRONE HCL 5 MG TABLET
13037	BUSPIRONE HCL 7.5 MG TABLET
14031	CHLORDIAZEPOXIDE 10 MG CAPSULE
14032	CHLORDIAZEPOXIDE 25 MG CAPSULE
14033	CHLORDIAZEPOXIDE 5 MG CAPSULE
14090	CLORAZEPATE 15 MG TABLET
14092	CLORAZEPATE 3.75 MG TABLET
14093	CLORAZEPATE 7.5 MG TABLET
14220	DIAZEPAM 10 MG TABLET
14221	DIAZEPAM 2 MG TABLET
14222	DIAZEPAM 5 MG TABLET

GCN	Drug Name
31551	DIAZEPAM 5 MG/5 ML ORAL CUP
45560	DIAZEPAM 5 MG/5 ML SOLUTION
14160	LORAZEPAM 0.5 MG TABLET
14161	LORAZEPAM 1 MG TABLET
14162	LORAZEPAM 2 MG TABLET
19601	LORAZEPAM 2 MG/ML ORAL CONCENT
19601	LORAZEPAM INTENSOL 2 MG/ML

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

37 Beta Blockers, Oral

Beta Blockers, Oral
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Beta Blockers, Oral
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Beta Blockers, Oral
Alternate Therapies

Preferred Beta Blockers, Oral

GCN	Drug Name
26460	ACEBUTOLOL 200 MG CAPSULE
26461	ACEBUTOLOL 400 MG CAPSULE
20660	ATENOLOL 100 MG TABLET
20662	ATENOLOL 25 MG TABLET
20661	ATENOLOL 50 MG TABLET
66991	ATENOLOL-CHLORTHALIDONE 100-25
66990	ATENOLOL-CHLORTHALIDONE 50-25
39516	BETAPACE 120 MG TABLET
39511	BETAPACE 160 MG TABLET
39513	BETAPACE 240 MG TABLET
39512	BETAPACE 80 MG TABLET
63820	BISOPROLOL FUMARATE 10 MG TAB
92577	BISOPROLOL FUMARATE 2.5 MG TAB
63821	BISOPROLOL FUMARATE 5 MG TAB
45063	BISOPROLOL-HCTZ 10-6.25 MG TAB
45061	BISOPROLOL-HCTZ 2.5-6.25 MG TB
45062	BISOPROLOL-HCTZ 5-6.25 MG TAB
99236	BYSTOLIC 10 MG TABLET
99235	BYSTOLIC 2.5 MG TABLET
18703	BYSTOLIC 20 MG TABLET
07055	BYSTOLIC 5 MG TABLET

GCN	Drug Name
01552	CARVEDILOL 12.5 MG TABLET
01551	CARVEDILOL 25 MG TABLET
01553	CARVEDILOL 3.125 MG TABLET
01554	CARVEDILOL 6.25 MG TABLET
97596	COREG CR 10 MG CAPSULE
97597	COREG CR 20 MG CAPSULE
97598	COREG CR 40 MG CAPSULE
97599	COREG CR 80 MG CAPSULE
36526	HEMANGEOL 4.28 MG/ML ORAL SOLN
03231	INDERAL LA 120 MG CAPSULE
03232	INDERAL LA 160 MG CAPSULE
03233	INDERAL LA 60 MG CAPSULE
03230	INDERAL LA 80 MG CAPSULE
19359	INDERAL XL 120 MG CAPSULE
20621	INDERAL XL 80 MG CAPSULE
19359	INNOPRAN XL 120 MG CAPSULE
20621	INNOPRAN XL 80 MG CAPSULE
10342	LABETALOL HCL 100 MG TABLET
10341	LABETALOL HCL 200 MG TABLET
10340	LABETALOL HCL 300 MG TABLET
10343	LABETALOL HCL 400 MG TABLET
20742	METOPROLOL SUCC ER 100 MG TAB
20743	METOPROLOL SUCC ER 200 MG TAB
12947	METOPROLOL SUCC ER 25 MG TAB
20741	METOPROLOL SUCC ER 50 MG TAB

GCN	Drug Name
20641	METOPROLOL TARTRATE 100 MG TAB
58348	METOPROLOL TARTRATE 12.5 MG TB
17734	METOPROLOL TARTRATE 25 MG TAB
37653	METOPROLOL TARTRATE 37.5 MG TB
20642	METOPROLOL TARTRATE 50 MG TAB
37656	METOPROLOL TARTRATE 75 MG TAB
20630	PROPRANOLOL 10 MG TABLET
20631	PROPRANOLOL 20 MG TABLET
45260	PROPRANOLOL 20 MG/5 ML SOLN
45260	PROPRANOLOL 20 MG/5ML SOLN CUP
20632	PROPRANOLOL 40 MG TABLET
45261	PROPRANOLOL 40 MG/5 ML SOLN
20633	PROPRANOLOL 60 MG TABLET
20634	PROPRANOLOL 80 MG TABLET
39516	SOTALOL 120 MG TABLET
39511	SOTALOL 160 MG TABLET
39513	SOTALOL 240 MG TABLET
39512	SOTALOL 80 MG TABLET
39516	SOTALOL AF 120 MG TABLET
39511	SOTALOL AF 160 MG TABLET
39512	SOTALOL AF 80 MG TABLET
20660	TENORMIN 100 MG TABLET
20662	TENORMIN 25 MG TABLET
20661	TENORMIN 50 MG TABLET
20670	TIMOLOL MALEATE 10 MG TABLET

GCN	Drug Name
20671	TIMOLOL MALEATE 20 MG TABLET
20672	TIMOLOL MALEATE 5 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

38 Bile Salts

Bile Salts
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bile Salts
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bile Salts
Alternate Therapies

Preferred Bile Salts

GCN	Drug Name
17730	URSO FORTE 500 MG TABLET
01072	URSODIOL 250 MG TABLET
01070	URSODIOL 300 MG CAPSULE
17730	URSODIOL 500 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

39 Bladder Relaxant Preparations

Bladder Relaxant Preparations Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bladder Relaxant Preparations Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bladder Relaxant Preparations Alternate Therapies

Preferred Bladder Relaxant Preparations

GCN	Drug Name
99711	FESOTERODINE ER 4 MG TABLET
99712	FESOTERODINE ER 8 MG TABLET
19360	FLAVOXATE HCL 100 MG TABLET
32766	MYRBETRIQ ER 25 MG TABLET
32767	MYRBETRIQ ER 50 MG TABLET
49454	MYRBETRIQ ER 8 MG/ML SUSP
19380	OXYBUTYNIN 5 MG TABLET
19370	OXYBUTYNIN 5 MG/5 ML SOLN CUP
19370	OXYBUTYNIN 5 MG/5 ML SOLUTION
19370	OXYBUTYNIN 5 MG/5 ML SYRUP
19389	OXYBUTYNIN CL ER 10 MG TABLET
93557	OXYBUTYNIN CL ER 15 MG TABLET
19388	OXYBUTYNIN CL ER 5 MG TABLET
19363	OXYTROL 3.9 MG/24HR PATCH
23277	SOLIFENACIN 10 MG TABLET
23276	SOLIFENACIN 5 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

40 Bone Resorption Suppression and Related Agents

Bone Resorption Suppression and Related Agents Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bone Resorption Suppression and Related Agents Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bone Resorption Suppression and Related Agents Alternate Therapies

Preferred Bone Resorption Suppression and Related Agents

GCN	Drug Name
21680	ALENDRONATE SODIUM 10 MG TABLET
12389	ALENDRONATE SODIUM 35 MG TABLET
21682	ALENDRONATE SODIUM 5 MG TABLET
85361	ALENDRONATE SODIUM 70 MG TABLET
23281	CALCITONIN-SALMON 200 UNIT SPR
14404	FORTEO 560 MCG/2.24 ML PEN INJ
24444	IBANDRONATE SODIUM 150 MG TABLET
59011	RALOXIFENE HCL 60 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

41 BPH Agents

BPH Agents
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

BPH Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

BPH Agents
Alternate Therapies

Preferred BPH Agents

GCN	Drug Name
92024	ALFUZOSIN HCL ER 10 MG TABLET
33431	CARDURA 1 MG TABLET
33432	CARDURA 2 MG TABLET
33433	CARDURA 4 MG TABLET
33434	CARDURA 8 MG TABLET
91985	CARDURA XL 4 MG TABLET
84848	CARDURA XL 8 MG TABLET
33431	DOXAZOSIN MESYLATE 1 MG TAB
33432	DOXAZOSIN MESYLATE 2 MG TAB
33433	DOXAZOSIN MESYLATE 4 MG TAB
33434	DOXAZOSIN MESYLATE 8 MG TAB
30521	FINASTERIDE 5 MG TABLET
48191	TAMSULOSIN HCL 0.4 MG CAPSULE
47124	TERAZOSIN 1 MG CAPSULE
47127	TERAZOSIN 10 MG CAPSULE
47125	TERAZOSIN 2 MG CAPSULE
47126	TERAZOSIN 5 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

42 Bronchodilators, Beta Agonist

Bronchodilators, Beta Agonist
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bronchodilators, Beta Agonist
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Bronchodilators, Beta Agonist
Alternate Therapies

Preferred Bronchodilators, Beta Agonist

GCN	Drug Name
41680	ALBUTEROL 100 MG/20 ML SOLN
41680	ALBUTEROL 15 MG/3 ML SOLUTION
22780	ALBUTEROL 2 MG/5 ML SYRUP CUP
22697	ALBUTEROL 2.5 MG/0.5 ML SOL
41680	ALBUTEROL 25 MG/5 ML SOLUTION
41680	ALBUTEROL 75 MG/15 ML SOLN
22780	ALBUTEROL 8 MG/20 ML SYRUP CUP
14633	ALBUTEROL SUL 0.63 MG/3 ML SOL
14634	ALBUTEROL SUL 1.25 MG/3 ML SOL
41681	ALBUTEROL SUL 2.5 MG/3 ML SOLN
22780	ALBUTEROL SULF 2 MG/5 ML SYRUP
64012	SEREVENT DISKUS 50 MCG
22913	VENTOLIN HFA 90 MCG INHALER
24422	XOPENEX HFA 45 MCG INHALER

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

43 Calcium Channel Blockers

Calcium Channel Blockers
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Calcium Channel Blockers Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Calcium Channel Blockers Alternate Therapies

Preferred Calcium Channel Blockers

GCN	Drug Name
02682	AMLODIPINE BESYLATE 10 MG TAB
02681	AMLODIPINE BESYLATE 2.5 MG TAB
02683	AMLODIPINE BESYLATE 5 MG TAB
02326	CARTIA XT 120 MG CAPSULE
02323	CARTIA XT 180 MG CAPSULE
02324	CARTIA XT 240 MG CAPSULE
02325	CARTIA XT 300 MG CAPSULE
07463	DILT XR 120 MG CAPSULE
07461	DILT XR 180 MG CAPSULE
07462	DILT XR 240 MG CAPSULE
02363	DILTIAZEM 120 MG TABLET
02321	DILTIAZEM 12HR ER 120 MG CAP
02322	DILTIAZEM 12HR ER 60 MG CAP
02320	DILTIAZEM 12HR ER 90 MG CAP
02326	DILTIAZEM 24H ER(CD) 120 MG CP
02323	DILTIAZEM 24H ER(CD) 180 MG CP
02324	DILTIAZEM 24H ER(CD) 240 MG CP
02325	DILTIAZEM 24H ER(CD) 300 MG CP
07460	DILTIAZEM 24H ER(CD) 360 MG CP
07463	DILTIAZEM 24H ER(XR) 120 MG CP
07461	DILTIAZEM 24H ER(XR) 180 MG CP

GCN	Drug Name
07462	DILTIAZEM 24H ER(XR) 240 MG CP
02330	DILTIAZEM 24HR ER 120 MG CAP
02329	DILTIAZEM 24HR ER 180 MG CAP
02332	DILTIAZEM 24HR ER 240 MG CAP
02333	DILTIAZEM 24HR ER 300 MG CAP
02328	DILTIAZEM 24HR ER 360 MG CAP
94691	DILTIAZEM 24HR ER 420 MG CAP
02360	DILTIAZEM 30 MG TABLET
02361	DILTIAZEM 60 MG TABLET
02362	DILTIAZEM 90 MG TABLET
02622	FELODIPINE ER 10 MG TABLET
02620	FELODIPINE ER 2.5 MG TABLET
02621	FELODIPINE ER 5 MG TABLET
02350	NIFEDIPINE 10 MG CAPSULE
02351	NIFEDIPINE 20 MG CAPSULE
02221	NIFEDIPINE ER 30 MG TABLET
02226	NIFEDIPINE ER 30 MG TABLET
02222	NIFEDIPINE ER 60 MG TABLET
02227	NIFEDIPINE ER 60 MG TABLET
02223	NIFEDIPINE ER 90 MG TABLET
02228	NIFEDIPINE ER 90 MG TABLET
46882	NORLIQVA 1 MG/ML SOLUTION
02682	NORVASC 10 MG TABLET
02681	NORVASC 2.5 MG TABLET
02683	NORVASC 5 MG TABLET

GCN	Drug Name
02330	TIAZAC ER 120 MG CAPSULE
02329	TIAZAC ER 180 MG CAPSULE
02332	TIAZAC ER 240 MG CAPSULE
02333	TIAZAC ER 300 MG CAPSULE
02328	TIAZAC ER 360 MG CAPSULE
94691	TIAZAC ER 420 MG CAPSULE
02341	VERAPAMIL 120 MG TABLET
47110	VERAPAMIL 40 MG TABLET
02342	VERAPAMIL 80 MG TABLET
03003	VERAPAMIL ER 120 MG CAPSULE
32472	VERAPAMIL ER 120 MG TABLET
03001	VERAPAMIL ER 180 MG CAPSULE
32471	VERAPAMIL ER 180 MG TABLET
03002	VERAPAMIL ER 240 MG CAPSULE
32470	VERAPAMIL ER 240 MG TABLET
03003	VERAPAMIL SR 120 MG CAPSULE
03001	VERAPAMIL SR 180 MG CAPSULE
03002	VERAPAMIL SR 240 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

44 Cephalosporins and Related Antibiotics

Cephalosporins and Related Antibiotics Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cephalosporins and Related Antibiotics Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cephalosporins and Related Antibiotics Alternate Therapies

Preferred Cephalosporins and Related Antibiotics

GCN	Drug Name
67154	AMOX-CLAV 200-28.5 MG/5 ML SUS
67070	AMOX-CLAV 250-125 MG TABLET
67151	AMOX-CLAV 250-62.5 MG/5 ML SUS
67153	AMOX-CLAV 400-57 MG/5 ML SUSP
67071	AMOX-CLAV 500-125 MG TABLET
28020	AMOX-CLAV 600-42.9 MG/5 ML SUS
67076	AMOX-CLAV 875-125 MG TABLET
28020	AUGMENTIN ES-600 SUSPENSION
45343	CEFADROXIL 250 MG/5 ML SUSP
45341	CEFADROXIL 500 MG CAPSULE
45344	CEFADROXIL 500 MG/5 ML SUSP
32232	CEFDINIR 125 MG/5 ML SUSP
23308	CEFDINIR 250 MG/5 ML SUSP
32231	CEFDINIR 300 MG CAPSULE
48821	CEFPODOXIME 100 MG TABLET
49302	CEFPODOXIME 100 MG/5 ML SUSP
48822	CEFPODOXIME 200 MG TABLET
49301	CEFPODOXIME 50 MG/5 ML SUSP
29291	CEFPROZIL 125 MG/5 ML SUSP
29271	CEFPROZIL 250 MG TABLET

GCN	Drug Name
29292	CEFPROZIL 250 MG/5 ML SUSP
29272	CEFPROZIL 500 MG TABLET
47281	CEFUROXIME AXETIL 250 MG TAB
47282	CEFUROXIME AXETIL 500 MG TAB
39811	CEPHALEXIN 125 MG/5 ML SUSP
39801	CEPHALEXIN 250 MG CAPSULE
39812	CEPHALEXIN 250 MG/5 ML SUSP
39802	CEPHALEXIN 500 MG CAPSULE
27016	CEPHALEXIN 750 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

45 Colony Stimulating Factors

Colony Stimulating Factors Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Colony Stimulating Factors Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Colony Stimulating Factors Alternate Therapies

Preferred Colony Stimulating Factors

GCN	Drug Name
44881	FULPHILA 6 MG/0.6 ML SYRINGE
35575	GRANIX 300 MCG/0.5 ML SAFE SYR
35575	GRANIX 300 MCG/0.5 ML SYRINGE
35576	GRANIX 480 MCG/0.8 ML SAFE SYR
35576	GRANIX 480 MCG/0.8 ML SYRINGE
45103	NIVESTYM 300 MCG/0.5 ML SYRING
45098	NIVESTYM 300 MCG/ML VIAL
45104	NIVESTYM 480 MCG/0.8 ML SYRING
45099	NIVESTYM 480 MCG/1.6 ML VIAL
48222	NYVEPRIA 6 MG/0.6 ML SYRINGE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

46 COPD Agents

COPD Agents
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

COPD Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

COPD Agents
Alternate Therapies

Preferred COPD Agents

GCN	Drug Name
35903	ANORO ELLIPTA 62.5-25 MCG INH
24621	ATROVENT 17 MCG HFA INHALER
32395	COMBIVENT RESPIMAT 20-100 MCG
13456	IPRAT-ALBUT 0.5-3(2.5) MG/3 ML
42235	IPRATROPIUM BR 0.02% SOLN
44498	ROFLUMILAST 250 MCG TABLET
28934	ROFLUMILAST 500 MCG TABLET
17853	SPIRIVA HANDIHALER 18 MCG CAP
39587	SPIRIVA RESPIMAT 1.25 MCG INH
98921	SPIRIVA RESPIMAT 2.5 MCG INH
38687	STIOLTO RESPIMAT INHALER (10)

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

47 Cough and Cold Agents

Cough and Cold, Cold
Prior Authorization Criteria

1. Has the client failed a 3-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cough and Cold, Cold Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cough and Cold, Cold Alternate Therapies

Preferred Cough and Cold, Cold

GCN	Drug Name
34062	12 HOUR NASAL RELIEF SPRAY
34124	4 WAY 1% NASAL SPRAY
02512	ADULT WAL-TUSSIN LIQUID
02482	AIR-POWER 200 MG TABLET
47927	ALAHIST D 17.5-10 MG TABLET
46711	ALA-HIST IR 2 MG TABLET
48628	ALAHIST PE 2-7.5 MG TABLET
85915	ALLERGY MULTI-SYMPTOM CAPLET
34062	ANEFRIN 0.05% NASAL SPRAY
96445	APRODINE TABLET
18906	CHEST CONGEST RLF 400 MG TAB
02512	CHEST CONGESTION RELIEF SOLN
27207	CHILD COLD-ALLERGY LIQUID
34062	CHILD MUCINEX STUFFY NOSE SPRY
27207	CHILD TRIAMINIC COLD-ALLERGY
27207	CHILD WAL-TAP COLD-ALLERGY ELX
02512	CHILDREN'S CHEST CONGEST LIQ
27207	CHILDREN'S COLD-ALLERGY ELIXIR
02512	CHILDREN'S MUCUS RELIEF LIQ
25462	CHLORPAP PEH 4-10 MG TABLET
21827	COLD-SINUS RLF 200-30MG LIQCAP

GCN	Drug Name
51977	CONEX 2 MG-60 MG/5 ML SOLN
99509	CONEX PED 1 MG-30 MG/5 ML SOLN
02512	COUGH SYRUP 100 MG/5 ML
18906	CVS CHEST CONGESTION RLF TAB
27207	CVS CHILD COLD-ALLERGY LIQUID
02512	CVS CHILD'S CHEST CONGEST LIQ
21827	CVS COLD-SINUS 200-30MG LIQCAP
89731	CVS MUCUS D ER 1,200-120 MG TB
54980	CVS MUCUS D ER 600-60 MG TAB
98863	CVS MUCUS ER 1,200 MG TABLET
35905	CVS MUCUS ER 600 MG TABLET
34062	CVS NASAL SPRAY 0.05%
34124	CVS NASAL SPRAY 1%
14359	CVS SEVERE COUGH-COLD POWD PKT
85915	CVS SINUS CONGESTION PAIN CPLT
25468	CVS SINUS HEADACHE PE CAPLET
34062	CVS SINUS NASAL SPRAY 0.05%
25468	CVS SINUS PAIN-CONGEST CAPLET
25462	CVS SINUS PE-ALLERGY 4-10MG TB
34124	CVS SINUS RELIEF 1% NASAL SPRY
26743	CVS SINUS RLF PRESS-PAIN CPLT
02512	CVS TUSSIN 100 MG/5 ML LIQUID
42022	DECONEX IR 385-10 MG TABLET
34062	DRISTAN 0.05% NASAL SPRAY
96446	DURAHIST 2-60 MG TABLET

GCN	Drug Name
14148	ED A-HIST LIQUID
54250	ED BRON GP LIQUID
25462	ED-A-HIST 4 MG-10 MG TABLET
14359	EQ FLU-SEVERE COLD-COUGH PKT
35905	EQ MUCUS ER 600 MG TABLET
35905	EQ MUCUS RELIEF ER 600 MG TAB
85915	EQ MULTI-SYMPTOM ALLERGY RLF
34124	EQ NASAL SPRAY 1%
34062	EQ ORIGINAL NASAL SPRAY 0.05%
26743	EQ SINUS CONGESTION-PAIN CPLT
25468	EQ SINUS CONGEST-PAIN GELCAP
25462	EQ SUPHEDRINE PE SINUS 4-10 MG
18906	EQL CHEST CONGEST 400 MG CPLT
25468	EQL DAYTIME SINUS CONGEST-PAIN
14359	EQL FLU-SEV CLD-COUGH NITE PKT
26743	EQL HEAD CONGEST-MUCUS PE CPLT
35905	EQL MUCUS RELIEF ER 600 MG TAB
34124	EQL NASAL SPRAY 1%
25462	EQL SINUS-ALLERGY PE TABLET
02512	EQL TUSSIN MUCUS-CHEST CONGEST
02512	EXPECTORANT 100 MG/5 ML SYRUP
02482	EXPECTORANT 200 MG TABLET
18906	FENESIN IR 400 MG TABLET
85915	FLONASE HEADACHE 325-2-5MG CPT
02512	FT ADULT TUSSIN 200 MG/10 ML

GCN	Drug Name
18906	FT CHEST CONGEST 400 MG CAPLET
89731	FT MUCUS RELIEF D ER 1,200-120
54980	FT MUCUS RELIEF D ER 600-60 MG
98863	FT MUCUS RELIEF ER 1,200 MG TB
35905	FT MUCUS RELIEF ER 600 MG TAB
34062	FT NASAL SPRAY 0.05%
26743	FT SINUS SEVERE 325-200-5 MG
02512	GERI-TUSSIN 100 MG/5 ML SOLN
02512	GERI-TUSSIN 200 MG/10 ML LIQ
18906	G-FENESIN 400 MG CAPLET
26743	GNP COLD HEAD CONGST SEVR CPLT
98863	GNP MUCUS ER 1,200 MG TABLET
35905	GNP MUCUS ER 600 MG TABLET
18906	GNP MUCUS RELIEF 400 MG TABLET
26743	GNP MUCUS RLF SINUS CONG PAIN
98863	GNP MUCUS-ER MAX 1,200 MG TAB
34124	GNP NASAL FOUR 1% NASAL SPRAY
34062	GNP NASAL SPRAY 0.05%
34124	GNP NASAL SPRAY 1%
34062	GNP NASAL SPRAY ORIGINAL 0.05%
34062	GNP NO DRIP 0.05% NASAL SPRAY
25468	GNP SINUS PRESSURE-PAIN CAPLET
26743	GNP SINUS SEVERE CAPLET
25468	GNP SINUS-HEADACHE CAPLET
18906	GNP TUSSIN 400 MG TABLET

GCN	Drug Name
02512	GNP TUSSIN MUCUS-CON 200 MG/10
85915	GS ALLERGY MULTI-SYMPTOM CPLT
26743	GS COLD HEAD CONGST SEVR CPLT
98863	GS MUCUS ER 1,200 MG TABLET
35905	GS MUCUS ER 600 MG CAPLET
35905	GS MUCUS ER 600 MG TABLET
18906	GS MUCUS RELIEF 400 MG TABLET
34124	GS NASAL FOUR 1% NASAL SPRAY
34062	GS NASAL SPRAY 0.05%
34062	GS NO DRIP 0.05% NASAL SPRAY
26743	GS PRESSURE-PAIN PE PLUS MUCUS
34062	GS SINUS NASAL SPRAY 0.05%
26743	GS SINUS SEVERE 325-200-5 MG
25468	GS SINUS-HEADACHE CAPLET
02512	GUAIFED 200 MG/10 ML ORAL SOLN
02512	GUAIFENESIN 100 MG/5 ML LIQUID
02512	GUAIFENESIN 100 MG/5 ML SOLN
02512	GUAIFENESIN 100MG/5ML SOLN CUP
02482	GUAIFENESIN 200 MG TABLET
02512	GUAIFENESIN 200 MG/10 ML CUP
02512	GUAIFENESIN 200 MG/10 ML LIQ
02512	GUAIFENESIN 300 MG/15 ML CUP
18906	GUAIFENESIN 400 MG CAPLET
18906	GUAIFENESIN 400 MG TABLET
98863	GUAIFENESIN ER 1,200 MG TABLET

GCN	Drug Name
35905	GUAIFENESIN ER 600 MG TABLET
89731	GUAIFENESIN-PSE ER 1200-120 MG
54980	GUAIFENESIN-PSE ER 600-60 MG
26743	HEAD CONGESTION-MUCUS CAPLET
57325	HISTEX-DM 20-30-2.5MG/5ML SYRP
18906	HM CHEST CONGEST RLF 400 MG TB
27207	HM CHILD'S DIBROMM COLD-ALLGY
34062	HM ORIGINAL NASAL SPRAY 0.05%
02512	HV TUSSIN MUCUS-CONG 200 MG/10
34124	KRO NASAL SPRAY 1%
34062	KRO NASAL SPRAY ORIGINAL 0.05%
34062	KRO NO DRIP 0.05% NASAL SPRAY
44021	LOHIST-D LIQUID
34062	LONG ACTING 0.05% NASAL SPRAY
54250	MAXI-TUSS PE MAX LIQUID
02512	MAXTUSSIN 200 MG/10 ML LIQUID
85915	MEDICIDIN-D TABLET
54980	MUCINEX D ER 600-60 MG TABLET
35905	MUCINEX ER 600 MG TABLET
50018	MUCINEX INSTASOOTHE 7%-1% SPRY
26743	MUCINEX SINUS-MAX SEVERE CPLT
02512	MUCOLYTE 100 MG/5 ML LIQUID
18906	MUCOSA 400 MG TABLET
89731	MUCUS D ER 1,200-120 MG TABLET
54980	MUCUS D ER 600-60 MG TABLET

GCN	Drug Name
35905	MUCUS ER 600 MG TABLET
18906	MUCUS RELIEF 400 MG CAPLET
18906	MUCUS RELIEF 400 MG MINI CPLT
18906	MUCUS RELIEF 400 MG TABLET
89731	MUCUS RELIEF D ER 1,200-120 MG
54980	MUCUS RELIEF D ER 600-60 MG TB
98863	MUCUS RELIEF ER 1,200 MG TAB
35905	MUCUS RELIEF ER 600 MG TABLET
26743	MUCUS RELIEF SINUS PRES-PAIN
26743	MUCUS RLF SEVERE SINUS CONGEST
02512	MUCUS-CHEST CONG 200 MG/10 ML
34062	NASAL DECONGESTANT 0.05% SPRAY
34124	NASAL FOUR 1% NASAL SPRAY
34062	NASAL SPRAY 0.05%
34124	NASAL SPRAY 1%
34062	NASAL SPRAY ORIGINAL 0.05%
34124	NEO-SYNEPHRINE 1% SPRAY
14359	NIGHT SEVERE COLD-COUGH PKT
34062	NO DRIP 0.05% NASAL SPRAY
34062	NOSTRILLA 0.05% NASAL SPRAY
34062	OXYMETAZOLINE 0.05% SPRAY
46499	POLY HIST FORTE 10.5-10 MG TAB
85915	PUB ALLERGY SINUS PE CAPLET
27207	PUB CHILD'S DIBROMM COLD-ALLGY
34124	PUB NASAL FOUR 1% NASAL SPRAY

GCN	Drug Name
34062	PUB NO DRIP 0.05% NASAL SPRAY
34062	PUB ORIGINAL NASAL SPRAY 0.05%
34062	PUB OXYMETAZOLINE HCL 0.05%
25468	PUB SINUS RELIEF CAPLET
02512	PUB TUSSIN 100 MG/5 ML SYRUP
02512	QC ADULT TUSSIN 200 MG/10 ML
27207	QC CHILD'S DIBROMM COLD-ALLGY
26743	QC COLD HEAD CONGST SEVR CPLT
26743	QC HEAD CONGEST-MUCUS PE CPLT
18906	QC MUCUS RELIEF 400 MG CAPLET
98863	QC MUCUS RELIEF ER 1,200 MG TB
35905	QC MUCUS RELIEF ER 600 MG TAB
26743	QC MUCUS RLF SINUS CONG PAIN
34062	QC NASAL SPRAY 0.05%
34124	QC NASAL SPRAY 1%
14359	QC NIGHT SEVERE COLD-COUGH PKT
26743	QC SINUS SEVERE 325-200-5 MG
25468	QC SINUS-HEADACHE CAPLET
34062	RA 12HR NASAL SPRAY 0.05%
02512	RA EXPECTORANT COUGH SYRUP
18906	RA MUCUS RELIEF 400 MG TABLET
26743	RA MUCUS RELIEF COLD-SINUS MAX
89731	RA MUCUS RELIEF D ER 1,200-120
54980	RA MUCUS RELIEF D ER 600-60 MG
34062	RA NASAL SPRAY 0.05%

GCN	Drug Name
25468	RA SINUS CONGEST-PAIN GELCAP
26743	RA SINUS CONGEST-PAIN RLF CPLT
25462	RA SUPHEDRINE PE COLD 4-10 MG
25468	RA SUPHEDRINE PE SINUS 5-325MG
02512	RA TUSSIN CHEST CONGESTION SYR
18906	REFENESEN 400 MG TABLET
28476	RYMED TABLET
27207	RYNEX PE LIQUID
12933	RYNEX PSE LIQUID
02512	SCOT-TUSSIN 100 MG/5 ML LIQ
02512	SCOT-TUSSIN EXPECTORANT LIQUID
26743	SEVERE SINUS CONGEST-PAIN CPLT
02512	SILTUSSIN SA 200 MG/10 ML CUP
02512	SILTUSSIN SA 300 MG/15 ML CUP
25468	SINUS CONGESTION-PAIN CAPLET
26743	SINUS CONGESTION-PAIN CAPLET
85915	SINUS CONGESTION-PAIN CAPLET
25468	SINUS CONGESTION-PAIN GELCAP
26743	SINUS CONGST-PAIN 325-200-5 MG
25468	SINUS PRESSURE-PAIN CAPLET
34124	SINUS RELIEF 1% NASAL SPRAY
34062	SINUS RELIEF NASAL SPRAY 0.05%
25468	SINUS-HEADACHE 5-325 MG CAPLET
85915	SINUTROL PE 2-5-325 MG TABLET
18906	SM CHEST CONGESTION 400MG CPLT

GCN	Drug Name
27207	SM CHILD COLD-ALLERGY LIQUID
98863	SM MUCUS-ER MAX 1,200 MG TAB
34062	SM NASAL SPRAY 0.05%
34062	SM NASAL SPRAY SINUS
26743	SM SINUS SEVERE CAPLET
02512	SM TUSSIN MUCUS-CONG 200 MG/10
44023	SUDOGEST COLD AND ALLERGY TAB
02512	TUSNEL-EX 100 MG/5 ML LIQUID
02512	TUSSIN 100 MG/5 ML LIQUID
18906	TUSSIN 400 MG TABLET
02512	TUSSIN CHEST CONGESTION LIQUID
02512	TUSSIN MUCUS-CONG 200 MG/10 ML
85915	VALIHIST 325-2-5 MG TABLET
34062	VICKS SINEX 12 HOUR SPRAY
96445	WAL-ACT D COLD & ALLERGY TAB
44023	WAL-FINATE-D TABLET
14359	WAL-FLU SEVERE COLD-COUGH PKT
34124	WAL-FOUR 1% NASAL SPRAY
25468	WAL-PHED PE SINUS HEADACHE CPT
25462	WAL-PHED PE SINUS-ALLERGY TAB
26743	WAL-PHED PE TRIPLE RELIEF CPLT
44023	WAL-PHED SINUS AND ALLERGY TAB
27207	WAL-TAP ELIXIR
02512	WAL-TUSSIN SYRUP

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

Cough and Cold, Narcotic Prior Authorization Criteria

1. Has the client failed a 3-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cough and Cold, Narcotic Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cough and Cold, Narcotic Alternate Therapies

Preferred Cough and Cold, Narcotic

GCN	Drug Name
34672	CODEINE-GUAIFEN 10-100 MG/5 ML
91713	CODEINE-GUAIFEN 10-100 MG/5 ML
91713	G TUSSIN AC LIQUID
34672	GUAIFEN-CODEINE 100-10 MG/5 ML
91713	GUAIFEN-CODEINE 100-10 MG/5 ML
34673	GUAIFEN-CODEINE 200-20 MG/10ML
33377	HYDROCODONE-HOMATROP 5 ML CUP
13973	HYDROCODONE-HOMATROPINE SOLN
91713	MAXI-TUSS AC LIQUID
91713	VIRTUSSIN AC 10-100 MG/5 ML LQ

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

Cough and Cold, Non-Narcotic Prior Authorization Criteria

1. Has the client failed a 3-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cough and Cold, Non-Narcotic Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cough and Cold, Non-Narcotic Alternate Therapies

Preferred Cough and Cold, Non-Narcotic

GCN	Drug Name
17802	12-HR COUGH RELIEF 30 MG/5 ML
53090	ADLT WAL-TUSSIN COUGH-COLD CF
53090	ADT ROBITUSSIN PEAK CLD M-S LQ
53495	ADULT WAL-TUSSIN DM SYRUP
43882	ALAHIST CF TABLET
54425	ALAHIST DM 10-12.5-5 MG/5ML LQ
25093	ALKA-SELTZER PLUS DAY CAP
25093	ALKA-SELTZER PLUS SINUS-COUGH
30232	ALL-NITE COLD-FLU RELIEF LIQ
53491	ALTITUSS 15-150 MG/7.5 ML LIQ
99356	AP-HIST DM LIQUID
29840	BENZONATATE 100 MG CAPSULE
28229	BENZONATATE 150 MG CAPSULE
93007	BENZONATATE 200 MG CAPSULE
53491	BIOCOTRON LIQUID
96136	BROMFED DM 2-30-10 MG/5 ML SYR
96136	BROMPHEN-PSE-DM 2-30-10 MG/5ML
23807	CHEST CONG RLF DM 400-20 MG TB
53495	CHEST CONGESTION RELIEF DM SYR
23807	CHEST CONGST-COUGH RELIEF TAB
17802	CHILD COUGH DM ER 30 MG/5 ML

GCN	Drug Name
17802	CHILD DELSYM COUGH 30 MG/5 ML
47921	CHILD DELSYM COUGH PLUS DY-NT
53497	CHILD DELSYM COUGH-CHEST DM LQ
57197	CHILD DIMETAPP COLD-COUGH LIQ
53491	CHILD GILTUSS COUGH-CHEST LIQ
30579	CHILD MUCINEX COLD-FLU LIQUID
28875	CHILD MUCINEX COUGH-CONGEST LQ
30579	CHILD MUCINEX FREEFROM DY COLD
37876	CHILD MUCINEX M-S COLD DAY-NTE
28875	CHILD MUCINEX MULTI-SYMPTOM LQ
53497	CHILD MUCUS RELIEF COUGH LIQ
28875	CHILD MULTI-SYMPTOM COLD LIQ
53497	CHILD ROBITUSSIN ELDERBERRY DM
57197	CHILDRENS COLD AND COUGH LIQ
26808	CHILDREN'S COLD-COUGH ELIXIR
26808	CHILDREN'S COLD-COUGH LIQUID
53497	CHILDREN'S COUGH LIQUID
53497	CHILDREN'S MUCINEX COUGH LIQ
28875	CHILDREN'S MUCINEX FREEFROM LQ
28875	CHILD'S MULTI-SYMPTOM COLD LIQ
53497	CHLD ROBITUSSIN COUGH-CHEST DM
99788	CHLOPHEDIANOL-DEXCHLORP-PSE LQ
19347	CHLOR A-HIST DM LIQUID
26742	COLD HEAD CONGESTION CAPLET
27135	COLD HEAD CONGESTION CAPLET

GCN	Drug Name
27135	COLD MULTI-SYMPTOM CAPLET
26808	COLD-COUGH ELIXIR
20556	COLD-FLU RELIEF LIQUID
26742	COLD-FLU SEVERE CAPLET
20556	CONTAC COLD-FLU NIGHT LIQUID
25094	CONTAC COLD-FLU SOFTGEL
30232	CORICIDIN HBP COLD-MULTI SYMPT
20556	COUGH & SORE THROAT LIQUID
17802	COUGH DM ER 30 MG/5 ML SUSP
53497	COUGH-CHEST CONGESTION DM LIQ
96140	COUGH-COLD HBP TABLET
96140	COUGH-COLD TABLET
53497	CVS ADULT DM MAXIMUM LIQUID
23807	CVS CHEST CONGEST RELIEF DM TB
53497	CVS CHILD CHEST CONGEST-COUGH
17802	CVS CHILD COUGH DM ER 30 MG/5
53497	CVS CHILD COUGH-CHEST CONG DM
28875	CVS CHILD MULTI-SYMP COLD LIQ
26808	CVS CHILDREN'S COLD-COUGH LIQ
17802	CVS COUGH DM ER 30 MG/5 ML SUS
53497	CVS COUGH-CHEST CONGEST DM LIQ
96140	CVS COUGH-COLD HBP TABLET
25093	CVS DAYTIME COLD-FLU RLF SFTGL
46697	CVS FLU HBP 325-2-10 MG CAPLET
53550	CVS MUCUS DM ER 600-30 MG TAB

GCN	Drug Name
26742	CVS MUCUS RLF SINUS PAIN COUGH
30232	CVS NIGHTTIME COLD-FLU RLF LIQ
25094	CVS NIGHTTIME COLD-FLU SOFTGEL
26684	CVS NIGHTTIME COUGH LIQUID
28875	CVS SEVERE COUGH-CONGESTION LQ
53090	CVS TUSSIN CF COUGH-COLD SYRUP
17770	CVS TUSSIN COUGH 15 MG SOFTGEL
53497	CVS TUSSIN DM 400-20 MG/20 ML
53491	CVS TUSSIN DM LIQUID
44033	DAY MULTI-SYMP FLU-SEVERE COLD
25093	DAY TIME COLD-FLU SOFTGEL
27135	DAYTIME COLD MULTI-SYMP GELCAP
25093	DAYTIME COLD-FLU RELIEF SFTGL
26742	DAYTIME SEVERE COLD-FLU CAPLET
46479	DECONEX DMX 17.5-400-10 MG TAB
17802	DELSYM 30 MG/5 ML SUSP CUP
17802	DELSYM 30 MG/5 ML SUSPENSION
17802	DELSYM 60 MG/10 ML SUSP CUP
22004	DELSYM COUGH 15 MG CAPLET
53497	DELSYM COUGH+CHEST CNGST DM LQ
47819	DELSYM NIGHTTIME COUGH LIQUID
53090	DESGEN DM LIQUID
53090	DESPEC DM SYRUP
53090	DESPEC DM-G SYRUP
17770	DEXTROMETHORPHAN 15 MG SOFTGEL

GCN	Drug Name
17802	DEXTROMETHORPHAN ER 30 MG/5 ML
17802	DEXTROMETHORPHAN ER 60 MG/10ML
53491	DIABETIC TUSSIN DM LIQUID
26808	DIMAPHEN DM ELIXIR
34782	DM-GUAIF-PE 18-200-10 MG/15 ML
39986	DURAFLU 325-20-200-60 MG TAB
19347	ED-A-HIST DM LIQUID
26808	ENDACOF-DM LIQUID
92562	ENDAL 1.25-10 MG/5 ML LIQUID
26808	EQ CHILDREN COLD-COUGH ELIXIR
53497	EQ CHILDREN'S COUGH LIQUID
17802	EQ CHLD COUGH DM ER 30 MG/5 ML
27135	EQ COLD MULTI-SYMPTOM GELCAP
17802	EQ COUGH DM ER 30 MG/5 ML SUSP
25093	EQ DAYTIME COLD-FLU SOFTGEL
53550	EQ MUCUS DM ER 600-30 MG TAB
30232	EQ NIGHTTIME COLD-FLU RLF LIQ
30232	EQ NITETIME COLD-FLU LIQUID
53090	EQ TUSSIN CF COUGH-COLD LIQUID
53090	EQ TUSSIN CF LIQUID
53495	EQ TUSSIN DM COUGH-CHEST SYR
23807	EQL CHEST CONGEST RLF DM CPLT
26808	EQL CHILDREN'S COLD-COUGH LIQ
17802	EQL COUGH DM ER 30 MG/5 ML SUS
96140	EQL COUGH-COLD RELIEF HBP TAB

GCN	Drug Name
25093	EQL DAY COLD-FLU RELIEF SOFTGL
53550	EQL MUCUS DM ER 600-30 MG TAB
26742	EQL MUCUS RELIEF COLD-FLU CPLT
28875	EQL MUCUS RLF CONGEST-COUGH LQ
25094	EQL NIGHT COLD-FLU RELIEF SFGL
30232	EQL NIGHTTIME COLD-FLU RLF LIQ
26684	EQL NIGHTTIME COUGH RLF LIQUID
26742	EQL SEVERE COLD MULTI-SYM CPLT
53090	EQL TUSSIN CF LIQUID
53497	EQL TUSSIN DM 400-20 MG/20 ML
53495	EQL TUSSIN DM COUGH-CHEST SYR
53495	EXPECTORANT DM COUGH SYRUP
23807	FENESIN DM IR TABLET
17802	FT 12-HR COUGH RLF 30 MG/5 ML
53090	FT ADULT TUSSIN CF LIQUID
23807	FT CHEST CONG RLF DM 400-20 MG
26808	FT CHILD COLD-COUGH RELIEF DM
57197	FT CHILD COLD-COUGH RLF DM LIQ
26742	FT DAYTIME SEVERE CLD-FLU CPLT
53550	FT MUCUS DM ER 600-30 MG TAB
30232	FT NIGHTTIME COLD-FLU RLF LIQ
53497	FT TUSSIN DM 400-20 MG/20 ML
53491	GERI-TUSSIN DM 100-10 MG/5 ML
53491	GERI-TUSSIN DM 200-20 MG/10 ML
23807	G-FENESIN DM 20-400 MG CAPLET

GCN	Drug Name
53491	GILTUSS DIABETIC 200-20MG/10ML
53491	GILTUSS HBP 200-20 MG/10 ML LQ
53491	GILTUSS HONEY COUGH-CONGEST LQ
23807	GNP CHEST CONGST-COUGH RLF TAB
53497	GNP CHILD CGH RLF 5-100 MG/5ML
57197	GNP CHILD COLD AND COUGH LIQ
53497	GNP CHILD MUCUS RLF COUGH LIQ
27135	GNP COLD MAX DAYTIME CAPLET
26808	GNP COLD-COUGH ELIXIR
26742	GNP COLD-FLU SEVERE CAPLET
17802	GNP COUGH DM ER 30 MG/5 ML SUS
96140	GNP COUGH-COLD HBP TABLET
25093	GNP DAY TIME COLD-FLU SOFTGEL
53550	GNP MUCUS DM ER 600-30 MG TAB
23807	GNP MUCUS RLF DM 20-400 MG TAB
30232	GNP NIGHT TIME COLD-FLU LIQ
25094	GNP NIGHT TIME COLD-FLU SFTGL
26684	GNP NIGHT TIME COUGH LIQUID
53090	GNP TUSSIN CF COUGH-COLD SYRUP
23807	GNP TUSSIN DM 400-20 MG TABLET
53497	GNP TUSSIN DM MAX LIQUID
53495	GNP TUSSIN DM SYRUP
57197	GS CHILD COLD AND COUGH LIQUID
28875	GS CHILD MUCUS RELIEF M-S COLD
26808	GS CHILDREN'S COLD-COUGH SOLN

GCN	Drug Name
17802	GS CHLD COUGH DM ER 30 MG/5 ML
26742	GS COLD-FLU SEVERE CAPLET
17802	GS COUGH DM ER 30 MG/5 ML SUSP
96140	GS COUGH-COLD HBP TABLET
14355	GS FLU-SEV COLD-COUGH DAY PKT
53550	GS MUCUS DM ER 600-30 MG TAB
23807	GS MUCUS RLF DM 20-400 MG TAB
30232	GS NIGHTTIME COLD-FLU LIQUID
25094	GS NIGHTTIME COLD-FLU SOFTGEL
26684	GS NIGHTTIME COUGH LIQUID
53090	GS TUSSIN CF LIQUID
53495	GS TUSSIN DM LIQUID
53497	GS TUSSIN DM MAX LIQUID
53491	GUAIASORB DM 200-20 MG/10 ML
53491	GUAIASORB DM LIQUID
53491	GUAIFED-DM 200-20 MG/10 ML SOL
53491	GUAIFENESIN-DM 100-10 MG/5 ML
53495	GUAIFENESIN-DM 100-10 MG/5 ML
53495	GUAIFENESIN-DM 200-20 MG/10 ML
23807	GUAIFENESIN-DM 400-20 MG CPLT
23807	GUAIFENESIN-DM 400-20 MG TAB
53491	GUAIFENESN-DM 100-10MG/5ML CUP
53491	GUAIFENSN-DM 200-20MG/10ML CUP
36311	HISTEX-DM SYRUP
23807	HM CHEST CONGEST RLF DM CAPLET

GCN	Drug Name
26808	HM CHILD'S COLD-COUGH ELIXIR
17802	HM COUGH DM ER 30 MG/5 ML SUSP
26742	HM DAY SEVERE COLD-FLU CAPLET
53497	KINDERMED KID COUGH 100-5 MG/5
26808	KRO CHILDREN COLD-COUGH ELIXIR
17802	KRO COUGH DM ER 30 MG/5 ML SUS
25094	KRO NITE TIME COLD-FLU SOFTGEL
26684	KRO NITE TIME COUGH LIQUID
30232	KRO NITETIME COLD-FLU LIQUID
53090	KRO TUSSIN CF LIQUID
53491	KRO TUSSIN DM LIQUID
53497	KRO TUSSIN DM MAX LIQUID
27135	MAPAP COLD FORMULA CAPLET
26808	MAXI-TUSS DM 1-2.5-5MG/5ML LIQ
53491	MAXI-TUSS G LIQUID
53491	MAXTUSSIN DM 100-10MG/5ML CUP
53491	MAXTUSSIN DM 200-20 MG/10 ML
53491	MAXTUSSIN DM 200-20MG/10ML CUP
23807	MEDI-MUCUS 20-400 MG TABLET
36311	MICLARA DM LIQUID
30577	MUCINEX COLD-FLU-SORETHROAT LQ
53550	MUCINEX DM ER 600-30 MG TABLET
38895	MUCINEX FAST-MAX COLD-FLU CAP
26742	MUCINEX FAST-MAX COLD-FLU CPLT
30577	MUCINEX FAST-MAX COLD-FLU LIQ

GCN	Drug Name
38895	MUCINEX FAST-MAX COLD-FLU-THRT
28875	MUCINEX FAST-MAX CONGEST-COUGH
36524	MUCINEX FAST-MAX CONGEST-COUGH
25093	MUCINEX FAST-MAX CONGEST-HEAD
53497	MUCINEX FAST-MAX DM MAX LIQUID
49896	MUCINEX FASTMX CLD-NTSHFT CPLT
53497	MUCINEX FASTMX KICK CNG-CGH LQ
50004	MUCINEX INSTASOOTH COUGH 5-2MG
47825	MUCINEX NIGHTSHFT SEVR CLD-FLU
49573	MUCINEX NIGHTSHFT SEVR CLD-FLU
49596	MUCINEX NIGHTSHIFT CLD-FLU CPT
47819	MUCINEX NIGHTSHIFT COLD-FLU LQ
49573	MUCINEX NIGHTSHIFT SINUS CAPLT
47825	MUCINEX NIGHTSHIFT SINUS LIQ
25093	MUCINEX SINUS-MAX CONG-PAIN CP
49896	MUCINEX SINUSMAX DAY-NT CAPLET
26742	MUCINEX SINUS-MAX PRESSURE-CGH
38895	MUCINEX SINUS-MAX PRESSURE-CGH
53491	MUCOLYTE-DM 100-10 MG/5 ML LIQ
23807	MUCOSA DM 400-20 MG TABLET
28875	MUCUS RELIEF CONGEST-COUGH LIQ
23807	MUCUS RELIEF DM COUGH TABLET
53497	MUCUS RELIEF DM MAX LIQUID
23807	MUCUS RELIEF DM TABLET
53550	MUCUS RLF DM ER 600-30 MG TAB

GCN	Drug Name
53497	MUCUS RLF DM MAX 400-20MG/20ML
25094	NIGHT COLD-FLU RELIEF LIQ CAP
30232	NIGHT TIME COLD-FLU LIQUID
25094	NIGHT TIME COLD-FLU RLF SFTGL
25094	NIGHT TIME COLD-FLU SOFTGEL
26684	NIGHT TIME COUGH LIQUID
30232	NIGHTTIME COLD AND FLU LIQUID
30232	NIGHTTIME COLD-FLU LIQUID
25094	NIGHTTIME COLD-FLU RLF SFTGL
26684	NIGHTTIME COUGH LIQUID
19347	NOHIST-DM LIQUID
23807	PHARBINEX-DM 400-20 MG TABLET
34835	POLY-HIST DM LIQUID
54479	POLYTUSSIN DM 7.5-5-12.5MG/5ML
34799	POLY-VENT DM TABLET
13975	PROMETHAZINE-DM 6.25-15 MG/5ML
26808	PUB CHILD'S DIBROMM DM LIQUID
20556	PUB NITETIME MULTI-SYMPTOM LIQ
26742	PUB SEVERE COLD CAPLET
26742	PUB SEVERE COLD MULTI-SYM CPLT
53090	PUB TUSSIN CF COUGH-COLD LIQ
53495	PUB TUSSIN DM LIQUID
53090	QC ADULT TUSSIN CF LIQUID
26742	QC COLD-FLU SEVERE CAPLET
96140	QC COUGH-COLD HBP TABLET

GCN	Drug Name
46697	QC FLU HBP 325-2-10 MG CAPLET
17770	QC LONG ACT COUGH 15 MG SOFTGL
26742	QC MUCUS RELIEF COLD-FLU CPLT
23807	QC MUCUS RELIEF DM TABLET
26742	QC MUCUS RLF COLD-FLU-THRT CPT
28875	QC MUCUS RLF CONGEST-COUGH LIQ
23807	QC MUCUS RLF DM 20-400 MG CPLT
53497	QC MUCUS RLF MAX 400-20MG/20ML
26742	QC MUCUS RLF SINUS PAIN COUGH
25094	QC NIGHTTIME COLD-FLU SOFTGEL
26684	QC NIGHTTIME COUGH LIQUID
53090	QC TUSSIN CF LIQUID
53491	QC TUSSIN DM LIQUID
53495	RA ANTI-TUSSIVE DM SYRUP
26808	RA CHILD'S COLD-COUGH ELIXIR
17802	RA COUGH DM ER 30 MG/5 ML SUSP
25093	RA DAY COLD-FLU RELIEF SOFTGEL
26742	RA MUCUS RLF COLD-FLU-THROAT
26742	RA MUCUS RLF SEV CONGEST-COLD
26742	RA MULTI-SYMPTOM COLD CAPLET
25094	RA NIGHT COLD-FLU RELIEF SFTGL
30232	RA NIGHTTIME COLD-FLU RLF LIQ
53491	RA TUSSIN COUGH LIQUID
53495	RA TUSSIN DM COUGH-CHEST SYRUP
53491	RA TUSSIN DM LIQUID

GCN	Drug Name
53495	RA TUSSIN DM SYRUP
23807	REFENESEN DM CAPLET
53090	ROBAFEN CF LIQUID
53491	ROBAFEN DM 100-10 MG/5 ML CUP
53491	ROBAFEN DM 200-20 MG/10 ML CUP
45903	ROBAFEN DM 200-20 MG/20 ML LIQ
53495	ROBAFEN DM CGH-CHEST CONG SYRP
53497	ROBITUSSIN COUGH-CHEST DM LIQ
53497	ROBITUSSIN ELDERBERRY MAX DM
17802	ROBITUSSIN ER 30 MG/5 ML SUSP
53497	ROBITUSSIN HONEY MAX DM LIQUID
32559	ROBITUSSIN MEDI-SOOTHERS LOZNG
26808	RYNEX DM LIQUID
53491	SAFETUSSIN DM 100-10 MG/5 ML
26742	SEVERE COLD MULTI-SYMPTOM CPLT
26742	SEVERE COLD-FLU CAPLET
53491	SILTUSSIN DM DAS 100-10MG/5 ML
53491	SILTUSSIN DM DAS 200-20MG/10ML
23807	SM CHEST CONGEST RLF DM CAPLET
30232	SM NITE TIME COLD-FLU LIQUID
53090	SM TUSSIN CF SYRUP
53497	SM TUSSIN DM 400-20 MG/20 ML
53491	SORBUGEN NR 150-15 MG/7.5 ML
33223	SUPRESS A DROPS
27135	THERAFLU EXPRESSMAX DAY CAPLET

GCN	Drug Name
14355	THERAFLU SEVER COLD RLF DAY PK
53491	TUSNEL DIABETIC LIQUID
53090	TUSSIN CF COUGH-COLD LIQUID
53090	TUSSIN CF COUGH-COLD SYRUP
53491	TUSSIN DM 10-100MG/5ML LIQ CUP
53491	TUSSIN DM 20-200 MG/10 ML LIQ
23807	TUSSIN DM 400-20 MG TABLET
53497	TUSSIN DM 400-20 MG/20 ML LIQ
53491	TUSSIN DM CLEAR 20-200 MG/10ML
53491	TUSSIN DM LIQUID
53495	TUSSIN DM LIQUID
53497	TUSSIN DM MAX 400-20MG/20ML LQ
53495	TUSSIN DM SYRUP
53495	ULTRA TUSS SAFE SYRUP
55139	VANACOF CP 12.5-25 MG/15 ML LQ
34782	VANACOF DM 18-200-10 MG/15 ML
99788	VANACOF LIQUID
55095	VANACOF XP 18-396 MG/15 ML LIQ
55157	VANACOF-2 12.5-1 MG/5 ML LIQ
43602	VANATAB DM CAPLET
25093	VICKS DAYQUIL LIQUICAPS
26742	VICKS DAYQUIL SEVERE COLD-FLU
25094	VICKS NYQUIL LIQUICAPS
14355	WAL-FLU SEVERE COLD-COUGH PCKT
26808	WAL-TAP DM COLD-COUGH ELIXIR

GCN	Drug Name
17770	WAL-TUSSIN COUGH 15 MG SOFTGEL
53090	WAL-TUSSIN COUGH-COLD CF LIQ
53495	WAL-TUSSIN DM CLEAR SYRUP
53495	WAL-TUSSIN DM SYRUP
23807	ZYNCOF 400-20 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

48 Cytokine and CAM Antagonists

Cytokine and CAM Antagonists Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cytokine and CAM Antagonists Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Cytokine and CAM Antagonists Alternate Therapies

Preferred Cytokine and CAM Antagonists

GCN	Drug Name
54907	ADALIMUMAB-AATY(CF) 20MG/0.2ML
54209	ADALIMUMAB-AATY(CF) 40MG/0.4ML
54213	ADALIMUMAB-AATY(CF) 40MG/0.4ML
54908	ADALIMUMAB-AATY(CF) 80MG/0.8ML
54908	ADALIMUMAB-AATY(CF) CROHN 80MG
53885	ADALIMUMAB-ADAZ(CF) 10MG/0.1ML
53883	ADALIMUMAB-ADAZ(CF) 20MG/0.2ML
53884	ADALIMUMAB-ADAZ(CF) 40 MG SYRG
53875	ADALIMUMAB-ADAZ(CF) PEN 40 MG
53887	ADALIMUMAB-ADAZ(CF) PEN 80 MG
53841	ADALIMUMAB-ADBM(CF) 10 MG SYRG
53842	ADALIMUMAB-ADBM(CF) 20 MG SYRG
43789	ADALIMUMAB-ADBM(CF) 40 MG SYRG
55665	ADALIMUMAB-ADBM(CF) 40 MG SYRG
54205	ADALIMUMAB-ADBM(CF) CRHN 40MG
55668	ADALIMUMAB-ADBM(CF) CRHN 40MG
54205	ADALIMUMAB-ADBM(CF) PEN 40 MG
55668	ADALIMUMAB-ADBM(CF) PEN 40 MG
54205	ADALIMUMAB-ADBM(CF) PS-UV 40MG
55668	ADALIMUMAB-ADBM(CF) PS-UV 40MG
48318	ADALIMUMAB-FKJP(CF) 20 MG SYRG

GCN	Drug Name
48336	ADALIMUMAB-FKJP(CF) 40 MG SYRG
48317	ADALIMUMAB-FKJP(CF) PEN 40 MG
56016	ADALIMUMAB-RYVK(CF) 40 MG SYRG
55332	ADALIMUMAB-RYVK(CF) AI 40 MG
57361	ADALIMUMAB-RYVK(CF) AI 80 MG
54007	AMJEVITA(CF) 10MG/0.2ML SYRING
54647	AMJEVITA(CF) 20MG/0.2ML SYRING
42592	AMJEVITA(CF) 20MG/0.4ML SYRING
54648	AMJEVITA(CF) 40MG/0.4ML AUTOIN
54649	AMJEVITA(CF) 40MG/0.4ML SYRING
42639	AMJEVITA(CF) 40MG/0.8ML AUTOIN
42637	AMJEVITA(CF) 40MG/0.8ML SYRING
54651	AMJEVITA(CF) 80MG/0.8ML AUTOIN
53841	CYLTEZO(CF) 10 MG/0.2 ML SYRNG
53842	CYLTEZO(CF) 20 MG/0.4 ML SYRNG
55665	CYLTEZO(CF) 40 MG/0.4 ML SYRNG
43789	CYLTEZO(CF) 40 MG/0.8 ML SYRNG
55668	CYLTEZO(CF) PEN 40 MG/0.4 ML
54205	CYLTEZO(CF) PEN 40 MG/0.8 ML
54205	CYLTEZO(CF) PEN CRH-UC-HS 40MG
55668	CYLTEZO(CF) PEN CRH-UC-HS 40MG
54205	CYLTEZO(CF) PEN PSORIA-UV 40MG
55668	CYLTEZO(CF) PEN PSORIA-UV 40MG
98398	ENBREL 25 MG/0.5 ML SYRINGE
48417	ENBREL 25 MG/0.5 ML VIAL

GCN	Drug Name
43924	ENBREL 50 MG/ML MINI CARTRIDGE
97724	ENBREL 50 MG/ML SURECLICK
23574	ENBREL 50 MG/ML SYRINGE
46718	HADLIMA 40 MG/0.8 ML SYRINGE
46717	HADLIMA PUSHTOUCH 40 MG/0.8 ML
53846	HADLIMA(CF) 40 MG/0.4 ML SYRNG
53848	HADLIMA(CF) PUSHTOUCH 40MG/0.4
48318	HULIO(CF) 20 MG/0.4 ML SYRINGE
48336	HULIO(CF) 40 MG/0.8 ML SYRINGE
48317	HULIO(CF) PEN 40 MG/0.8 ML
18924	HUMIRA 40 MG/0.8 ML SYRINGE
97005	HUMIRA PEN 40 MG/0.8 ML
44659	HUMIRA(CF) 10 MG/0.1 ML SYRING
44664	HUMIRA(CF) 20 MG/0.2 ML SYRING
43505	HUMIRA(CF) 40 MG/0.4 ML SYRING
43506	HUMIRA(CF) PEN 40 MG/0.4 ML
44014	HUMIRA(CF) PEN 80 MG/0.8 ML
44014	HUMIRA(CF) PEN CRHN-UC-HS 80MG
44954	HUMIRA(CF) PEN PS-UV-AHS 80-40
53885	HYRIMOZ(CF) 10 MG/0.1 ML SYRNG
53883	HYRIMOZ(CF) 20 MG/0.2 ML SYRNG
53884	HYRIMOZ(CF) 40 MG/0.4 ML SYRNG
53899	HYRIMOZ(CF) PEDI CROHN 80 MG
53891	HYRIMOZ(CF) PEDI CROHN 80-40MG
53875	HYRIMOZ(CF) PEN 40 MG/0.4 ML

GCN	Drug Name
53887	HYRIMOZ(CF) PEN 80 MG/0.8 ML
53887	HYRIMOZ(CF) PEN CROHN-UC 80 MG
53878	HYRIMOZ(CF) PEN PSORIA 80-40MG
56368	IMULDOSA 45 MG/0.5 ML SYRINGE
56367	IMULDOSA 90 MG/ML SYRINGE
14867	KINERET 100 MG/0.67 ML SYRINGE
30289	ORENCIA 125 MG/ML SYRINGE
43389	ORENCIA 50 MG/0.4 ML SYRINGE
43397	ORENCIA 87.5 MG/0.7 ML SYRINGE
41656	ORENCIA CLICKJECT 125 MG/ML
56084	OTEZLA 10-20 MG STARTER 28 DAY
36173	OTEZLA 10-20-30MG START 14 DAY
37765	OTEZLA 10-20-30MG START 28 DAY
56083	OTEZLA 20 MG TABLET
36172	OTEZLA 30 MG TABLET
56286	OTULFI 45 MG/0.5 ML SYRINGE
56287	OTULFI 90 MG/ML SYRINGE
55956	PYZCHIVA 45 MG/0.5 ML SYRINGE
56844	PYZCHIVA 45 MG/0.5 ML VIAL
55957	PYZCHIVA 90 MG/ML SYRINGE
46822	RINVOQ ER 15 MG TABLET
51719	RINVOQ ER 30 MG TABLET
52085	RINVOQ ER 45 MG TABLET
55651	RINVOQ LQ 1 MG/ML SOLUTION
55583	SELARSDI 45 MG/0.5 ML SYRINGE

GCN	Drug Name
57717	SELARSDI 45 MG/0.5 ML VIAL
55584	SELARSDI 90 MG/ML SYRINGE
56047	SIMLANDI(CF) 20 MG/0.2 ML SYRG
56016	SIMLANDI(CF) 40 MG/0.4 ML SYRG
56048	SIMLANDI(CF) 80 MG/0.8 ML SYRG
55332	SIMLANDI(CF) AI 40 MG/0.4 ML
57361	SIMLANDI(CF) AI 80 MG/0.8 ML
35001	SIMPONI 100 MG/ML PEN INJECTOR
34697	SIMPONI 100 MG/ML SYRINGE
22533	SIMPONI 50 MG/0.5 ML PEN INJEC
22536	SIMPONI 50 MG/0.5 ML SYRINGE
49591	SKYRIZI 150 MG/ML PEN
49617	SKYRIZI 150 MG/ML SYRINGE
53397	SKYRIZI 180 MG/1.2 ML ON-BODY
52475	SKYRIZI 360 MG/2.4 ML ON-BODY
57822	STARJEMZA 45 MG/0.5 ML SYRINGE
57824	STARJEMZA 45 MG/0.5 ML VIAL
57823	STARJEMZA 90 MG/ML SYRINGE
46024	TREMFYA 100 MG/ML ONE-PRESS
57417	TREMFYA 100 MG/ML PEN
43612	TREMFYA 100 MG/ML SYRINGE
56229	TREMFYA 200 MG/2 ML PEN
56228	TREMFYA 200 MG/2 ML SYRINGE
56229	TREMFYA INDCT 200MG/2ML X2 PEN
56286	USTEKINUMAB-AAUZ 45 MG SYRINGE

GCN	Drug Name
56287	USTEKINUMAB-AAUZ 90 MG/ML SYR
55583	USTEKINUMAB-AEKN 45 MG SYRINGE
55584	USTEKINUMAB-AEKN 90 MG/ML SYR
55956	USTEKINUMAB-TTWE 45 MG SYRINGE
56844	USTEKINUMAB-TTWE 45MG/0.5ML VL
55957	USTEKINUMAB-TTWE 90 MG/ML SYR
48684	XELJANZ 1 MG/ML SOLUTION
44882	XELJANZ 10 MG TABLET
33617	XELJANZ 5 MG TABLET
38086	XELJANZ XR 11 MG TABLET
47546	XELJANZ XR 22 MG TABLET
56599	YESINTEK 45 MG/0.5 ML SYRINGE
56607	YESINTEK 45 MG/0.5 ML VIAL
56603	YESINTEK 90 MG/ML SYRINGE
54907	YUFLYMA(CF) 20 MG/0.2 ML SYRNG
54209	YUFLYMA(CF) 40 MG/0.4 ML SYRNG
54213	YUFLYMA(CF) 40MG/0.4ML AUTOINJ
54908	YUFLYMA(CF) 80MG/0.8ML AUTOINJ
54908	YUFLYMA(CF) AI CROHNS-UC-HS 80

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

49 DMD Agents

DMD Agents
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

DMD Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

DMD Agents
Alternate Therapies

Preferred DMD Agents

GCN	Drug Name
43012	DEFLAZACORT 18 MG TABLET
23762	DEFLAZACORT 30 MG TABLET
43015	DEFLAZACORT 36 MG TABLET
23761	DEFLAZACORT 6 MG TABLET
43016	EMFLAZA 22.75 MG/ML ORAL SUSP
43012	JAYTHARI 18 MG TABLET
23762	JAYTHARI 30 MG TABLET
43015	JAYTHARI 36 MG TABLET
23761	JAYTHARI 6 MG TABLET
43012	KYMBEE 18 MG TABLET
23762	KYMBEE 30 MG TABLET
43015	KYMBEE 36 MG TABLET
23761	KYMBEE 6 MG TABLET

50 Epinephrine

Epinephrine
Prior Authorization Criteria

1. Has the client failed a 1-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Epinephrine
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Epinephrine
Alternate Therapies

Preferred Epinephrine Agents

GCN	Drug Name
44487	AUVI-Q 0.1 MG AUTO-INJECTOR
28038	AUVI-Q 0.15 MG AUTO-INJECTOR
19862	AUVI-Q 0.3 MG AUTO-INJECTOR
19861	EPINEPHRINE 0.15 MG AUTO-INJCT
19862	EPINEPHRINE 0.3 MG AUTO-INJECT
19862	EPIPEN 0.3 MG AUTO-INJECTOR
19862	EPIPEN 2-PAK 0.3 MG AUTO-INJCT
19861	EPIPEN JR 0.15 MG AUTO-INJECTR
19861	EPIPEN JR 2-PAK 0.15 MG INJCTR
57335	NEFFY 1 MG/0.1 ML NASAL SPRAY
56123	NEFFY 2 MG/0.1 ML NASAL SPRAY

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

51 Erythropoiesis Stimulating Proteins

Erythropoiesis Stimulating Proteins
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Erythropoiesis Stimulating Proteins
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Erythropoiesis Stimulating Proteins
Alternate Therapies

Preferred Erythropoiesis Stimulating Proteins

GCN	Drug Name
14877	ARANESP 10 MCG/0.4 ML SYRINGE
14894	ARANESP 100 MCG/0.5 ML SYRINGE
14055	ARANESP 100 MCG/ML VIAL
15202	ARANESP 150 MCG/0.3 ML SYRINGE
97063	ARANESP 200 MCG/0.4 ML SYRINGE
14056	ARANESP 200 MCG/ML VIAL
97064	ARANESP 25 MCG/0.42 ML SYRING
14049	ARANESP 25 MCG/ML VIAL
97065	ARANESP 300 MCG/0.6 ML SYRINGE
14891	ARANESP 40 MCG/0.4 ML SYRINGE
14053	ARANESP 40 MCG/ML VIAL
27164	ARANESP 500 MCG/1 ML SYRINGE
14893	ARANESP 60 MCG/0.3 ML SYRINGE
14054	ARANESP 60 MCG/ML VIAL
25112	EPOGEN 10,000 UNITS/ML VIAL
25110	EPOGEN 2,000 UNITS/ML VIAL
24059	EPOGEN 20,000 UNITS/2 ML VIAL
25114	EPOGEN 20,000 UNITS/ML VIAL
25113	EPOGEN 3,000 UNITS/ML VIAL
25111	EPOGEN 4,000 UNITS/ML VIAL
44767	RETACRIT 10,000 UNIT/ML VIAL

GCN	Drug Name
44764	RETACRIT 2,000 UNIT/ML VIAL
48885	RETACRIT 20,000 UNIT/2 ML VIAL
48911	RETACRIT 20,000 UNIT/ML VIAL
44765	RETACRIT 3,000 UNIT/ML VIAL
44766	RETACRIT 4,000 UNIT/ML VIAL
44768	RETACRIT 40,000 UNIT/ML VIAL

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

52 Fluoroquinolones, Oral

Fluoroquinolones, Oral
Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Fluoroquinolones, Oral
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Fluoroquinolones, Oral
Alternate Therapies

Preferred Fluoroquinolones, Oral

GCN	Drug Name
47057	CIPRO 10% SUSPENSION
47056	CIPRO 5% SUSPENSION
47053	CIPROFLOXACIN HCL 100 MG TAB
47050	CIPROFLOXACIN HCL 250 MG TAB
47051	CIPROFLOXACIN HCL 500 MG TAB
47052	CIPROFLOXACIN HCL 750 MG TAB
23725	LEVOFLOXACIN 25 MG/ML SOLUTION
47073	LEVOFLOXACIN 250 MG TABLET
47074	LEVOFLOXACIN 500 MG TABLET
89597	LEVOFLOXACIN 750 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

53 GI Motility, Chronic

GI Motility, Chronic
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent (including GI motility OTC agents) in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

GI Motility, Chronic
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

GI Motility, Chronic Alternate Therapies

Preferred GI Motility, Chronic Agents

GCN	Drug Name
26473	AMITIZA 24 MCG CAPSULE
99658	AMITIZA 8 MCG CAPSULE
33187	LINZESS 145 MCG CAPSULE
33188	LINZESS 290 MCG CAPSULE
42975	LINZESS 72 MCG CAPSULE
21422	LOTRONEX 0.5 MG TABLET
41607	LOTRONEX 1 MG TABLET
26473	LUBIPROSTONE 24 MCG CAPSULE
99658	LUBIPROSTONE 8 MCG CAPSULE
37725	MOVANTIK 12.5 MG TABLET
37726	MOVANTIK 25 MG TABLET
43216	SYMPROIC 0.2 MG TABLET
42925	TRULANCE 3 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

54 Glucagon Agents

Glucagon Agents
Prior Authorization Criteria

1. Has the client failed a 1-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Glucagon Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Glucagon Agents
Alternate Therapies

Preferred Glucagon Agents

GCN	Drug Name
46726	BAQSIMI 3 MG SPRAY
46726	BAQSIMI 3 MG SPRAY ONE PACK
46726	BAQSIMI 3 MG SPRAY TWO PACK
25473	GLUCAGON 1 MG EMERGENCY KIT
25473	GLUCAGON 1 MG VIAL
51424	GVOKE 1 MG/0.2 ML KIT
51424	GVOKE 1 MG/0.2 ML VIAL
46907	GVOKE HYPOPEN 1PK 0.5MG/0.1 ML
46908	GVOKE HYPOPEN 1-PK 1 MG/0.2 ML
46907	GVOKE HYPOPEN 2PK 0.5MG/0.1 ML
46908	GVOKE HYPOPEN 2-PK 1 MG/0.2 ML
46905	GVOKE PFS 1-PK 1 MG/0.2 ML SYR
46905	GVOKE PFS 2-PK 1 MG/0.2 ML SYR
01280	PROGLYCEM 50 MG/ML ORAL SUSP
49402	ZEGALOGUE 0.6 MG/0.6 ML SYRING
49403	ZEGALOGUE 0.6 MG/0.6ML AUTOINJ

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

55 Glucocorticoids, Inhaled

Glucocorticoids, Inhaled
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Glucocorticoids, Inhaled
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Glucocorticoids, Inhaled Alternate Therapies

Preferred Glucocorticoids, Inhaled

GCN	Drug Name
50584	ADVAIR 100-50 DISKUS
50594	ADVAIR 250-50 DISKUS
50604	ADVAIR 500-50 DISKUS
97136	ADVAIR HFA 115-21 MCG INHALER
97137	ADVAIR HFA 230-21 MCG INHALER
97135	ADVAIR HFA 45-21 MCG INHALER
53534	AIRSUPRA 90-80 MCG INHALER
37007	ARNUITY ELLIPTA 100 MCG INH
37008	ARNUITY ELLIPTA 200 MCG INH
44783	ARNUITY ELLIPTA 50 MCG INH
37566	ASMANEX HFA 100 MCG INHALER
37565	ASMANEX HFA 200 MCG INHALER
47599	ASMANEX HFA 50 MCG INHALER
99721	ASMANEX TWISTHALER 110 MCG #30
24927	ASMANEX TWISTHALER 220 MCG #14
24928	ASMANEX TWISTHALER 220 MCG #30
24929	ASMANEX TWISTHALER 220 MCG #60
18987	ASMANEX TWISTHALR 220 MCG #120
34647	BREO ELLIPTA 100-25 MCG INHALR
35808	BREO ELLIPTA 200-25 MCG INHALR
54747	BREO ELLIPTA 50-25 MCG INHALER

GCN	Drug Name
17957	BUDESONIDE 0.25 MG/2 ML SUSP
17958	BUDESONIDE 0.5 MG/2 ML SUSP
62980	BUDESONIDE 1 MG/2 ML INH SUSP
28766	DULERA 100 MCG-5 MCG INHALER
28767	DULERA 200 MCG-5 MCG INHALER
30139	DULERA 50 MCG-5 MCG INHALER
53636	FLUTICASONE PROP HFA 110 MCG
53639	FLUTICASONE PROP HFA 220 MCG
53638	FLUTICASONE PROP HFA 44 MCG
98025	PULMICORT 180 MCG FLEXHALER
98024	PULMICORT 90 MCG FLEXHALER
43724	QVAR REDIHALER 40 MCG
43725	QVAR REDIHALER 80 MCG
98500	SYMBICORT 160-4.5 MCG INHALER
98499	SYMBICORT 80-4.5 MCG INHALER

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

56 Glucocorticoids, Oral

Glucocorticoids, Oral
Prior Authorization Criteria

1. Has the client failed a 10-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Glucocorticoids, Oral
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Glucocorticoids, Oral
Alternate Therapies

Preferred Glucocorticoids, Oral

GCN	Drug Name
28680	BUDESONIDE DR 3 MG CAPSULE
27422	DEXAMETHASONE 0.5 MG TABLET
27400	DEXAMETHASONE 0.5 MG/5 ML ELX
27411	DEXAMETHASONE 0.5 MG/5 ML LIQ
27425	DEXAMETHASONE 0.75 MG TABLET
27424	DEXAMETHASONE 1 MG TABLET
27427	DEXAMETHASONE 1.5 MG TABLET
27426	DEXAMETHASONE 2 MG TABLET
27428	DEXAMETHASONE 4 MG TABLET
27429	DEXAMETHASONE 6 MG TABLET
26781	HYDROCORTISONE 10 MG TABLET
26782	HYDROCORTISONE 20 MG TABLET
26783	HYDROCORTISONE 5 MG TABLET
37499	METHYLPRED DP 4 MG DOSEPAK
26800	PREDNISOLONE 15 MG/5 ML SOLN
33806	PREDNISOLONE 15 MG/5 ML SOLN
33348	PREDNISOLONE 15MG/5ML SOLN CUP
09115	PREDNISOLONE 5 MG/5 ML SOLN
93945	PREDNISOLONE SOD PH 25 MG/5 ML
27171	PREDNISONE 1 MG TABLET
27172	PREDNISONE 10 MG TABLET

GCN	Drug Name
27173	PREDNISONE 2.5 MG TABLET
27174	PREDNISONE 20 MG TABLET
27176	PREDNISONE 5 MG TABLET
27160	PREDNISONE 5 MG/5 ML SOLN CUP
27177	PREDNISONE 50 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

57 Growth Hormone

Growth Hormone
Prior Authorization Criteria

1. Has the client been stable on 1 non-preferred agent for 30 days in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Growth Hormone
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Growth Hormone Alternate Therapies

Preferred Growth Hormones

GCN	Drug Name
10554	GENOTROPIN 12 MG CARTRIDGE
63408	GENOTROPIN 5 MG CARTRIDGE
50177	GENOTROPIN MINIQUICK 0.2 MG
50187	GENOTROPIN MINIQUICK 0.4 MG
50197	GENOTROPIN MINIQUICK 0.6 MG
50207	GENOTROPIN MINIQUICK 0.8 MG
50217	GENOTROPIN MINIQUICK 1 MG
21450	GENOTROPIN MINIQUICK 1.2 MG
21451	GENOTROPIN MINIQUICK 1.4 MG
21452	GENOTROPIN MINIQUICK 1.6 MG
21453	GENOTROPIN MINIQUICK 1.8 MG
21454	GENOTROPIN MINIQUICK 2 MG
24146	NORDITROPIN FLEXPRO 10 MG/1.5
24147	NORDITROPIN FLEXPRO 15 MG/1.5
25816	NORDITROPIN FLEXPRO 30 MG/3 ML
24145	NORDITROPIN FLEXPRO 5 MG/1.5
50235	SKYTROFA 11 MG CARTRIDGE
50245	SKYTROFA 13.3 MG CARTRIDGE
50164	SKYTROFA 3 MG CARTRIDGE
50174	SKYTROFA 3.6 MG CARTRIDGE
50184	SKYTROFA 4.3 MG CARTRIDGE

GCN	Drug Name
50194	SKYTROFA 5.2 MG CARTRIDGE
50204	SKYTROFA 6.3 MG CARTRIDGE
50215	SKYTROFA 7.6 MG CARTRIDGE
50225	SKYTROFA 9.1 MG CARTRIDGE
48603	SOGROYA 10 MG/1.5 ML PEN
54124	SOGROYA 15 MG/1.5 ML PEN
52946	SOGROYA 5 MG/1.5 ML PEN

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

58 H. Pylori Treatment

H. Pylori Treatment
Prior Authorization Criteria

1. Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 14 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 14 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 14 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

H. Pylori Treatment
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

H. Pylori Treatment Alternate Therapies

Preferred H. Pylori Treatment

GCN	Drug Name
98238	PYLERA CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

59 Hemophilia Treatment

Hemophilia Treatment Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

60 Hepatitis C Agents

Hepatitis C Agents
Prior Authorization Criteria

1. Has the client been stable on a non-preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 60 days)
   ☐ No (Go to #2)

2. Has the client failed a 30-day treatment trial with at least a preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 60 days)
   ☐ No (Go to #3)

3. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 60 days)
   ☐ No (Go to #4)

4. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 60 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hepatitis C Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hepatitis C Agents
Alternate Therapies

Preferred Hepatitis C Agents

GCN	Drug Name
49798	EPCLUSA 150-37.5 MG PELLET PKT
48517	EPCLUSA 200 MG-50 MG TABLET
49799	EPCLUSA 200-50 MG PELLET PACK
41729	EPCLUSA 400 MG-100 MG TABLET
43699	MAVYRET 100-40 MG TABLET
49863	MAVYRET 50-20 MG PELLET PACKET
14179	RIBAVIRIN 200 MG CAPSULE
18969	RIBAVIRIN 200 MG TABLET
41729	SOFOSBUVIR-VELPATASVIR 400-100

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

61 Hereditary Angioedema (HAE) Treatments

Hereditary Angioedema (HAE) Treatments Prior Authorization Criteria

1. Has the client been stable on a non-preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. Has the client failed a treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #4)

4. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hereditary Angioedema (HAE) Treatments Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hereditary Angioedema (HAE) Treatments Alternate Therapies

Preferred Hereditary Angioedema (HAE) Treatments

GCN	Drug Name
31159	BERINERT 500 UNIT KIT
32074	BERINERT 500 UNIT VIAL
10495	CINRYZE 500 UNIT VIAL
58259	DAWNZERA 80 MG/0.8 ML PEN
39478	HAEGARDA 2,000 UNIT VIAL
43356	HAEGARDA 3,000 UNIT VIAL
14778	ICATIBANT 30 MG/3 ML SYRINGE
28088	KALBITOR 10 MG/ML VIAL
48948	ORLADEYO 110 MG CAPSULE
48947	ORLADEYO 150 MG CAPSULE
53706	TAKHZYRO 150 MG/ML SYRINGE
49055	TAKHZYRO 300 MG/2 ML SYRINGE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

62 HIV/AIDS

HIV/AIDS
Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

63 Hypoglycemics, Incretin Mimetics/Enhancers

Hypoglycemics, Incretin Mimetics/Enhancers Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Incretin Mimetics/Enhancers Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Incretin Mimetics/Enhancers Alternate Therapies

Preferred Incretin Mimetics/Enhancer Therapies

GCN	Drug Name
24614	BYETTA 10 MCG DOSE PEN INJ
24613	BYETTA 5 MCG DOSE PEN INJ
37832	GLYXAMBI 10 MG-5 MG TABLET
37833	GLYXAMBI 25 MG-5 MG TABLET
98307	JANUMET 50-1,000 MG TABLET
98306	JANUMET 50-500 MG TABLET
31348	JANUMET XR 100-1,000 MG TABLET
31340	JANUMET XR 50-1,000 MG TABLET
31339	JANUMET XR 50-500 MG TABLET
97400	JANUVIA 100 MG TABLET
97398	JANUVIA 25 MG TABLET
97399	JANUVIA 50 MG TABLET
31317	JENTADUETO 2.5 MG-1000 MG TAB
31315	JENTADUETO 2.5 MG-500 MG TAB
31316	JENTADUETO 2.5 MG-850 MG TAB
41637	JENTADUETO XR 2.5 MG-1,000 MG
41639	JENTADUETO XR 5 MG-1,000 MG TB
53536	OZEMPIC 0.25-0.5 MG/DOSE PEN
48208	OZEMPIC 1 MG/DOSE (4 MG/3 ML)
52125	OZEMPIC 2 MG/DOSE (8 MG/3 ML)
99450	SYMLINPEN 120 PEN INJECTOR

GCN	Drug Name
99514	SYMLINPEN 60 PEN INJECTOR
29890	TRADJENTA 5 MG TABLET
47672	TRIJARDY XR 10-5-1,000 MG TAB
47671	TRIJARDY XR 12.5-2.5-1,000 MG
47673	TRIJARDY XR 25-5-1,000 MG TAB
47669	TRIJARDY XR 5-2.5-1,000 MG TAB
37169	TRULICITY 0.75 MG/0.5 ML PEN
37171	TRULICITY 1.5 MG/0.5 ML PEN
48574	TRULICITY 3 MG/0.5 ML PEN
48573	TRULICITY 4.5 MG/0.5 ML PEN
26189	VICTOZA 2-PAK 18 MG/3 ML PEN
26189	VICTOZA 3-PAK 18 MG/3 ML PEN

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

64 Hypoglycemics, Insulin and related

Hypoglycemics, Insulin and related
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Insulin and related Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Insulin and related Alternate Therapies

Preferred Hypoglycemics, Insulin and related

GCN	Drug Name
43053	FIASP 100 UNIT/ML FLEXTOUCH
43054	FIASP 100 UNIT/ML VIAL
43049	FIASP PENFILL 100 UNIT/ML CART
54585	FIASP PUMPCART 100 UNIT/ML
05678	HUMALOG 100 UNIT/ML CARTRIDGE
96719	HUMALOG 100 UNIT/ML KWIKPEN
05679	HUMALOG 100 UNIT/ML VIAL
43753	HUMALOG JR 100 UNIT/ML KWIKPEN
50461	HUMALOG MIX 50-50 KWIKPEN
93717	HUMALOG MIX 75-25 KWIKPEN
22681	HUMALOG MIX 75-25 VIAL
54975	HUMALOG TEMPO PEN 100 UNIT/ML
24486	HUMULIN 70/30 KWIKPEN
50001	HUMULIN 70-30 VIAL
11660	HUMULIN N 100 UNIT/ML VIAL
11642	HUMULIN R 100 UNIT/ML VIAL
40542	HUMULIN R 500 UNIT/ML KWIKPEN
09633	HUMULIN R 500 UNIT/ML VIAL
92886	INSULIN ASPART 100 UNIT/ML CRT
92336	INSULIN ASPART 100 UNIT/ML PEN
92326	INSULIN ASPART 100 UNIT/ML VL

GCN	Drug Name
17075	INSULIN ASPART PRO MIX70-30 PN
19057	INSULIN ASPART PRO MIX70-30 VL
96719	INSULIN LISPRO 100 UNIT/ML PEN
05679	INSULIN LISPRO 100 UNIT/ML VL
43753	INSULIN LISPRO JR 100 UNIT/ML
13072	LANTUS 100 UNIT/ML VIAL
98637	LANTUS SOLOSTAR 100 UNIT/ML
18488	NOVOLIN N 100 UNIT/ML FLEXPEN
11660	NOVOLIN N 100 UNIT/ML VIAL
11642	NOVOLIN R 100 UNIT/ML VIAL
92336	NOVOLOG 100 UNIT/ML FLEXPEN
92326	NOVOLOG 100 UNIT/ML VIAL
17075	NOVOLOG MIX 70-30 FLEXPEN
19057	NOVOLOG MIX 70-30 VIAL
92886	NOVOLOG PENFILL 100 UNIT/ML
11660	RELION NOVOLIN N 100 UNIT/ML
18488	RELION NOVOLIN N U-100 FLEXPEN
11642	RELION NOVOLIN R 100 UNIT/ML
92326	RELION NOVOLOG 100 UNIT/ML VL
17075	RELION NOVOLOG MIX 70-30 FLXPN
19057	RELION NOVOLOG MIX 70-30 VIAL
92336	RELION NOVOLOG U-100 FLEXPEN
44561	TOUJEO MAX SOLOSTR 300 UNIT/ML
37988	TOUJEO SOLOSTAR 300 UNIT/ML

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

65 Hypoglycemics, Meglitinides

Hypoglycemics, Meglitinides
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Meglitinides Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Meglitinides Alternate Therapies

Preferred Hypoglycemics, Meglitinides

GCN	Drug Name
34027	NATEGLINIDE 120 MG TABLET
12277	NATEGLINIDE 60 MG TABLET
26311	REPAGLINIDE 0.5 MG TABLET
26312	REPAGLINIDE 1 MG TABLET
26313	REPAGLINIDE 2 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

*** Separate prescriptions for the individual components of combination agents should be used instead of the combination product.*

66 Hypoglycemics, Metformin

Hypoglycemics, Metformin
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Metformin Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, Metformin Alternate Therapies

Preferred Hypoglycemics, Metformin

GCN	Drug Name
97067	GLUMETZA ER 1,000 MG TABLET
97061	GLUMETZA ER 500 MG TABLET
92889	GLYBURIDE-METFORMIN 2.5-500 MG
89879	GLYBURIDE-METFORMIN 5-500 MG
89878	GLYBURID-METFORMIN 1.25-250 MG
10857	METFORMIN HCL 1,000 MG TABLET
10810	METFORMIN HCL 500 MG TABLET
10811	METFORMIN HCL 850 MG TABLET
89863	METFORMIN HCL ER 500 MG TABLET
19578	METFORMIN HCL ER 750 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

*** Separate prescriptions for the individual components of combination agents should be used instead of the combination product.*

67 Hypoglycemics, SGLT2 Inhibitors

Hypoglycemics, SGLT2 Inhibitors Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, SGLT2 Inhibitors Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, SGLT2 Inhibitors Alternate Therapies

Preferred Hypoglycemics, SGLT2 Inhibitors

GCN	Drug Name
34394	FARXIGA 10 MG TABLET
35698	FARXIGA 5 MG TABLET
36716	JARDIANCE 10 MG TABLET
36723	JARDIANCE 25 MG TABLET
38932	SYNJARDY 12.5-1,000 MG TABLET
39378	SYNJARDY 12.5-500 MG TABLET
38929	SYNJARDY 5-1,000 MG TABLET
39377	SYNJARDY 5-500 MG TABLET
42788	SYNJARDY XR 10-1,000 MG TABLET
42787	SYNJARDY XR 12.5-1,000 MG TAB
42789	SYNJARDY XR 25-1,000 MG TABLET
42786	SYNJARDY XR 5-1,000 MG TABLET
37344	XIGDUO XR 10 MG-1,000 MG TAB
37342	XIGDUO XR 10 MG-500 MG TABLET
44304	XIGDUO XR 2.5 MG-1,000 MG TAB
37343	XIGDUO XR 5 MG-1,000 MG TABLET
37339	XIGDUO XR 5 MG-500 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

68 Hypoglycemics, TZD

Hypoglycemics, TZD
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, TZD
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Hypoglycemics, TZD Alternate Therapies

Preferred Hypoglycemics, TZD

GCN	Drug Name
97181	DUETACT 30-2 MG TABLET
97180	DUETACT 30-4 MG TABLET
92991	PIOGLITAZONE HCL 15 MG TABLET
93001	PIOGLITAZONE HCL 30 MG TABLET
93011	PIOGLITAZONE HCL 45 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

*** Separate prescriptions for the individual components should be used instead of the combination drugs.*

69 Immune Globulins

Immune Globulins
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immune Globulins
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immune Globulins Alternate Therapies

Preferred Immune Globulins

GCN	Drug Name
42328	CUVITRU 1 GRAM/5 ML VIAL
46829	CUVITRU 10 GRAM/50 ML VIAL
42329	CUVITRU 2 GRAM/10 ML VIAL
42335	CUVITRU 4 GRAM/20 ML VIAL
42277	CUVITRU 8 GRAM/ 40 ML VIAL
43712	GAMASTAN VIAL
38016	GAMMAGARD LIQUID 10% VIAL
07392	GAMMAGARD S-D 10 G (IGA<1) SOL
06951	GAMMAGARD S-D 5 G (IGA<1) SOLN
29305	GAMMAKED 1 GRAM/10 ML VIAL
29308	GAMMAKED 10 GRAM/100 ML VIAL
29309	GAMMAKED 20 GRAM/200 ML VIAL
29307	GAMMAKED 5 GRAM/50 ML VIAL
29305	GAMUNEX-C 1 GRAM/10 ML VIAL
29308	GAMUNEX-C 10 GRAM/100 ML VIAL
29306	GAMUNEX-C 2.5 GRAM/25 ML VIAL
29309	GAMUNEX-C 20 GRAM/200 ML VIAL
37322	GAMUNEX-C 40 GRAM/400 ML VIAL
29307	GAMUNEX-C 5 GRAM/50 ML VIAL
26815	HEPAGAM B 5 ML VIAL
26814	HEPAGAM B VIAL

GCN	Drug Name
44679	HIZENTRA 1 GRAM/5 ML SYRINGE
28385	HIZENTRA 1 GRAM/5 ML VIAL
55066	HIZENTRA 10 GRAM/50 ML SYRINGE
35316	HIZENTRA 10 GRAM/50 ML VIAL
44686	HIZENTRA 2 GRAM/10 ML SYRINGE
28386	HIZENTRA 2 GRAM/10 ML VIAL
47882	HIZENTRA 4 GRAM/20 ML SYRINGE
28387	HIZENTRA 4 GRAM/20 ML VIAL
37105	HYQVIA 10 GM-800 UNIT PACK
37095	HYQVIA 2.5 GM-200 UNIT PACK
37106	HYQVIA 20 GM-1,600 UNIT PACK
37107	HYQVIA 30 GM-2,400 UNIT PACK
37104	HYQVIA 5 GM-400 UNIT PACK
41388	HYQVIA HY CMPNT 1,600 UNIT/10
41389	HYQVIA HY CMPNT 2,400 UNIT/15
41385	HYQVIA HY CMPNT 200 UNIT/1.25
41386	HYQVIA HY CMPNT 400 UNIT/2.5
41387	HYQVIA HY CMPNT 800 UNIT/5 ML
41372	HYQVIA IG CMPNT 10 GM/100 ML
41367	HYQVIA IG CMPNT 2.5 GM/25 ML
41373	HYQVIA IG CMPNT 20 GM/200 ML
41374	HYQVIA IG CMPNT 30 GM/300 ML
41368	HYQVIA IG CMPNT 5 GM/50 ML
45566	PANZYGA 10% (1 G/10 ML) VIAL
45566	PANZYGA 10% (10 G/100 ML) VIAL

GCN	Drug Name
45566	PANZYGA 10% (2.5 G/25 ML) VIAL
45566	PANZYGA 10% (20 G/200 ML) VIAL
45566	PANZYGA 10% (30 G/300 ML) VIAL
45566	PANZYGA 10% (5 G/50 ML) VIAL
38017	PRIVIGEN 10% VIAL
46706	XEMBIFY 20% (1 G/5 ML) VIAL
46709	XEMBIFY 20% (10 G/50 ML) VIAL
46707	XEMBIFY 20% (2 G/10 ML) VIAL
46708	XEMBIFY 20% (4 G/20 ML) VIAL

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

70 Immunomodulators, Asthma

Immunomodulators, Asthma
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immunomodulators, Asthma
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immunomodulators, Asthma Alternate Therapies

Preferred Immunomodulators, Asthma

GCN	Drug Name
47019	FASENRA PEN 30 MG/ML
53116	TEZSPIRE 210 MG/1.91 ML PEN
55223	XOLAIR 150 MG/ML AUTOINJECTOR
30556	XOLAIR 150 MG/ML SYRINGE
55225	XOLAIR 300 MG/2 ML AUTOINJECT
55224	XOLAIR 300 MG/2 ML SYRINGE
55222	XOLAIR 75 MG/0.5 ML AUTOINJECT
30555	XOLAIR 75 MG/0.5 ML SYRINGE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

71 Immunomodulators, Atopic Dermatitis

Immunomodulators, Atopic Dermatitis Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immunomodulators, Atopic Dermatitis Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immunomodulators, Atopic Dermatitis Alternate Therapies

Preferred Immunomodulators, Atopic Dermatitis

GCN	Drug Name
48785	DUPIXENT 200 MG/1.14 ML PEN
45522	DUPIXENT 200 MG/1.14 ML SYRING
48277	DUPIXENT 300 MG/2 ML PEN
43222	DUPIXENT 300 MG/2 ML SYRINGE
15348	ELIDEL 1% CREAM
42792	EUCRISA 2% OINTMENT
12289	TACROLIMUS 0.03% OINTMENT
12302	TACROLIMUS 0.1% OINTMENT
52374	VTAMA 1% CREAM
52657	ZORYVE 0.3% CREAM
55119	ZORYVE 0.3% FOAM

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

72 Immunosuppressives

Immunosuppressives
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immunosuppressives
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Immunosuppressives Alternate Therapies

Preferred Immunosuppressives

GCN	Drug Name
19173	AZATHIOPRINE 100 MG TABLET
46771	AZATHIOPRINE 50 MG TABLET
19170	AZATHIOPRINE 75 MG TABLET
47563	CELLCEPT 200 MG/ML ORAL SUSP
13919	CYCLOSPORINE MODIFIED 100 MG
13917	CYCLOSPORINE MODIFIED 100MG/ML
13918	CYCLOSPORINE MODIFIED 25 MG
13919	GENGRAF 100 MG CAPSULE
13917	GENGRAF 100 MG/ML SOLUTION
13918	GENGRAF 25 MG CAPSULE
47560	MYCOPHENOLATE 250 MG CAPSULE
47561	MYCOPHENOLATE 500 MG TABLET
13919	NEORAL 100 MG GELATIN CAPSULE
13918	NEORAL 25 MG GELATIN CAPSULE
28495	PROGRAF 0.5 MG CAPSULE
28491	PROGRAF 1 MG CAPSULE
28492	PROGRAF 5 MG CAPSULE
28502	SIROLIMUS 0.5 MG TABLET
13696	SIROLIMUS 1 MG TABLET
50356	SIROLIMUS 1 MG/ML SOLUTION
19299	SIROLIMUS 2 MG TABLET

GCN	Drug Name
28495	TACROLIMUS 0.5 MG CAPSULE (IR)
28491	TACROLIMUS 1 MG CAPSULE (IR)
28492	TACROLIMUS 5 MG CAPSULE (IR)

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

73 Intranasal Rhinitis Agents

Intranasal Rhinitis Agents
Prior Authorization Criteria

***For treatment of rhinosinusitis with nasal polyposis, Dupixent must be prescribed as adjunct therapy to an intranasal glucocorticoid. Any intranasal glucocorticoid may be used as adjunct therapy as long as a preferred intranasal glucocorticoid has been tried.*

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Intranasal Rhinitis Agents Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Intranasal Rhinitis Agents
Alternate Therapies

Preferred Intranasal Rhinitis Agents

GCN	Drug Name
37683	24 HOUR ALLERGY 50 MCG SPRAY
36145	24H NASAL ALLERGY 55 MCG SPRAY
36145	ALLER-CORT 55 MCG NASAL SPRAY
37683	ALLER-FLO 50 MCG SPRAY
52083	ALLERGY NASAL 50 MCG SPRAY
37683	ALLERGY RELIEF 50 MCG SPRAY
60544	AZELASTINE 0.1% (137 MCG) SPRY
40708	BUDESONIDE 32 MCG NASAL SPRAY
37683	CHILD FLONASE ALLER RLF 50 MCG
37683	CLARISPRAY 50 MCG NASAL SPRAY
37683	CVS FLUTICASONE PROP 50 MCG SP
36145	CVS NASAL ALLERGY 24HR SPRAY
32099	DYMISTA NASAL SPRAY
37683	EQ ALLERGY RELIEF 50 MCG SPRAY
36145	EQ NASAL ALLERGY 24HR SPRAY
37683	EQL FLUTICASONE PROP 50 MCG SP
36145	EQL NASAL ALLERGY 24HR SPRAY
37683	FLONASE ALLERGY RLF 50 MCG SPR
37683	FLUTICASONE PROP 50 MCG SPRAY
62263	FLUTICASONE PROP 50 MCG SPRAY
36145	FT 24H NASAL ALLERGY 55MCG SPR

GCN	Drug Name
37683	FT ALLERGY RELIEF 50 MCG SPRAY
36145	GNP 24H NASAL ALLERGY 55 MCG
37683	GNP FLUTICASONE PROP 50 MCG SP
37683	GS 24 HOUR ALLERGY 50 MCG SPRY
36145	GS NASAL ALLERGY 24HR SPRAY
42239	IPRATROPIUM 0.03% SPRAY
42238	IPRATROPIUM 0.06% SPRAY
36145	NASACORT ALLERGY 24HR SPRAY
36145	NASAL ALLERGY 24HR SPRAY
36145	NASAL ALLERGY 55 MCG SPRAY
52083	NASONEX 24HR ALLERGY 50MCG SPR
97453	OMNARIS 50 MCG NASAL SPRAY
37683	QC ALLERGY RELIEF 50 MCG SPRAY
31769	QNASL 80 MCG NASAL SPRAY
36145	RA NASAL ALLERGY 24HR SPRAY
37683	SM ALLERGY RELIEF 50 MCG SPRAY
36145	TRIAMCINOLONE 55 MCG NASAL SPR

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

74 Iron, Oral

Iron, Oral
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Iron, Oral
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Iron, Oral
Alternate Therapies

Preferred Iron, Oral Agents

GCN	Drug Name
13277	CENTRATEX CAPSULE
97721	CHILD FERROUS SULFATE 15 MG/ML
10510	CVS IRON 27 MG TABLET
04695	CVS IRON 65 MG TABLET
95145	FE C TABLET
04695	FEOSOL 65MG TABLET
04695	FEROSUL 325MG TABLET
04580	FERREX 150 CAPSULE
04515	FERROCITE TABLET
04695	FERRO-TIME 325MG TABLET
97503	FERROUS GLUCONATE 324 MG TAB
99233	FERROUS SULF 220 MG/5 ML CUP
41529	FERROUS SULF 220 MG/5 ML ELIX
04663	FERROUS SULF 300 MG/5 ML CUP
99233	FERROUS SULF 44MG IRON/5ML LQ
98527	FERROUS SULF EC 324 MG TABLET
04701	FERROUS SULF EC 325 MG TABLET
04695	FERROUS SULFATE 325MG TABLET
04695	FERROUSUL 325MG TABLET
29957	GNP IRON 45 MG TABLET
13277	HEMOCYTE PLUS CAPSULE

GCN	Drug Name
04580	POLYSACCHARIDE IRON 150MG CAP
26937	PUREVIT DUALFE PLUS CAPSULE
26937	SE-TAN PLUS CAPSULE
26937	TANDEM PLUS CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

75 Leukotriene Modifiers

Leukotriene Modifiers
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Leukotriene Modifiers
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Leukotriene Modifiers Alternate Therapies

Preferred Leukotriene Modifiers

GCN	Drug Name
42373	MONTELUKAST SOD 4 MG TAB CHEW
94440	MONTELUKAST SOD 5 MG TAB CHEW
94444	MONTELUKAST SOD 10 MG TABLET
40321	ZYFLO 600 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

76 Lincosamides/Oxazolidinones/Streptogramins

Lincosamides/Oxazolidinones/ Streptogramins Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Lincosamides/Oxazolidinones/ Streptogramins Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Lincosamides/Oxazolidinones/ Streptogramins Alternate Therapies

Preferred Lincosamides/Oxazolidinones/Streptogramins

GCN	Drug Name
40860	CLINDAMYCIN (PEDI) 75 MG/5 ML
40830	CLINDAMYCIN HCL 150 MG CAPSULE
40832	CLINDAMYCIN HCL 300 MG CAPSULE
40831	CLINDAMYCIN HCL 75 MG CAPSULE
26870	LINEZOLID 600 MG TABLET
26873	LINEZOLID 600 MG/300 ML-D5W
39003	LINEZOLID 600MG/300ML-0.9%NACL
26871	ZYVOX 100 MG/5 ML SUSPENSION

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

77 Lipotropics, Other

Lipotropics, Other
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Lipotropics, Other
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Lipotropics, Other
Alternate Therapies

Preferred Lipotropics, Other

GCN	Drug Name
56757	CHOLESTYRAMINE LIGHT PACKET
56758	CHOLESTYRAMINE LIGHT POWDER
09920	CHOLESTYRAMINE PACKET
14295	CHOLESTYRAMINE POWDER
25442	COLESTID 1 GM TABLET
18387	EZETIMIBE 10 MG TABLET
92504	FENOFIBRATE 134 MG CAPSULE
97003	FENOFIBRATE 145 MG TABLET
12595	FENOFIBRATE 160 MG TABLET
93437	FENOFIBRATE 200 MG CAPSULE
97002	FENOFIBRATE 48 MG TABLET
13266	FENOFIBRATE 54 MG TABLET
93446	FENOFIBRATE 67 MG CAPSULE
28126	FISH OIL 1,000 MG SOFTGEL
46508	FISH OIL 1,000 MG SOFTGEL
31469	FISH OIL 500 MG SOFTGEL
28126	FISH OIL CONC 1,000 MG SOFTGEL
29589	FISH OIL EC 1,000 MG SOFTGEL
25540	GEMFIBROZIL 600 MG TABLET
29589	GNP FISH OIL EC 1,000 MG SFTGL
42333	NIACIN ER 1,000 MG TABLET (Rx)

GCN	Drug Name
42331	NIACIN ER 500 MG TABLET (Rx)
42332	NIACIN ER 750 MG TABLET (Rx)
23929	OMEGA-3 ETHYL ESTERS 1 GM CAP
28126	OMEGA-3 FISH OIL 1,000 MG SFGL
29589	OMEGA-3 FISH OIL EC 1,000 MG
39184	PRALUENT 150 MG/ML PEN
39182	PRALUENT 75 MG/ML PEN
56757	PREVALITE PACKET
56758	PREVALITE POWDER
58549	REDEMPLO 25 MG/0.5 ML SYRINGE
38178	REPATHA 140 MG/ML SURECLICK
39363	REPATHA 140 MG/ML SYRINGE
41834	REPATHA 420 MG/3.5ML PUSHTRONX
42365	VASCEPA 0.5 GM CAPSULE
33238	VASCEPA 1 GRAM CAPSULE
28064	WELCHOL 3.75G PACKET
16300	WELCHOL 625 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

78 Lipotropics, Statins

Lipotropics, Statins
Prior Authorization Criteria

1. Has the client failed at least 2 preferred agent(s) for a total of 120 days in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Lipotropics, Statins
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Lipotropics, Statins Alternate Therapies

Preferred Lipotropics, Statins

GCN	Drug Name
43720	ATORVASTATIN 10 MG TABLET
43721	ATORVASTATIN 20 MG TABLET
43722	ATORVASTATIN 40 MG TABLET
43723	ATORVASTATIN 80 MG TABLET
43720	LIPITOR 10MG TABLET
43721	LIPITOR 20MG TABLET
43722	LIPITOR 40MG TABLET
43723	LIPITOR 80MG TABLET
47042	LOVASTATIN 10 MG TABLET
47040	LOVASTATIN 20 MG TABLET
47041	LOVASTATIN 40 MG TABLET
48671	PRAVASTATIN SODIUM 10 MG TAB
48672	PRAVASTATIN SODIUM 20 MG TAB
48673	PRAVASTATIN SODIUM 40 MG TAB
15412	PRAVASTATIN SODIUM 80 MG TAB
19153	ROSUVASTATIN CALCIUM 10 MG TAB
19154	ROSUVASTATIN CALCIUM 20 MG TAB
19155	ROSUVASTATIN CALCIUM 40 MG TAB
20229	ROSUVASTATIN CALCIUM 5 MG TAB
26532	SIMVASTATIN 10 MG TABLET
26533	SIMVASTATIN 20 MG TABLET

GCN	Drug Name
26534	SIMVASTATIN 40 MG TABLET
26531	SIMVASTATIN 5 MG TABLET
26535	SIMVASTATIN 80 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

79 Macrolides/Ketolides

Macrolides/Ketolides
Prior Authorization Criteria

1. Does the client have a diagnosis of gastroparesis or gastroesophageal reflux disease (GERD) associated with gastrostomy in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 90 days)
   ☐ No (Go to #2)

2. Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history? (Exception may apply when a preferred drug requires less than a 7-day treatment trial)

   ☐ Yes (Approve — 30 days)
   ☐ No (Go to #3)

3. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 30 days)
   ☐ No (Go to #4)

4. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 30 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Macrolides/Ketolides
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Macrolides/Ketolides Alternate Therapies

Preferred Macrolides/Ketolides

GCN	Drug Name
48790	AZITHROMYCIN 1 GM PWD PACKET
48792	AZITHROMYCIN 100 MG/5 ML SUSP
61199	AZITHROMYCIN 200 MG/5 ML SUSP
48793	AZITHROMYCIN 250 MG TABLET
61198	AZITHROMYCIN 500 MG TABLET
48794	AZITHROMYCIN 600 MG TABLET
48852	CLARITHROMYCIN 250 MG TABLET
48851	CLARITHROMYCIN 500 MG TABLET
40730	ERY-TAB DR 250 MG TABLET
40731	ERY-TAB DR 333 MG TABLET
40732	ERY-TAB DR 500 MG TABLET
40523	ERYTHROMYCIN 200 MG/5 ML SUSP
40524	ERYTHROMYCIN 400 MG/5 ML SUSP
48793	ZITHROMAX 250 MG Z-PAK TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

Macrolides/Ketolides Supporting Table

Step 1 (diagnosis of gastroparesis or GERD associated with gastrostomy)	
ICD-10 Code	**Description**
E0843	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1343	OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
K3184	GASTROPARESIS
K9420	GASTROSTOMY COMPLICATION, UNSPECIFIED
K9429	OTHER COMPLICATIONS OF GASTROSTOMY

80 Movement Disorders

Movement Disorders
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Movement Disorders
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Movement Disorders Alternate Therapies

Preferred Movement Disorder Agents

GCN	Drug Name
43237	AUSTEDO 12 MG TABLET
43228	AUSTEDO 6 MG TABLET
43236	AUSTEDO 9 MG TABLET
43266	INGREZZA 40 MG CAPSULE
49577	INGREZZA 60 MG CAPSULE
43934	INGREZZA 80 MG CAPSULE
15508	TETRABENAZINE 12.5 MG TABLET
49900	TETRABENAZINE 25 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

81 Multiple Sclerosis Agents

Multiple Sclerosis Agents Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

82 Neuropathic Pain

Neuropathic Pain
Prior Authorization Criteria

1. Has the client failed a 10-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Neuropathic Pain
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Neuropathic Pain Alternate Therapies

Preferred Agents for Neuropathic Pain

GCN	Drug Name
23373	ARTHRITIS PAIN RELIEF 0.1% CRM
33561	ARTHRITIS PAIN RLF 0.075% CRM
33560	CAPSAICIN 0.025% CREAM
33561	CAPSAICIN 0.075% CREAM
23373	CAPSAICIN 0.1% CREAM
99466	CAPSAICIN 0.15% LIQUID
23373	CAPSAICIN HP 0.1% CREAM
23373	CAPSAID ES 0.1% CREAM
23373	CVS CAPSAICIN 0.1% CREAM
23161	DULOXETINE HCL DR 20 MG CAP
23162	DULOXETINE HCL DR 30 MG CAP
23164	DULOXETINE HCL DR 60 MG CAP
00780	GABAPENTIN 100 MG CAPSULE
13235	GABAPENTIN 250 MG/5 ML SOLN
33065	GABAPENTIN 250 MG/5ML SOLN CUP
00781	GABAPENTIN 300 MG CAPSULE
33066	GABAPENTIN 300 MG/6ML SOLN CUP
00782	GABAPENTIN 400 MG CAPSULE
94624	GABAPENTIN 600 MG TABLET
94447	GABAPENTIN 800 MG TABLET
49678	GRALISE 300-600 MG SAMPLE PACK

GCN	Drug Name
30295	GRALISE ER 300 MG TABLET
54018	GRALISE ER 450 MG TABLET
30296	GRALISE ER 600 MG TABLET
54019	GRALISE ER 750 MG TABLET
54021	GRALISE ER 900 MG TABLET
35819	HORIZANT ER 300 MG TABLET
29888	HORIZANT ER 600 MG TABLET
50272	LIDOCAINE 5% PATCH
50272	LIDODERM 5% PATCH
23048	LYRICA 100 MG CAPSULE
23049	LYRICA 150 MG CAPSULE
32359	LYRICA 20 MG/ML ORAL SOLUTION
23051	LYRICA 200 MG CAPSULE
25019	LYRICA 225 MG CAPSULE
23039	LYRICA 25 MG CAPSULE
23052	LYRICA 300 MG CAPSULE
23046	LYRICA 50 MG CAPSULE
23047	LYRICA 75 MG CAPSULE
43987	LYRICA CR 165 MG TABLET
43988	LYRICA CR 330 MG TABLET
43986	LYRICA CR 82.5 MG TABLET
00780	NEURONTIN 100 MG CAPSULE
13235	NEURONTIN 250 MG/5 ML SOLUTION
00781	NEURONTIN 300 MG CAPSULE
00782	NEURONTIN 400 MG CAPSULE

GCN	Drug Name
94624	NEURONTIN 600 MG TABLET
94447	NEURONTIN 800 MG TABLET
22022	SAVELLA 100 MG TABLET
21979	SAVELLA 12.5 MG TABLET
22008	SAVELLA 25 MG TABLET
22019	SAVELLA 50 MG TABLET
22025	SAVELLA TITRATION PACK
23373	ZOSTRIX HP 0.1% CREAM

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

83 Non-Narcotic Analgesics

Non-Narcotic Analgesics
Prior Authorization Criteria

1. Has the client failed a 10-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Non-Narcotic Analgesics Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Non-Narcotic Analgesics Alternate Therapies

Preferred Generic Non-Narcotic Analgesics

GCN	Drug Name
42001	CELEBREX 100 MG CAPSULE
42002	CELEBREX 200 MG CAPSULE
18127	CELEBREX 400 MG CAPSULE
97785	CELEBREX 50 MG CAPSULE
42001	CELECOXIB 100 MG CAPSULE
42002	CELECOXIB 200 MG CAPSULE
18127	CELECOXIB 400 MG CAPSULE
97785	CELECOXIB 50 MG CAPSULE
13967	DICLOFENAC POT 25 MG TABLET
13960	DICLOFENAC POT 50 MG TABLET
35850	DICLOFENAC SOD DR 25 MG TAB
35851	DICLOFENAC SOD DR 50 MG TAB
35852	DICLOFENAC SOD DR 75 MG TAB
45680	DICLOFENAC SODIUM 1% GEL
35930	IBUPROFEN 100MG/5ML SUSP
35431	IBUPROFEN 200 MG SOFTGEL
35743	IBUPROFEN 200 MG TABLET
35741	IBUPROFEN 400MG TABLET
35742	IBUPROFEN 600MG TABLET
35744	IBUPROFEN 800MG TABLET
35749	IBUPROFEN JR STR 100 MG TB CHW

GCN	Drug Name
35680	INDOMETHACIN 25 MG CAPSULE
35681	INDOMETHACIN 50 MG CAPSULE
35931	INFANT IBUPROFEN 50 MG/1.25 ML
56988	JOURNAVX 50 MG TABLET
32531	KETOROLAC 10 MG TABLET
31662	MELOXICAM 15 MG TABLET
31661	MELOXICAM 7.5 MG TABLET
35790	NAPROXEN 250 MG TABLET
35792	NAPROXEN 375 MG TABLET
35793	NAPROXEN 500 MG KIT
61850	NAPROXEN DR 375 MG TABLET
61851	NAPROXEN DR 500 MG TABLET
47132	NAPROXEN SODIUM 220 MG CAPLET
29254	NAPROXEN SODIUM 220 MG CAPSULE
35800	SULINDAC 150 MG TABLET
35801	SULINDAC 200 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

84 Oncology, Oral – Breast

Oncology, Oral – Breast
Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

85 Oncology, Oral – Hematologic

Oncology, Oral – Hematologic Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

86 Oncology, Oral – Lung

Oncology, Oral – Lung
Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

87 Oncology, Oral – Other

Oncology, Oral – Other Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

88 Oncology, Oral – Prostate

Oncology, Oral – Prostate Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

89 Oncology, Oral – Renal Cell

Oncology, Oral – Renal Cell Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

90 Oncology, Oral – Skin

Oncology, Oral – Skin Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

91 Ophthalmics, Antibiotic – Steroid Combinations

Ophthalmics, Antibiotic – Steroid Combinations Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Antibiotic – Steroid Combinations Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Antibiotic – Steroid Combinations Alternate Therapies

Preferred Ophthalmic Antibiotic – Steroid Combinations

GCN	Drug Name
14285	NEOMYC-POLYM-DEXAMET EYE OINTM
14286	NEOMYC-POLYM-DEXAMETH EYE DROP
86903	SULF-PRED 10-0.23% EYE DROPS
92280	TOBRADEX EYE DROPS
92270	TOBRADEX EYE OINTMENT
28944	TOBRADEX ST 0.3-0.05% EYE DROP
24089	ZYLET EYE DROPS

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

92 Ophthalmics, Antibiotic

Ophthalmics, Antibiotic
Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Antibiotic
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Antibiotic Alternate Therapies

Preferred Ophthalmic Antibiotics

GCN	Drug Name
98599	AZASITE 1% EYE DROPS
25486	BACITRACIN-POLYMYXIN EYE OINT
24317	BESIVANCE 0.6% SUSP
09076	CILOXAN 0.3% OINTMENT
33580	CIPROFLOXACIN 0.3% EYE DROP
33540	ERYTHROMYCIN 0.5% EYE OINTMENT
33600	GENTAMICIN 0.3% EYE DROP
19542	MOXIFLOXACIN 0.5% EYE DROPS
36600	OCUFLOX 0.3% EYE DROPS
36600	OFLOXACIN 0.3% EYE DROPS
14294	POLYMYXIN B-TMP EYE DROPS
09384	TOBRAMYCIN 0.3% EYE DROP
09383	TOBREX 0.3% EYE OINTMENT

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

93 Ophthalmics, Allergic Conjunctivitis

Ophthalmics, Allergic Conjunctivitis Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Allergic Conjunctivitis Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Allergic Conjunctivitis Alternate Therapies

Preferred Ophthalmic Allergic Conjunctivitis Agents

GCN	Drug Name
95465	ALREX 0.2% EYE DROPS
27606	BEPREVE 1.5% EYE DROPS
69069	CROMOLYN 4% EYE DROPS
68321	CVS OLOPATADINE 0.1% EYE DROPS
92451	KETOTIFEN FUM 0.025% EYE DROPS OTC
29389	LASTACAFT ONCE DAILY 0.25% DRP
68321	OLOPATADINE HCL 0.1% EYE DROPS (RX)
97848	OLOPATADINE HCL 0.2% EYE DROPS OTC
37855	PATADAY XS ONCE DAILY 0.7% DROPS

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

94 Ophthalmics, Anti-Inflammatories

Ophthalmics, Anti-Inflammatories Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Anti-Inflammatories Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Anti-Inflammatories Alternate Therapies

Preferred Ophthalmics, Anti-Inflammatories

GCN	Drug Name
20255	ACULAR 0.5% EYE DROPS
52700	ACULAR LS 0.4% OPHTH SOL
27372	ACUVAIL 0.45% OPHTH SOLUTION
33831	DICLOFENAC 0.1% EYE DROPS
13635	DUREZOL 0.05% EYE DROPS
32861	FLAREX 0.1% EYE DROPS
33250	FLUOROMETHOLONE 0.1% EYE DROP (AG)
34360	FLURBIPROFEN 0.03% EYE DROP
33251	FML FORTE 0.25% EYE DROPS
33250	FML LIQUIFILM 0.1% EYE DROP
52700	KETOROLAC 0.5% OPHTH SOLUTION
95464	LOTEMAX 0.5% EYE DROPS
30304	LOTEMAX 0.5% EYE OINTMENT
33385	LOTEMAX 0.5% OPHTHALMIC GEL
41950	MAXIDEX 0.1% EYE DROPS
25416	NEVANAC 0.1% EYE DROP
33153	PRED FORTE 1% EYE DROPS
33150	PRED MILD 0.12% EYE DROPS
33153	PREDNISOLONE AC 1% EYE DROP
44855	PREDNISOLONE ACET 1% EYE DROP
34487	PROLENSA 0.07% EYE DROPS

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

95 Ophthalmics, Anti-Inflammatory/Immunomodulators

Ophthalmics, Anti-Inflammatory/ Immunomodulators Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Anti-Inflammatory/ Immunomodulators Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Anti-Inflammatory/ Immunomodulator Alternate Therapies

Preferred Ophthalmics, Anti-Inflammatory/Immunomodulator

GCN	Drug Name
19216	RESTASIS 0.05% EYE EMULSION
41847	XIIDRA 5% EYE DROPS

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

96 Ophthalmics, Glaucoma Agents

Ophthalmics, Glaucoma Agents Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Glaucoma Agents Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ophthalmics, Glaucoma Agents Alternate Therapies

Preferred Ophthalmics, Glaucoma Agents

GCN	Drug Name
25414	ALPHAGAN P 0.1% DROPS
13752	ALPHAGAN P 0.15% EYE DROPS
95773	AZOPT 1% EYE DROPS
32829	BETIMOL 0.25% EYE DROPS
32828	BETIMOL 0.5% EYE DROPS
33211	BETOPTIC S 0.25% EYE DROP
36281	BRIMONIDINE 0.2% EYE DROP
32261	CARTEOLOL HCL 1% EYE DROPS
20876	COMBIGAN 0.2%-0.5% EYE DROPS
33380	DORZOLAMIDE HCL 2% EYE DROPS
95919	DORZOLAMIDE-TIMOLOL EYE DROPS
24615	ISTALOL 0.5% EYE DROPS
32749	LATANOPROST 0.005% EYE DROPS
27131	LUMIGAN 0.01% EYE DROPS
32792	PHOSPHOLINE IODIDE 0.125% DROP
32704	PILOCARPINE 1% EYE DROPS
32706	PILOCARPINE 2% EYE DROPS
32752	PILOCARPINE 4% EYE DROPS
44308	RHOPRESSA 0.02% OPHTH SOLUTION
46097	ROCKLATAN 0.02%-0.005% EYE DRP
34579	SIMBRINZA 1%-0.2% EYE DROP
32822	TIMOLOL 0.25% GEL-SOLUTION

GCN	Drug Name
32823	TIMOLOL 0.5% GEL-SOLUTION
32820	TIMOLOL MALEATE 0.25% EYE DROP
32821	TIMOLOL MALEATE 0.5% EYE DROPS
32820	TIMOPTIC 0.25% EYE DROP
32822	TIMOPTIC-XE 0.25% EYE GEL-SOLN
32825	TIMOPTIC 0.25% OCUDOSE DROP
32821	TIMOPTIC 0.5% EYE DROP
32823	TIMOPTIC-XE 0.5% EYE GEL-SOLUTION
32826	TIMOPTIC 0.5% OCUDOSE DROP
13002	TRAVATAN Z 0.004% EYE DROP
32749	XALATAN 0.005% EYE DROPS
27594	ZIOPTAN 0.0015% EYE DROP

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

97 Opiate Dependence Treatments

Opiate Dependence Treatments
Prior Authorization Criteria

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

98 Otic Antibiotics

Otic Antibiotics
Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Otic Antibiotics
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Otic Antibiotics Alternate Therapies

Preferred Otic Antibiotics

GCN	Drug Name
82031	CIPRO HC OTIC SUSPENSION
20188	CIPROFLOX-DEXAMETH OTIC SUSP
14106	CORTISPORIN-TC EAR SUSPENSION
14023	NEOMYCIN-POLYMYXIN-HC EAR SOLN
14025	NEOMYCIN-POLYMYXIN-HC EAR SUSP
13880	OFLOXACIN 0.3% EAR DROPS

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

99 Otic Anti-Infectives/Anesthetics

Otic Anti-Infectives/Anesthetics Prior Authorization Criteria

1. Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Otic Anti-Infectives/Anesthetics Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Otic Anti-Infectives/Anesthetics Alternate Therapies

Preferred Otic Anti-Infectives/Anesthetics

GCN	Drug Name
34341	ACETIC ACID 2% EAR SOLUTION

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

100 PAH Agents

PAH Agents
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

PAH Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

PAH Agents
Alternate Therapies

Preferred PAH Agents

GCN	Drug Name
26587	ADCIRCA 20 MG TABLET
26587	ALYQ 20 MG TABLET
98567	AMBRISENTAN 10 MG TABLET
98566	AMBRISENTAN 5 MG TABLET
24758	REVATIO 20 MG TABLET
33186	SILDENAFIL 10 MG/ML ORAL SUSP
14978	TRACLEER 125 MG TABLET
14979	TRACLEER 62.5 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

101 Pancreatic Enzymes

Pancreatic Enzymes
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Pancreatic Enzymes
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Pancreatic Enzymes Alternate Therapies

Preferred Pancreatic Enzymes

GCN	Drug Name
26177	CREON DR 12,000 UNIT CAPSULE
26178	CREON DR 24,000 UNIT CAPSULE
30217	CREON DR 3,000 UNIT CAPSULE
34557	CREON DR 36,000 UNIT CAPSULE
26176	CREON DR 6,000 UNIT CAPSULE
31581	VIOKACE 10,440-39,150 UNIT TAB
31582	VIOKACE 20,880-78,300 UNITS TB
44601	ZENPEP DR 10,000 UNIT CAPSULE
44697	ZENPEP DR 15,000 UNIT CAPSULE
44131	ZENPEP DR 20,000 UNIT CAPSULE
44449	ZENPEP DR 25,000 UNIT CAPSULE
44742	ZENPEP DR 3,000 UNIT CAPSULE
44136	ZENPEP DR 40,000 UNIT CAPSULE
44448	ZENPEP DR 5,000 UNIT CAPSULE
55126	ZENPEP DR 60,000 UNIT CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

102 Pediatric Vitamin Preparations

Pediatric Vitamin Preparations Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Pediatric Vitamin Preparations Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Pediatric Vitamin Preparations Alternate Therapies

Preferred Pediatric Vitamin Preparations

GCN	Drug Name
28186	MULTIVIT-FLUOR 0.25 MG TAB CHW
36433	MULTIVIT-FLUOR 0.25 MG/ML DROP
28187	MULTIVIT-FLUOR 0.5 MG TAB CHEW
36434	MULTIVIT-FLUOR 0.5 MG/ML DROP
28188	MULTIVIT-FLUORIDE 1 MG TAB CHW
36455	MULTIVIT-FLUOR-IRON 0.25 MG/ML

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

103 Penicillins

Penicillins
Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Penicillins
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Penicillins
Alternate Therapies

Preferred Penicillins

GCN	Drug Name
39650	AMOXICILLIN 125 MG TAB CHEW
39681	AMOXICILLIN 125 MG/5 ML SUSP
93385	AMOXICILLIN 200 MG/5 ML SUSP
39660	AMOXICILLIN 250 MG CAPSULE
39651	AMOXICILLIN 250 MG TAB CHEW
39683	AMOXICILLIN 250 MG/5 ML SUSP
93375	AMOXICILLIN 400 MG/5 ML SUSP
39661	AMOXICILLIN 500 MG CAPSULE
61252	AMOXICILLIN 500 MG TABLET
39632	AMOXICILLIN 875 MG TABLET
39272	AMPICILLIN 500 MG CAPSULE
39541	DICLOXACILLIN 250 MG CAPSULE
39542	DICLOXACILLIN 500 MG CAPSULE
39022	PENICILLIN VK 125 MG/5 ML SOLN
39053	PENICILLIN VK 250 MG TABLET
39024	PENICILLIN VK 250 MG/5 ML SOLN
39055	PENICILLIN VK 500 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

104 Phosphate Binders

Phosphate Binders
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Phosphate Binders
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Phosphate Binders
Alternate Therapies

Preferred Phosphate Binders

GCN	Drug Name
13675	CALCIUM ACETATE 667 MG CAPSULE
13675	CALCIUM ACETATE 667 MG GELCAP
03694	CALCIUM ACETATE 667 MG TABLET
75051	CALCIUM ACETATE 667 MG TABLET
03694	CALPHRON 667 MG TABLET
49608	MAGNEBIND 400 TABLET
27483	RENVELA 0.8 GM POWDER PACKET
27484	RENVELA 2.4 GM POWDER PACKET
99200	SEVELAMER CARBONATE 800 MG TAB

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

105 Platelet Aggregation Inhibitors

Platelet Aggregation Inhibitors
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Platelet Aggregation Inhibitors Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Platelet Aggregation Inhibitors Alternate Therapies

Preferred Platelet Aggregation Inhibitors

GCN	Drug Name
95347	ASPIRIN-DIPYRIDAM ER 25-200 MG
42297	ASPIRIN-OMEPRAZOLE DR 81-40 MG
39407	BRILINTA 60 MG TABLET
29385	BRILINTA 90 MG TABLET
99266	CLOPIDOGREL 300 MG TABLET
96010	CLOPIDOGREL 75 MG TABLET
17157	PRASUGREL 10 MG TABLET
17056	PRASUGREL 5 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

106 Potassium Binders

Potassium Binders
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Potassium Binders
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Potassium Binders Alternate Therapies

Preferred Potassium Binders

GCN	Drug Name
44775	LOKELMA 10 GRAM POWDER PACKET
44774	LOKELMA 5 GRAM POWDER PACKET
02890	SOD POLYSTYRENE SULF 15 GM CUP
40066	VELTASSA 16.8 GM POWDER PACKET
40067	VELTASSA 25.2 GM POWDER PACKET
40065	VELTASSA 8.4 GM POWDER PACKET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

107 Prenatal Vitamins

Prenatal Vitamins
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Prenatal Vitamins
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Prenatal Vitamins
Alternate Therapies

Preferred Prenatal Vitamins

GCN	Drug Name
24967	COMPLETE NATAL DHA
21573	FOLIVANE-OB CAPSULE
28688	M-NATAL PLUS TABLET
28688	PNV PRENATAL PLUS MULTIVIT TAB
28688	PRENATAL VITAMIN PLUS LOW IRON
30684	SELECT-OB + DHA PACK
28796	THRIVITE RX TABLET
32229	TRICARE PRENATAL TABLET
99629	TRINATAL RX 1 TABLET
47715	VITAFOL FE PLUS SOFTGEL
40957	VITAFOL GUMMIES
35169	VITAFOL ULTRA SOFTGEL
97624	VITAFOL-OB CAPLET
98019	VITAFOL-OB+DHA COMBO PACK
30046	VITAFOL-ONE CAPSULE
24967	WESNATAL DHA COMPLETE
28688	WESTAB PLUS TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

108 Progestins for Cachexia

Progestins for Cachexia
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Progestins for Cachexia
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Progestins for Cachexia Alternate Therapies

Preferred Progestins

GCN	Drug Name
38680	MEGESTROL 20 MG TABLET
38681	MEGESTROL 40 MG TABLET
33559	MEGESTROL 400 MG/10 ML CUP
33569	MEGESTROL 800 MG/20ML SUSP CUP
40381	MEGESTROL ACET 40 MG/ML SUSP

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

109 Rosacea Agents, Topical

Rosacea Agents, Topical
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with a preferred agent within the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Rosacea Agents, Topical
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Rosacea Agents, Topical
Alternate Therapies

Preferred Rosacea Agents, Topical

GCN	Drug Name
39274	FINACEA 15% FOAM
43203	METRONIDAZOLE 0.75% CREAM
43202	METRONIDAZOLE TOPICAL 0.75% GL
24926	METRONIDAZOLE TOPICAL 1% GEL
43204	NORITATE 1% CREAM
43203	ROSADAN 0.75% CREAM
43202	ROSADAN 0.75% GEL

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

110 Sedatives and Hypnotics

Sedatives and Hypnotics
Prior Authorization Criteria

1. Has the client failed a 14-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Sedatives and Hypnotics Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Sedatives and Hypnotics Alternate Therapies

Preferred Sedatives and Hypnotics

GCN	Drug Name
00871	AMBIEN 10 MG TABLET
00870	AMBIEN 5 MG TABLET
25457	AMBIEN CR 12.5 MG TABLET
25456	AMBIEN CR 6.25 MG TABLET
36968	BELSOMRA 10 MG TABLET
36969	BELSOMRA 15 MG TABLET
36971	BELSOMRA 20 MG TABLET
36967	BELSOMRA 5 MG TABLET
23927	ESZOPICLONE 1 MG TABLET
23926	ESZOPICLONE 2 MG TABLET
23925	ESZOPICLONE 3 MG TABLET
13840	RESTORIL 15 MG CAPSULE
24036	RESTORIL 22.5 MG CAPSULE
13841	RESTORIL 30 MG CAPSULE
13845	RESTORIL 7.5 MG CAPSULE
25202	ROZEREM 8 MG TABLET
13840	TEMAZEPAM 15 MG CAPSULE
13841	TEMAZEPAM 30 MG CAPSULE
14282	TRIAZOLAM 0.125 MG TABLET
14280	TRIAZOLAM 0.25 MG TABLET
92723	ZALEPLON 10 MG CAPSULE

GCN	Drug Name
92713	ZALEPLON 5 MG CAPSULE
00871	ZOLPIDEM TARTRATE 10 MG TABLET
00870	ZOLPIDEM TARTRATE 5 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

111 Sickle Cell Anemia Treatments

Sickle Cell Anemia Alternate Therapies

All products in this class are preferred and have no PDL prior authorization criteria.

To verify formulary coverage for any drugs listed on PDL, search the Medicaid formulary.

112 Skeletal Muscle Relaxants and Related Agents

Skeletal Muscle Relaxants and Related Agents Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Skeletal Muscle Relaxants and Related Agents Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Skeletal Muscle Relaxants and Related Agents Alternate Therapies

Preferred Skeletal Muscle Relaxants and Related Agents

GCN	Drug Name
97959	AMRIX ER 15 MG CAPSULE
97960	AMRIX ER 30 MG CAPSULE
18010	BACLOFEN 10 MG TABLET
55508	BACLOFEN 15 MG TABLET
18011	BACLOFEN 20 MG TABLET
18012	BACLOFEN 5 MG TABLET
17912	CARISOPRODOL 350 MG TABLET
18020	CYCLOBENZAPRINE 10 MG TABLET
12805	CYCLOBENZAPRINE 5 MG TABLET
98299	CYCLOBENZAPRINE 7.5 MG TABLET
17892	METHOCARBAMOL 500 MG TABLET
17893	METHOCARBAMOL 750 MG TABLET
24433	TIZANIDINE HCL 2 MG CAPSULE (AG)
14690	TIZANIDINE HCL 2 MG TABLET
24434	TIZANIDINE HCL 4 MG CAPSULE (AG)
14693	TIZANIDINE HCL 4 MG TABLET
24435	TIZANIDINE HCL 6 MG CAPSULE (AG)

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

113 Smoking Cessation

Smoking Cessation
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 120 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 120 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 120 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Smoking Cessation
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Smoking Cessation Alternate Therapies

Preferred Smoking Cessation Agents

GCN	Drug Name
27046	APO-VARENICLINE 0.5 MG TABLET
27047	APO-VARENICLINE 1 MG TABLET
27901	BUPROPION HCL SR 150 MG TABLET
27046	CHANTIX 0.5 MG TABLET
27047	CHANTIX 1 MG CONT MONTH BOX
27047	CHANTIX 1 MG TABLET
27048	CHANTIX STARTING MONTH BOX
03422	CVS NICOTINE 14 MG/24HR PATCH
03200	CVS NICOTINE 2 MG CHEWING GUM
14689	CVS NICOTINE 2 MG LOZENGE
43057	CVS NICOTINE 2 MG MINI LOZENGE
03423	CVS NICOTINE 21 MG/24HR PATCH
03201	CVS NICOTINE 4 MG CHEWING GUM
14688	CVS NICOTINE 4 MG LOZENGE
43056	CVS NICOTINE 4 MG MINI LOZENGE
03421	CVS NICOTINE 7 MG/24HR PATCH
03422	EQ NICOTINE 14 MG/24HR PATCH
03200	EQ NICOTINE 2 MG CHEWING GUM
14689	EQ NICOTINE 2 MG LOZENGE
43057	EQ NICOTINE 2 MG MINI LOZENGE
03423	EQ NICOTINE 21 MG/24HR PATCH

GCN	Drug Name
03201	EQ NICOTINE 4 MG CHEWING GUM
14688	EQ NICOTINE 4 MG LOZENGE
43056	EQ NICOTINE 4 MG MINI LOZENGE
03421	EQ NICOTINE 7 MG/24HR PATCH
03422	FT NICOTINE 14 MG/24HR PATCH
03200	FT NICOTINE 2 MG CHEWING GUM
14689	FT NICOTINE 2 MG LOZENGE
43057	FT NICOTINE 2 MG MINI LOZENGE
03423	FT NICOTINE 21 MG/24HR PATCH
03201	FT NICOTINE 4 MG CHEWING GUM
14688	FT NICOTINE 4 MG LOZENGE
43056	FT NICOTINE 4 MG MINI LOZENGE
03421	FT NICOTINE 7 MG/24HR PATCH
03422	GNP NICOTINE 14 MG/24HR PATCH
03200	GNP NICOTINE 2 MG CHEWING GUM
14689	GNP NICOTINE 2 MG LOZENGE
43057	GNP NICOTINE 2 MG MINI LOZENGE
03423	GNP NICOTINE 21 MG/24HR PATCH
03201	GNP NICOTINE 4 MG CHEWING GUM
14688	GNP NICOTINE 4 MG LOZENGE
43056	GNP NICOTINE 4 MG MINI LOZENGE
03421	GNP NICOTINE 7 MG/24HR PATCH
03200	GS NICOTINE 2 MG CHEWING GUM
14689	GS NICOTINE 2 MG LOZENGE
43057	GS NICOTINE 2 MG MINI LOZENGE

GCN	Drug Name
03201	GS NICOTINE 4 MG CHEWING GUM
14688	GS NICOTINE 4 MG LOZENGE
43056	GS NICOTINE 4 MG MINI LOZENGE
03422	HM NICOTINE 14 MG/24HR PATCH
43057	HM NICOTINE 2 MG MINI LOZENGE
03423	HM NICOTINE 21 MG/24HR PATCH
43056	HM NICOTINE 4 MG MINI LOZENGE
03422	KRO NICOTINE 14 MG/24HR PATCH
03200	KRO NICOTINE 2 MG CHEWING GUM
14689	KRO NICOTINE 2 MG LOZENGE
03423	KRO NICOTINE 21 MG/24HR PATCH
03201	KRO NICOTINE 4 MG CHEWING GUM
14688	KRO NICOTINE 4 MG LOZENGE
43056	KRO NICOTINE 4 MG MINI LOZENGE
03421	KRO NICOTINE 7 MG/24HR PATCH
03422	NICODERM CQ 14 MG/24HR PATCH
03423	NICODERM CQ 21 MG/24HR PATCH
03421	NICODERM CQ 7 MG/24HR PATCH
03200	NICORETTE 2 MG CHEWING GUM
14689	NICORETTE 2 MG LOZENGE
43057	NICORETTE 2 MG MINI LOZENGE
03201	NICORETTE 4 MG CHEWING GUM
14688	NICORETTE 4 MG LOZENGE
43056	NICORETTE 4 MG MINI LOZENGE
03422	NICOTINE 14 MG/24HR PATCH

GCN	Drug Name
03200	NICOTINE 2 MG CHEWING GUM
14689	NICOTINE 2 MG LOZENGE
43057	NICOTINE 2 MG MINI LOZENGE
03423	NICOTINE 21 MG/24HR PATCH
03201	NICOTINE 4 MG CHEWING GUM
14688	NICOTINE 4 MG LOZENGE
43056	NICOTINE 4 MG MINI LOZENGE
03421	NICOTINE 7 MG/24HR PATCH
18772	NICOTINE TRANSDERMAL SYSTEM
14689	PUB STOP SMOKING AID 2 MG LOZG
14688	PUB STOP SMOKING AID 4 MG LOZG
03200	QUIT 2 MG CHEWING GUM
14689	QUIT 2 MG LOZENGE
03201	QUIT 4 MG CHEWING GUM
14688	QUIT 4 MG LOZENGE
03422	RA NICOTINE 14 MG/24HR PATCH
03200	RA NICOTINE 2 MG CHEWING GUM
14689	RA NICOTINE 2 MG LOZENGE
43057	RA NICOTINE 2 MG MINI LOZENGE
03423	RA NICOTINE 21 MG/24HR PATCH
03201	RA NICOTINE 4 MG CHEWING GUM
14688	RA NICOTINE 4 MG LOZENGE
43056	RA NICOTINE 4 MG MINI LOZENGE
03421	RA NICOTINE 7 MG/24HR PATCH
03422	SM NICOTINE 14 MG/24HR PATCH

GCN	Drug Name
03200	SM NICOTINE 2 MG CHEWING GUM
14689	SM NICOTINE 2 MG LOZENGE
03423	SM NICOTINE 21 MG/24HR PATCH
03201	SM NICOTINE 4 MG CHEWING GUM
14688	SM NICOTINE 4 MG LOZENGE
03421	SM NICOTINE 7 MG/24HR PATCH
03200	SW NICOTINE 2 MG CHEWING GUM
14689	SW NICOTINE 2 MG LOZENGE
03201	SW NICOTINE 4 MG CHEWING GUM
14688	SW NICOTINE 4 MG LOZENGE
27046	VARENICLINE 0.5 MG TABLET
27047	VARENICLINE 1 MG CONT MONTH BX
27047	VARENICLINE 1 MG TABLET
27048	VARENICLINE STARTING MONTH BOX

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

114 Steroids, Topical

Steroids, Topical
Prior Authorization Criteria

1. Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Steroids, Topical
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Steroids, Topical
Alternate Therapies

Preferred Topical Steroids, Low

GCN	Drug Name
30942	ALA-CORT 1% CREAM
30951	AQUAPHOR ITCH RELIEF 1% OINT
92421	CORTIZONE-10 FEM ITCH 1% CREME
85080	DERMA-SMOOTHE-FS BODY OIL
24484	DERMA-SMOOTHE-FS SCALP OIL
30841	GNP HYDROCORT ACETATE 1% CR
30842	GNP HYDROCORTISONE 0.5% CRM
30941	HYDROCORTISONE 0.5% CREAM
30946	HYDROCORTISONE 1% CREAM PACKET
30851	HYDROCORTISONE 1% OINTMENT
30943	HYDROCORTISONE 2.5% CREAM
28850	HYDROCORTISONE 2.5% CREAM
28850	HYDROCORTISONE 2.5% CREAM
30952	HYDROCORTISONE 2.5% OINTMENT
28850	PROCTO-MED HC 2.5% CREAM
28850	PROCTOSOL-HC 2.5% CREAM
28850	PROCTOZONE-HC 2.5% CREAM

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

Preferred Topical Steroids, Medium

GCN	Drug Name
48641	FLUTICASONE PROP 0.005% OINT
43951	FLUTICASONE PROP 0.05% CREAM
45850	MOMETASONE FUROATE 0.1% CREAM
45930	MOMETASONE FUROATE 0.1% OINT
06034	MOMETASONE FUROATE 0.1% SOLN
50550	PANDEL 0.1% CREAM

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

Preferred Topical Steroids, High

GCN	Drug Name
31080	BETAMETHASONE DP 0.05% LOT
31890	BETAMETHASONE DP AUG 0.05% CRM
31101	BETAMETHASONE VA 0.1% CREAM
31110	BETAMETHASONE VALER 0.1% OINTM
31910	DIPROLENE 0.05% OINTMENT
31231	TRIAMCINOLONE 0.025% CREAM
31260	TRIAMCINOLONE 0.025% LOTION
31241	TRIAMCINOLONE 0.025% OINT
31243	TRIAMCINOLONE 0.05% OINTMENT
31232	TRIAMCINOLONE 0.1% CREAM
31261	TRIAMCINOLONE 0.1% LOTION
31242	TRIAMCINOLONE 0.1% OINTMENT
31233	TRIAMCINOLONE 0.5% CREAM
31244	TRIAMCINOLONE 0.5% OINTMENT
24306	VANOS 0.1% CREAM

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

Preferred Topical Steroids, Very High

GCN	Drug Name
44155	CLOBETASOL 0.025% CREAM
32140	CLOBETASOL 0.05% CREAM
15892	CLOBETASOL 0.05% GEL
32130	CLOBETASOL 0.05% OINTMENT
15891	CLOBETASOL 0.05% SOLUTION
34141	CLOBETASOL EMOLLIENT 0.05% CRM
31251	HALOBETASOL PROP 0.05% CREAM
31211	HALOBETASOL PROP 0.05% OINTMNT

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

115 Stimulants and Related Agents

Stimulants and Related Agents
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Stimulants and Related Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Stimulants and Related Agents
Alternate Therapies

Preferred Stimulants and Related Agents

GCN	Drug Name
56971	ADDERALL 10 MG TABLET
29008	ADDERALL 12.5 MG TABLET
29009	ADDERALL 15 MG TABLET
56973	ADDERALL 20 MG TABLET
56972	ADDERALL 30 MG TABLET
56970	ADDERALL 5 MG TABLET
29007	ADDERALL 7.5 MG TABLET
14635	ADDERALL XR 10 MG CAPSULE
17468	ADDERALL XR 15 MG CAPSULE
14636	ADDERALL XR 20 MG CAPSULE
17469	ADDERALL XR 25 MG CAPSULE
14637	ADDERALL XR 30 MG CAPSULE
17459	ADDERALL XR 5 MG CAPSULE
18776	ATOMOXETINE HCL 10 MG CAPSULE
26539	ATOMOXETINE HCL 100 MG CAPSULE
18777	ATOMOXETINE HCL 18 MG CAPSULE
18778	ATOMOXETINE HCL 25 MG CAPSULE
18779	ATOMOXETINE HCL 40 MG CAPSULE
18781	ATOMOXETINE HCL 60 MG CAPSULE
26538	ATOMOXETINE HCL 80 MG CAPSULE
29319	CLONIDINE HCL ER 0.1 MG TABLET

GCN	Drug Name
12567	CONCERTA ER 18 MG TABLET
17123	CONCERTA ER 27 MG TABLET
12568	CONCERTA ER 36 MG TABLET
12248	CONCERTA ER 54 MG TABLET
26801	DAYTRANA 10 MG/9 HR PATCH
26802	DAYTRANA 15 MG/9 HR PATCH
26803	DAYTRANA 20 MG/9 HOUR PATCH
26804	DAYTRANA 30 MG/9 HOUR PATCH
19850	DEXEDRINE SPANSULE 10 MG
14975	DEXMETHYLPHENIDATE 10 MG TAB
14973	DEXMETHYLPHENIDATE 2.5 MG TAB
14974	DEXMETHYLPHENIDATE 5 MG TAB
24734	DEXMETHYLPHENIDATE ER 10 MG CP
97111	DEXMETHYLPHENIDATE ER 15 MG CP
24735	DEXMETHYLPHENIDATE ER 20 MG CP
30305	DEXMETHYLPHENIDATE ER 25 MG CP
28035	DEXMETHYLPHENIDATE ER 30 MG CP
30306	DEXMETHYLPHENIDATE ER 35 MG CP
28933	DEXMETHYLPHENIDATE ER 40 MG CP
24733	DEXMETHYLPHENIDATE ER 5 MG CAP
14635	DEXTROAMP-AMPHET ER 10 MG CAP
17468	DEXTROAMP-AMPHET ER 15 MG CAP
14636	DEXTROAMP-AMPHET ER 20 MG CAP
17469	DEXTROAMP-AMPHET ER 25 MG CAP
14637	DEXTROAMP-AMPHET ER 30 MG CAP

GCN	Drug Name
17459	DEXTROAMP-AMPHET ER 5 MG CAP
29008	DEXTROAMP-AMPHETAM 12.5 MG TAB
29007	DEXTROAMP-AMPHETAM 7.5 MG TAB
56971	DEXTROAMP-AMPHETAMIN 10 MG TAB
29009	DEXTROAMP-AMPHETAMIN 15 MG TAB
56973	DEXTROAMP-AMPHETAMIN 20 MG TAB
56972	DEXTROAMP-AMPHETAMIN 30 MG TAB
56970	DEXTROAMP-AMPHETAMINE 5 MG TAB
19880	DEXTROAMPHETAMINE 10 MG TAB
19885	DEXTROAMPHETAMINE 15 MG TAB
34734	DEXTROAMPHETAMINE 2.5 MG TAB
36463	DEXTROAMPHETAMINE 20 MG TAB
36464	DEXTROAMPHETAMINE 30 MG TAB
19881	DEXTROAMPHETAMINE 5 MG TAB
34735	DEXTROAMPHETAMINE 7.5 MG TAB
39686	DYANAVEL XR 2.5 MG/ML SUSP
24734	FOCALIN XR 10 MG CAPSULE
97111	FOCALIN XR 15 MG CAPSULE
24735	FOCALIN XR 20 MG CAPSULE
30305	FOCALIN XR 25 MG CAPSULE
28035	FOCALIN XR 30 MG CAPSULE
30306	FOCALIN XR 35 MG CAPSULE
28933	FOCALIN XR 40 MG CAPSULE
24733	FOCALIN XR 5 MG CAPSULE
27576	GUANFACINE HCL ER 1 MG TABLET

GCN	Drug Name
27578	GUANFACINE HCL ER 2 MG TABLET
27579	GUANFACINE HCL ER 3 MG TABLET
27582	GUANFACINE HCL ER 4 MG TABLET
45110	JORNAY PM 100 MG CAPSULE
45106	JORNAY PM 20 MG CAPSULE
45107	JORNAY PM 40 MG CAPSULE
45108	JORNAY PM 60 MG CAPSULE
45109	JORNAY PM 80 MG CAPSULE
22686	METHYLIN 10 MG/5 ML SOLUTION
22685	METHYLIN 5 MG/5 ML SOLUTION
15911	METHYLPHENIDATE 10 MG TABLET
15920	METHYLPHENIDATE 20 MG TABLET
15913	METHYLPHENIDATE 5 MG TABLET
26101	PROVIGIL 100 MG TABLET
26102	PROVIGIL 200 MG TABLET
49447	QELBREE ER 100 MG CAPSULE
49449	QELBREE ER 150 MG CAPSULE
49452	QELBREE ER 200 MG CAPSULE
40289	QUILLICHEW ER 20 MG CHEW TAB
40292	QUILLICHEW ER 30 MG CHEW TAB
40293	QUILLICHEW ER 40 MG CHEW TAB
33887	QUILLIVANT XR 25 MG/5 ML SUSP
21763	RITALIN LA 10 MG CAPSULE
20387	RITALIN LA 20 MG CAPSULE
20388	RITALIN LA 30 MG CAPSULE

GCN	Drug Name
20391	RITALIN LA 40 MG CAPSULE
37674	VYVANSE 10 MG CAPSULE
42969	VYVANSE 10 MG CHEWABLE TABLET
99366	VYVANSE 20 MG CAPSULE
43058	VYVANSE 20 MG CHEWABLE TABLET
98071	VYVANSE 30 MG CAPSULE
43059	VYVANSE 30 MG CHEWABLE TABLET
99367	VYVANSE 40 MG CAPSULE
43063	VYVANSE 40 MG CHEWABLE TABLET
98072	VYVANSE 50 MG CAPSULE
43064	VYVANSE 50 MG CHEWABLE TABLET
99368	VYVANSE 60 MG CAPSULE
43065	VYVANSE 60 MG CHEWABLE TABLET
98073	VYVANSE 70 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

116 Stomach Acid Reducers and Related

Stomach Acid Reducers and Related Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with each* preferred agent within the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)


3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

**Clients are not required to try different formulations or different strengths of each preferred agent.*

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Stomach Acid Reducers and Related Prior Authorization Criteria



**Clients are not required to try different formulations or different strengths of each preferred agent.*

†Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Stomach Acid Reducers and Related Alternate Therapies

Preferred Stomach Acid Reducers and Related

GCN	Drug Name
99389	NEXIUM DR 10 MG PACKET
33128	NEXIUM DR 2.5 MG PACKET
98030	NEXIUM DR 20 MG PACKET
98031	NEXIUM DR 40 MG PACKET
33135	NEXIUM DR 5 MG PACKET
92989	OMEPRAZOLE DR 10 MG CAPSULE
04348	OMEPRAZOLE DR 20 MG CAPSULE
92999	OMEPRAZOLE DR 40 MG CAPSULE
95976	PANTOPRAZOLE SOD DR 20 MG TAB
40120	PANTOPRAZOLE SOD DR 40 MG TAB
01697	PREVACID 24HR DR 15 MG CAPSULE
99418	PROTONIX 40 MG SUSPENSION
95976	PROTONIX DR 20 MG TABLET
40120	PROTONIX DR 40 MG TABLET
26632	ZEGERID 20 MG CAPSULE
26634	ZEGERID 20 MG PACKET
26633	ZEGERID 40 MG CAPSULE
26635	ZEGERID 40 MG PACKET
26632	ZEGERID OTC 20-1,100 MG CAP

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

117 Tetracyclines

Tetracyclines
Prior Authorization Criteria

1. Has the client failed a 5-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Tetracyclines
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Tetracyclines
Alternate Therapies

Preferred Tetracyclines

GCN	Drug Name
40370	DOXYCYCLINE 25 MG/5 ML SUSP
40361	DOXYCYCLINE 50 MG TABLET
40331	DOXYCYCLINE HYCLATE 100 MG CAP
40360	DOXYCYCLINE HYCLATE 100 MG TAB
36906	DOXYCYCLINE HYCLATE 150 MG TAB
13521	DOXYCYCLINE HYCLATE 20 MG TAB
40333	DOXYCYCLINE HYCLATE 50 MG CAP
36905	DOXYCYCLINE HYCLATE 75 MG TAB
40651	DOXYCYCLINE MONO 100 MG CAP
40363	DOXYCYCLINE MONO 100 MG TABLET
25751	DOXYCYCLINE MONO 150 MG TABLET
40652	DOXYCYCLINE MONO 50 MG CAP
07184	DOXYCYCLINE MONO 50 MG TABLET
19107	DOXYCYCLINE MONO 75 MG TABLET
40410	MINOCYCLINE 100 MG CAPSULE
40411	MINOCYCLINE 50 MG CAPSULE
93387	MINOCYCLINE 75 MG CAPSULE
40333	MORGIDOX 50 MG CAPSULE
27097	ORACEA 40 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

118 Thrombopoiesis Stimulating Proteins

Thrombopoiesis Stimulating Proteins Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Thrombopoiesis Stimulating Proteins Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Thrombopoiesis Stimulating Proteins Alternate Therapies

Preferred Thrombopoiesis Stimulating Proteins

GCN	Drug Name
55071	ALVAIZ 18 MG TABLET
55073	ALVAIZ 36 MG TABLET
55074	ALVAIZ 54 MG TABLET
55072	ALVAIZ 9 MG TABLET
31176	PROMACTA 12.5 MG TABLET
15994	PROMACTA 25 MG TABLET
15995	PROMACTA 50 MG TABLET
28344	PROMACTA 75 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

119 Transthyretin-Related Amyloidosis Agents

Transthyretin-Related Amyloidosis Agents Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Transthyretin-Related Amyloidosis Agents Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Transthyretin-Related Amyloidosis Agents Alternate Therapies

Preferred Transthyretin-Related Amyloidosis Agents

GCN	Drug Name
46258	VYNDAMAX 61 MG CAPSULE

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

120 Ulcerative Colitis Agents

Ulcerative Colitis Agents
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ulcerative Colitis Agents
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Ulcerative Colitis Agents
Alternate Therapies

Preferred Ulcerative Colitis Agents

GCN	Drug Name
16159	APRISO ER 0.375 GRAM CAPSULE
41611	AZULFIDINE 500 MG TABLET
41620	AZULFIDINE ENTAB 500 MG
48490	CANASA 1,000 MG SUPPOSITORY
33401	DIPENTUM 250 MG CAPSULE
97842	MESALAMINE DR 1.2 GM TABLET
30220	PENTASA 250 MG CAPSULE
23422	PENTASA 500 MG CAPSULE
47270	SFROWASA 4 GM/60 ML ENEMA
41611	SULFASALAZINE 500 MG TABLET
41620	SULFASALAZINE DR 500 MG TAB
34063	UCERIS 9 MG ER TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

121 Urea Cycle Disorders

Urea Cycle Disorders
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Urea Cycle Disorders
Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Urea Cycle Disorders Alternate Therapies

Preferred Urea Cycle Disorders Agents

GCN	Drug Name
43371	BUPHENYL 500 MG TABLET
43370	BUPHENYL POWDER
20522	CARBAGLU 200 MG TAB FOR SUSP
36733	PHEBURANE PELLET
34137	RAVICTI 1.1 GRAM/ML LIQUID

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

122 Uterine Disorder Treatments

Uterine Disorder Treatments
Prior Authorization Criteria

1. Has the client failed a 30-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history?

   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #2)

2. †Is there a documented allergy or contraindication to preferred agents in this class?


   ☐ Yes (Approve — 365 days)
   ☐ No (Go to #3)

3. Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?

   ☐ Yes (Approve — 365 days)
   ☐ No (Deny)

† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Uterine Disorder Treatments Prior Authorization Criteria



† Specific PDL exceptions in reference to contraindications, adverse drug reactions, and drug ineffectiveness fall under the PDL criteria exception section and are located on page 1 of the PDL Criteria Guide in the Document Overview section.

Uterine Disorder Treatments Alternate Therapies

Preferred Uterine Disorder Treatments

GCN	Drug Name
49699	MYFEMBREE 40 MG-1 MG-0.5 MG TB
48158	ORIAHNN 300-1-0.5MG/300MG CAPS
45026	ORILISSA 150 MG TABLET
45028	ORILISSA 200 MG TABLET

** The listed GCNs may not be an indication of the current TX Medicaid Formulary Coverage.*

123 Version History

The Version History records the publication history of this document. See the Change Log for more details regarding the changes and enhancements included in each version.

Publication Date	Version Number	Comments
09/22/2010	.01	Delivery of final draft
11/11/2010	.02	Revised per comment log received from HHSC and to improve navigation and usability
03/03/2014	.03	Updated PDL classes and GCNs
01/22/2015	.04	Updated PDL classes and GCNs
07/23/2015	.05	Updated PDL classes and GCNs
10/06/2015	.06	Updated Stimulant and Related Agents criteria
01/28/2016	.07	Updated PDL classes and GCNs
07/21/2016	.08	Updated PDL classes and GCNs
01/26/2017	.09	Updated PDL classes and GCNs
07/27/2017	.10	Updated PDL classes and GCNs
08/29/2017	.11	Updated Ophthalmics, Anti-Inflammatory/Immunomodulator criteria
02/01/2018	.12	Updated PDL classes and GCNs
03/09/2018	.13	Updated PDL classes and GCNs
07/25/2018	.14	Updated PDL classes and GCNs
01/31/2019	.15	Updated PDL classes and GCNs
05/15/2019	.16	Verified GCNs for all preferred agents
07/25/2019	.17	Updated PDL classes and GCNs
08/06/2019	.18	Updated PPI criteria
11/22/2019	.19	Removed references to Part I: PDL Criteria on title page and on purpose of document, page 1
01/30/2020	.20	Added question for advanced cancer to all criteria and updated PDL classes and GCNs
07/30/2020	.21	Updated PDL classes and GCNs

Publication Date	Version Number	Comments
08/14/2020	.22	Updated Macrolide criteria and approval duration
10/08/2020	.23	Updated Immunomodulators, Dupixent lookback timeframe for preferred agents
12/15/2020	.24	Removed criteria logic and logic diagram for Methylin – medication is currently preferred
12/21/2020	.25	Rearranged criteria logic and logic diagram for Macrolides
12/29/2020	.26	Removed duloxetine 40mg from preferred agent table in Neuropathic Pain Agents
01/28/2021	.27	Added new classes and updated preferred drug lists and GCNs
02/23/2021	.28	Removed exemption criteria for ondansetron solution because it is currently a preferred agent Removed GCNs for clemastine fum 2.68mg, methylphenidate ER, metronidazole 0.75% vaginal gel and Granix Added the following statement to Hypoglycemics, TZD: Separate prescriptions for the individual components should be used instead of the combination drugs Added subsection for PCSK9 inhibitors under Lipotropics, Other Added the following statement to Anti-Allergens: For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization Added the following statement to Prenatal Vitamins: Prenatal vitamins are covered only for females less than 50 years of age. Removed diagnosis check of CVD and intolerable side effects for Inhaled Bronchodilators
04/13/2021	.29	For Macrolides criteria: revised prior therapy question to read: Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history? (Exception may apply when a preferred drug requires less than a 7-day treatment trial)
07/29/2021	.30	Updated PDL classes and GCNs Updated criteria for Phosphate Binders – removed checks for lab values and diagnosis
08/13/2021	.31	Revised lookback time frame for Ophthalmics, Anti-Inflammatory/Immunomodulators from 180 days therapy with a preferred agent in the last 200 days to 30 days therapy in the last 180 days

Publication Date	Version Number	Comments
10/12/2021	.32	Added GCN for Lotemax 0.5% drops to preferred agents
12/20/2021	.33	Updated logic diagram for Topical antibiotics, question 1, to look for a 5-days supply of a preferred agent in the last 60 days
12/21/2021	.34	Updated PDL classes and GCNs
04/05/2022	.35	Updated Phosphate Binders criteria
06/22/2022	.36	Moved criteria for Rinvoq to Cytokine and CAM class section. Added diagnoses of ankylosing spondylitis and ulcerative colitis for Rinvoq – for clients with these diagnoses, preferred therapy is from the Cytokine and CAM class
07/28/2022	.37	Updated PDL classes and GCNs
08/10/2022	.38	Added diagnosis of eosinophilic esophagitis for Dupixent
09/16/2022	.39	Updated lookback for a preferred agent to 14 days supply in the last 180 days for Bronchodilators, Beta Agonists and 1 day supply in the last 180 days for Glucagon agents
01/01/2023	.40	Updated the preferred Hepatitis C Agents
01/26/2023	.41	Added criteria for Uterine Disorder Treatments Updated PDL classes and GCNs
07/27/2023	.42	Updated PDL classes and GCNs
08/04/2023	.43	Updated Rinvoq and Dupixent criteria Added ribavirin GCNs to Hepatitis C preferred agents
01/25/2024	.44	Updated PDL classes and GCNs Added information detailed in HB 3286, Section 2, 88th Legislature, Regular Session, 2023
07/25/2024	.45	Updated PDL classes and GCNs Added information to Antidepressant criteria logic regarding discharge from an inpatient facility or risk of experiencing complications if switched from a non-preferred agent to a preferred agent Removed age exemption from Epaned Removed Criteria for Xifaxan, Progestational Agents, and PCSK9 Inhibitors Removed diagnosis question from Rinvoq and Dupixent criteria logic

Publication Date	Version Number	Comments
		Rephrased PA system from RxPert to Gainwell Technologies PA System Updated and/or reviewed all preferred drug tables
01/30/2025	.46	Updated PDL classes and GCNs Removed statement 'prenatal vitamins are covered only for females less than 50 years of age from document
07/28/2025	.47	Updated PDL classes and GCNs Removed "Oral/SQ" from "Immunosuppressives, Oral/SQ" Renamed "NSAIDs" to "Non-Narcotic Analgesics" Updated "PAH Agents, Oral" to "PAH Agents, Oral and Inhaled" Removed "Cytokine and CAM Antagonists, Rinvoq" section and added Rinvoq GCNs to the "Cytokine and CAM Antagonists" section
08/08/2025	.48	Removed GCNs for Accutane (59841, 59842, 20383, 59843) and Myorisan (59841, 59842, 20383, 59843) from the "Acne Agents, Oral" section Removed GCNs for Flovent HFA (53636, 53639, 53638) and Flovent Diskus (53633, 53634) from the "Glucocorticoids, Inhaled" section
01/01/2026	.49	Updated Hepatitis C Agents GCNs
01/30/2026	.50	Updated PDL classes and GCNs Removed Immunomodulators, Dupixent section Updated Sickle Cell Anemia Treatments to a protected class Added a new PDL class section: Transthyretin-Related Amyloidosis
07/24/2026	0.51	Updated PDL classes and GCNs Updated title to Antimigraine Agents, Non-Triptans (instead of Antimigraine Agents, Other) Removed long-acting injectables from the Preferred Antipsychotics table Updated title to Calcium Channel Blockers (instead of Calcium Channel Blockers, Oral) Updated title to Cough and Cold, Cold (instead of Cough and Cold, Non-Antitussive) Updated title to Cough and Cold, Narcotic (instead of Cough and Cold, Narcotic Antitussive)

Publication Date	Version Number	Comments
		Updated title to Cough and Cold, Non-Narcotic (instead of Cough and Cold, Non-Narcotic Antitussive) Added a new PDL class section: DMD Agents Updated title to Epinephrine (instead of Epinephrine, Self-Injected) Updated title to Hereditary Angioedema (HAE) Treatments (instead of Hereditary Angioedema Agents) Updated title to PAH Agents (instead of PAH Agents, Oral and Inhaled) Updated title to Skeletal Muscle Relaxants and Related Agents (instead of Skeletal Muscle Relaxants) Updated title to Stomach Acid Reducers and Related (instead of Proton Pump Inhibitors) Updated title to Urea Cycle Disorders (instead of Urea Cycle Disorders, Oral)

124 Change Log

The Change Log records the changes and enhancements included in each version.

Version Number	Chapter/Section	Change
.01	N/A	N/A
.02	Purpose	Updated paragraph to explain the division of the criteria guide
	Organization	Added descriptions for diagnosis codes, procedure codes
	Organization	Removed note at end of section
	All sections	Revised formatting to support consecutive page numbering
	All sections	Replaced all occurrences of patient with client
	All checklist pages	Removed the approval duration note at the end of a checklist
	All checklist pages	Added the approval duration for all actions of a rule that results in approval
	All flowchart pages	Added the approval duration to all Approve Request ovals
	All list pages	Updated table format to be consistent with previous documents
	All list titles	Added the RxPert form code in title
	All checklists and flowcharts	Updated the RxPert form code in title where necessary
	Checklists and flowchart for: Alzheimer's Agents Antidepressants, Other Antidepressants, SSRI Antipsychotics, Oral Growth Hormones Hepatitis C Agents	Added missing stable therapy step
	Analgesics, Narcotic – Long Acting Analgesics, Narcotic – Short Acting	Updated titles for checklist, flowchart, and list to correspond with the section title

Version Number	Chapter/Section	Change
	Analgesics, Narcotic – Long Acting Analgesics, Narcotic – Short Acting	Updated the RxPert form code in title
	Anticoagulants, Injectable	Added allergy and contraindication step to checklist and flowchart
	Antidepressants	Divided section into Antidepressants, Other and Antidepressants, SSRI as shown in the PDL
	Antiparkinson's Agents	Updated Step 1 in the checklist and flowchart to read "14-day treatment trial"
	Bile Salts	Added checklist, flowchart, and list
	Bronchodilators, Beta Agonist	Added step 3 to the checklist and flowchart
	Bronchodilators, Beta Agonist	Added diagnosis code list for step 2
	Fluoroquinolones, Oral – Cipro Suspension	Modified step 1 to read "less than 11 years of age"
	Glucocorticoids, Inhaled	Added checklist, flowchart, and list for Pulmicort
	Hypoglycemics, Incretin Mimetics/Enhancers – Symlin	Added sub-section
	Impetigo Agents, Topical	Updated approval duration to 5-days in checklist and flowchart
	Lipotropics, Statins	Updated step 1 in checklist and flowchart to read "Has the client failed at least 2 preferred agent(s) for a total of 120 days within the past 180 days?"
	Macrolides/Ketolides	Updated approval duration to 30 days
	Ophthalmics, Quinolones/Macrolides	Updated step 1 to read "7-day treatment trial"
	PAH Agents, Oral	Added step 2 for allergy and contraindication to checklist and flowchart
	Phosphate Binders	Added checklist, flowchart, and lists
	Proton Pump Inhibitors	Added checklist, flowchart, and list for Prevacid Solutabs
.03	Bronchodilators, Beta Agonist	Corrected list of diagnosis codes related to step 2

Version Number	Chapter/Section	Change
	Hypoglycemics, Incretin Mimetics/Enhancers – Symlin	Corrected list of diagnosis codes related to step 2
	Cover page	Replaced Texas state seal image with higher resolution image
.04	Antimigraine Agents, Other	Added checklist, flowchart, and list
	HAE Treatments	Added checklist, flowchart, and list
	H.Pylori Treatment	Added checklist, flowchart, and list
	Immune Globulins	Added checklist, flowchart, and list
	Lincosamides/Oxazolidinones/ Streptogramins	Added checklist, flowchart, and list
	Progestins for Cachexia	Added checklist, flowchart, and list
	Smoking Cessation	Added checklist, flowchart, and list
	Acne Agents, Topical Analgesics, Narcotics Long Analgesics, Narcotics Short Angiotensin Modulators Bladder Relaxant Preparations Intranasal Rhinitis Agents Neuropathic Pain Platelet Aggregation Inhibitors Proton Pump Inhibitors Stimulants and Related Agents Anticoagulants Antidepressants, Other Antiparkinson’s Agents Beta-Blockers Bronchodilators, Beta Agonist Glucocorticoids, Inhaled Lipotropics, Other Lipotropics, Statins	Updated list of preferred agents
.05	All PDL Sections	Reviewed and updated all lists of preferred agents

Version Number	Chapter/Section	Change
.06	Stimulants and Related Agents	Added criteria for Methylin solution
.07	Alzheimer's Agents Androgenic Agents Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, Minimally Sedating Antihypertensives, Sympatholytics Antiparasitics, Topical Antipsychotics Antivirals, Oral Antivirals, Topical Bone Resorption Suppression and Related Agents Calcium Channel Blockers Cephalosporins and Related Antibiotics Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine, Self-Injected Fluoroquinolones, Oral GI Motility, Chronic Glucocorticoids, Oral Growth Hormone Hypoglycemics, Incretin Hypoglycemics, Insulin and Related Agents Hypoglycemics, Meglitinides Hypoglycemics, TZDs Immunosuppressives, Oral Iron, Oral Leukotriene Modifiers	Updated list of preferred agents

Version Number	Chapter/Section	Change
	Macrolides/Ketolides NSAIDs Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-Inflammatories Ophthalmics, Glaucoma Agents Opiate Dependence Treatments Otic Antibiotics Otic Anti-Infectives & Anesthetics Penicillins Prenatal Vitamins Skeletal Muscle Relaxants Steroids, Topical Tetracyclines Ulcerative Colitis Agents	
	Antibiotics, Topical	Changed PDL Class Name from Agents for Impetigo to Topical Antibiotics
.08	Acne Agents, Oral Analgesics, Narcotic-Long Acting Angiotensin Modulator Combinations Antimigraine Agents Antiparkinson's Agents, Oral/Transdermal Antipsychotics Antivirals, Oral/Nasal Bile Salts BPH Agents COPD Agents GI Motility, Chronic Glucocorticoids, Inhaled Hepatitis C Agents Hypoglycemics, Insulin	Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	Hypoglycemics, SGLT2 Immune Globulins Immunomodulators, Atopic Dermatitis Immunosuppressives, Oral Iron, Oral Lincosamides/ Oxazolidinones/ Streptogramins Lipotropics, Other Lipotropics, Statins Neuropathic Pain Opiate Dependence Treatments PAH Agents, Oral/Inhalation Prenatal Vitamins Steroids, Topical Stimulants and Related Agents	
.09	Hypoglycemics, Metformin	New class: Added criteria logic, logic diagram and table of preferred agents
	Alzheimer's Agents Androgenic Agents Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, Minimally Sedating Antihypertensives, Symmpatholytics Antiparasitics, Topical Antipsychotics Antivirals, Oral Antivirals, Topical Bone Resorption Suppression and Related Agents	Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	Calcium Channel Blockers Cephalosporins and Related Antibiotics Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine, Self-Injected Fluoroquinolones, Oral GI Motility, Chronic Glucocorticoids, Oral Growth Hormone Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Hypoglycemics, Meglitinides Hypoglycemics, TZD Immunosuppressives, Oral Iron, Oral Leukotriene Modifiers Macrolides/Ketolides NSAIDs Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-Inflammatories Ophthalmics, Glaucoma Agents Opiate Dependence Treatments Otic Antibiotics Otic Anti-Infectives & Anesthetics Penicillins Prenatal Vitamins Skeletal Muscle Relaxants Steroids, Topical Tetracyclines	

Version Number	Chapter/Section	Change
	Ulcerative Colitis Agents	
.10	Antidepressants, Tricyclic Anxiolytics Ophthalmics, Anti-Inflammatory/Immunomodulators Urea Cycle Disorders	New classes: Added criteria logic, logic diagram and table of preferred agents
	Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotics Long Analgesics, Narcotics Short Angiotensin Modulators Angiotensin Modulator Combinations Anti-Allergens, Oral Antibiotics, Inhaled Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antihyperuricemics Antimigraine Agents, Other Antimigraine Agents, Triptans Antiparkinson's Agents Beta-Blockers Bladder Relaxant Preparations Bile Salts BPH Treatments Bronchodilators, Beta Agonist COPD Agents Cough and Cold, Cold Cough and Cold, Narcotic Cough and Cold, Non-Narcotic Erythropoiesis Stimulating Proteins Glucocorticoids, Inhaled H. Pylori Treatment	Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	HAE Treatments Hepatitis C Agents Hypoglycemics, SGLT2 Immune Globulins Immunomodulators, Atopic Dermatitis Intranasal Rhinitis Agents Lincosamides / Oxazolidinones / Streptogramins Lipotropics, Other Lipotropics, Statins Neuropathic Pain PAH, Oral and Inhaled Pancreatic Enzymes Phosphate Binders Platelet Aggregation Inhibitors Progestins for Cachexia Proton Pump Inhibitors Sedative Hypnotics Smoking Cessation Stimulants and Related Agents	
	Angiotensin Modulators Antiemetic and Antivertigo Agents	Updated criteria logic and logic diagram
.11	Opthalmics, Anti-Inflammatory / Immunomodulators	Changed prior therapy requirements to 180 day trial of a preferred agent in the last 200 days
.12	Progestational Agents	New classes: Added criteria logic, logic diagram and table of preferred agents
	Alzheimer's Agents Antihistamines, Minimally Sedating Antihypertensives, Sympatholytics Antivirals, Oral/Nasal Calcium Channel Blockers Cephalosporins and Related Antibiotics Fluoroquinolones, Oral	Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	Glucocorticoids, Oral Hypoglycemics, SGLT2 Immunosupressives, Oral Iron, Oral Leukotriene Modifiers NSAIDs Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-Inflammatories Ophthalmics, Glaucoma Agents Otic Antibiotics Otic Anti-Infectives and Anesthetics Prenatal Vitamins Skeletal Muscle Relaxants Steroids, Topical Ulcerative Colitis Agents	
.13	Antihistamines, First Generation Pediatric Vitamin Preparations	New classes: Added criteria logic, logic diagram and table of preferred agents
	Analgesics, Narcotic-Long Acting Androgenic Agents Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, Minimally Sedating Antiparasitics, Topical Antiparkinson's Agents Antipsychotics Antivirals, Oral/Nasal	Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	Antivirals, Topical Bile Salts Bone Resorption Suppression and Related Agents Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine, Self-Injected GI Motility, Chronic Growth Hormone Hepatitis C Agents Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Hypoglycemics, Meglitinides Hypoglycemics, Metformins Hypoglycemics, TZD Macrolides/Ketolides Opiate Dependence Treatments Penicillins Stimulants and Related Agents Tetracyclines	
.14	Movement Disorders Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotics Long Analgesics, Narcotics Short Angiotensin Modulator Combinations Angiotensin Modulators Anti-Allergens, Oral Antibiotics, GI Antibiotics, Inhaled	New classes: Added criteria logic, logic diagram and table of preferred agents Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antidepressants, Tricyclic Antihyperuricemics Antimigraine Agents, Other Antimigraine Agentsm Triptans Antiparkinson's Agents Anxiolytics Beta-Blockers Bile Salts Bladder Relaxant Preparations BPH Treatments Bronchodilators, Beta Agonist COPD Agents Cough and Cold Agents Cytokine and CAM Antagonists Erythropoiesis Stimulating Proteins GI Motility, Chronic Glucocorticoids, Inhaled Glucocorticoids, Oral HAE Treatments H. Pylori Treatment Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Hypoglycemics, SGLT2 Immune Globulins Immunomodulators, Atopic Dermatitis Intranasal Rhinitis Agents Lincosamides/ Oxazolidinones/ Streptogramins Lipotropics, Other Lipotropics, Statins	

Version Number	Chapter/Section	Change
	Neuropathic Pain Ophthalmics, Glaucoma Agents Ophthalmics, Anti-Inflammatory/ Immunomodulator PAH Agents, Oral and Inhaled Pancreatic Enzymes Phosphate Binders Platelet Aggregation Inhibitors Progestins for Cachexia Proton Pump Inhibitors Sedative Hypnotics Smoking Cessation Stimulants and Related Agents Tetracyclines Urea Cycle Disorders, Oral	
.15	Alzheimer's Agents Analgesics, Narcotics Short Androgenic Agents Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Anticoagulants Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, First Generation Antihistamines, Minimally Sedating Antihypertensives, Sympatholytics Antimigraine Agents, Other Antiparasitics, Topical Antiparkinson's Agents Antipsychotics Antivirals, Oral Antiviarals, Topical	Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	Bone Resorption Suppression and Related Agents Calcium Channel Blockers Cephalosporins and Related Antibiotics Colony Stimulating Factors COPD Agents Cytokine and CAM Antagonists Epinephrine, Self-Injected Erythropoiesis Stimulating Proteins Fluoroquinolones, Oral GI Motility, Chronic Glucocorticoids, Oral Growth Hormone Hepatitis C Agents Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Hypoglycemics, Meglitinides Hypoglycemics, Metformins Hypoglycemics, SGLT2 Hypoglycemics, TZD Immunomodulators, Atopic Dermatitis Immunosuppressives, Oral Iron, Oral Leukotriene Modifiers Lipotropics, Statins Macrolides/Ketolides NSAIDs Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-Inflammatories	

Version Number	Chapter/Section	Change
	Ophthalmics, Glaucoma Agents Opiate Dependence Treatments Otic Antibiotics Otic Anti-Infectives & Anesthetics Pediatric Vitamin Preparations Penicillins Prenatal Vitamins Progestational Agents Skeletal Muscle Relaxants Steroids, Topical Tetracyclines Ulcerative Colitis Agents	
.16	All Classes	Reviewed and updated GCNs for all preferred agents
.17	Thrombopoiesis Stimulating Proteins Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotics Long Analgesics, Narcotics Short Angiotensin Modulator Combinations Angiotensin Modulators Anti-Allergens, Oral Antibiotics, Inhaled Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antidepressants, Tricyclics Antifungals, Oral Antihistamines, First Generation Antihyperuricemics Antimigraine Agents, Other Antimigraine Agents, Triptans	New classes: Added criteria logic, logic diagram and table of preferred agents Updated list of preferred agents and GCNs

Version Number	Chapter/Section	Change
	Antiparasitics, Topical Antiparkinson's Agents Antivirals, Oral Anxiolytics Beta-Blockers Bile Salts Bladder Relaxant Preparations BPH Treatments Bronchodilators, Beta Agonist COPD Agents Colony Stimulating Factors Cough and Cold Agents Cytokine and CAM Antagonists Epinephrine, Self-Injected Erythropoiesis Stimulating Proteins Glucocorticoids, Inhaled H. Pylori Treatment HAE Treatments Hypoglycemics, Insulin and Related Agents Hypoglycemics, SGLT2 Immune Globulins Immunomodulators, Atopic Dermatitis Intranasal Rhinitis Agents Lincosamides/ Oxazolidinones/ Streptogramins Lipotropics, Other Lipotropics, Statins Movement Disorders Neuropathic Pain Ophthalmics, Anti-Inflammatories Ophthalmics, Anti-Inflammatory/ Immunomodulator Ophthalmics, Glaucoma Agents PAH Agents, Oral and Inhaled	

Version Number	Chapter/Section	Change
	Pancreatic Enzymes Pediatric Vitamin Preparations Prenatal Vitamins Phosphate Binders Platelet Aggregation Inhibitors Progestins for Cachexia Proton Pump Inhibitors Sedative-Hypnotics Smoking Cessation Steroids, Topical Stimulants and Related Agents Tetracyclines Urea Cycle Disorders, Oral	
.18	Proton Pump Inhibitors	Updated criteria to indicate that a minimum of 30-day trial of all preferred agents in the preceding 365 days is required before approval of a non-preferred agent.
.19	Title Page Document Overview	Removed references to Part I: PDL Criteria on title page and on purpose of document, page 1
.20	Updated all criteria logic and logic diagrams	Added the following question to all criteria: Is the drug necessary for treatment of stage-4 advanced metastatic cancer and associated conditions?
.20	Alzheimer's Agents Analgesics, Narcotic Short Androgenic Agents Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, First Generation Antihistamines, Minimally Sedating Antihypertensives, Sympatholytics	Updated preferred agents and GCNs

Version Number	Chapter/Section	Change
	Antimigraine Agents, Other Antiparasitics, Topical Antiparkinson's Agents Antipsychotic Agents Antivirals, Topical Bone Resorption Suppression and Related Agents BPH Agents Calcium Channel Blockers Cephalosporins and Related Antibiotics Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine Self-Injected Fluoroquinolones, Oral GI Motility, Chronic Glucocorticoids, Oral Growth Hormone Hepatitis C Agents Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Hypoglycemics, Meglitinides Hypoglycemics, Metformins Hypoglycemics, SGLT2 Hypoglycemics, TZD Immune Globulins Immunosuppressives, Oral Iron, Oral Leukotriene Modifiers Lipotropics, Statins Macrolides and Ketolides Movement Disorders Neuropathic Pain NSAIDs	

Version Number	Chapter/Section	Change
	Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-inflammatories Ophthalmics, Anti-inflammatory / Immunomodulator Ophthalmics, Glaucoma Agents Opiate Dependence Treatments Otic Antibiotics Otic Anti-infectives & Anesthetics Penicillins Progestational Agents Skeletal Muscle Relaxants Steroids, Topical Stimulants and Related Agents Tetracyclines Ulcerative Colitis Agents	
.21	Glucagon Agents Immunomodulators, Asthma Sickle Cell Anemia Treatment Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotics Long Analgesics, Narcotics Short Angiotensin Modulator Combinations Angiotensin Modulators Anti-Allergens, Oral Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antidepressants, Tricyclics	Added new classes and updated preferred drug lists and GCNs

Version Number	Chapter/Section	Change
	Antihyperuricemics Antimigraine Agents, Other Antimigraine Agents, Triptans Antiparkinson's Agents Antipsychotics Antivirals, Oral/Nasal Anxiolytics Beta-Blockers Bile Salts Bladder Relaxant Preparations BPH Treatments Bronchodilators, Beta Agonist Colony Stimulating Factors COPD Agents Cough and Cold Agents Erythropoiesis Stimulating Proteins Glucocorticoids, Inhaled HAE Treatments H. Pylori Treatment Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Immune Globulins Intranasal Rhinitis Agents Linconsamides/Oxazolidinones/Streptogramins Lipotropics, Other Lipotropics, Statins Movement Disorders Neuropathic Pain PAH Agents, Oral and Inhaled Pancreatic Enzymes Pediatric Vitamin Preparations Phosphate Binders	

Version Number	Chapter/Section	Change
	Platelet Aggregation Inhibitors Prenatal Vitamins Progestins for Cachexia Proton Pump Inhibitors Sedative Hypnotics Smoking Cessation Stimulants and Related Agents Thrombopoiesis Stimulating Proteins Urea Cycle Disorders, Oral	
.22	Macrolides	Updated criteria and approval duration Updated diagnosis lookback timeframe for Immunomodulators, Dupixent
.23	Immunomodulators, Atopic Dermatitis Immunomodulators, Dupixent (atopic dermatitis step)	Updated lookback timeframe for preferred agents
.24	Stimulants and Related Agents	Removed Methylin criteria logic and logic diagram – medication is currently preferred
.25	Macrolides	Rearranged criteria logic and logic diagram for Macrolides
.26	Neuropathic Pain	Removed duloxetine 40mg from the preferred agents table
.27	Acne Agents Topical Alzheimer's Agents Androgenic Agents Antiallergens, Oral Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Anticonvulsants Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, First Generation	Added new classes and updated preferred drug lists and GCNs

Version Number	Chapter/Section	Change
	Antihistamines, Minimally Sedating Antihypertensives, Sympatholytics Antimigraine Agents, Other Antiparasitics, Topical Antipsychotics Antipsychotics, Long-Acting Injectables Antivirals, Topical Bone Resorption Suppression and Related Agents Calcium Channel Blockers Cephalosporins and Related Antibiotics Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine Self-Injected Fluoroquinolones, Oral GI Motility, Chronic Glucocorticoids, Oral Growth Hormone Hemophilia Treatment Hepatitis C Agents HIV/AIDS Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Hypoglycemics, Meglitinides Hypoglycemics, Metformin Hypoglycemics, SGLT2 Hypoglycemics, TZD Immune Globulins Immunomodulators, Atopic Dermatitis Immunosuppressives, Oral Iron, Oral Leukotriene Modifiers	

Version Number	Chapter/Section	Change
	Lipotropics, Other Macrolides/Ketolides Multiple Sclerosis Agents NSAIDs Oncology, Oral – Breast Oncology, Oral – Hematologic Oncology, Oral – Lung Oncology, Oral – Other Oncology, Oral – Prostate Oncology, Oral – Renal Cell Oncology, Oral - Skin Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-Inflammatories Ophthalmics, Anti-Inflammatory/Immunomodulator Ophthalmics, Glaucoma Agents Opiate Dependence Treatments Otic Antibiotics Otic Anti-Infectives and Anesthetics Penicillins Progestational Agents Rosacea Agents, Topical Sedative/Hypnotics Skeletal Muscle Relaxants Steroids, Topical Tetracyclines Ulcerative Colitis Agents	
.28	Anti-Allergen Agents Antibiotics, Vaginal Antiemetic-Antivertigo Agents	Removed exemption criteria for ondansetron solution because it is currently a preferred agent

Version Number	Chapter/Section	Change
	Bronchodilators, Inhaled Colony Stimulating Factors First Generation Antihistamines Hypoglycemics, TZDs Lipotropics, Other Prenatal Vitamins Stimulants and Related Agents	Removed GCNs for clemastine fum 2.68mg, methylphenidate ER, metronidazole 0.75% vaginal gel and Granix Added the following statement to Hypoglycemics, TZD: Separate prescriptions for the individual components should be used instead of the combination drugs Added subsection for PCSK9 inhibitors under Lipotropics, Other Added the following statement to Anti-Allergens: For drugs in a therapeutic class or subclass with no preferred option, the provider must obtain a PDL prior authorization Added the following statement to Prenatal Vitamins: Prenatal vitamins are covered only for females less than 50 years of age. Removed diagnosis check of CVD and intolerable side effects for Inhaled Bronchodilators
.29	Macrolides	Revised prior therapy question to read: Has the client failed a 7-day treatment trial with at least 1 preferred agent in the past medical and/or pharmacy claims history? (Exception may apply when a preferred drug requires less than a 7-day treatment trial)
.30	Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotics Long Analgesics, Narcotics Short Angiotensin Modulator Combinations Angiotensin Modulators Anti-allergens, Oral Antibiotics, GI Antibiotics, Inhaled Anticoagulants Antidepressants, Other Antidepressants, SSRI Antidepressants, Tricyclic Antihyperuricemics	Updated preferred drug lists and GCNs

Version Number	Chapter/Section	Change
	Antimigraine Agents, Other Antimigraine Agents, Triptans Antiparkinson's Agents Antivirals, Oral Anxiolytics Beta-Blockers Bile Salts Bladder Relaxant Preparations BPH Treatments Bronchodilators, Beta Agonist Colony Stimulating Factors COPD Agents Cough and Cold Cytokine and CAM Antagonists Erythropoiesis Stimulating Proteins Glucagon Agents Glucocorticoids, Inhaled Glucocorticoids, Oral HAE Treatments Hemophilia Treatment H.Pylori Treatment Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Immune Globulins Immunomodulators, Asthma Immunomodulators, Atopic Dermatitis Intranasal Rhinitis Agents Lincosamides/ Oxazolidinones/ Streptogramins Lipotropics, Other Lipotropics, Statins Movement Disorders Multiple Sclerosis	

Version Number	Chapter/Section	Change
	Neuropathic Pain NSAIDs Oncology, Oral-Breast Oncology, Oral-Hematologic Oncology, Oral-Lung Oncology, Oral-Other Oncology, Oral-Prostate Oncology, Oral-Renal Cell Oncology, Oral-Skin Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-Inflammatory/ Immunomodulators PAH Agents, Oral and Inhaled Pancreatic Enzymes Pediatric Vitamin Preparations Phosphate Binder Platelet Aggregation Inhibitors Prenatal Vitamins Progestins for Cachexia Proton Pump Inhibitors Sedative Hypnotics Sickle Cell Anemia Treatments Smoking Cessation Steroids, Topical Stimulants and Related Agents Thrombopoiesis Stimulating Proteins Urea Cycle Disorders, Oral	
.31	Ophthalmics, Anti-Inflammatory / Immunomodulators	Revised lookback timeframe from 180 days therapy with a preferred agent in the last 200 days to 30 days therapy in the last 180 days
.32	Ophthalmics, Anti-Inflammatory Agents	Added GCN for Lotemax 0.5% drops to preferred agents

Version Number	Chapter/Section	Change
.33	Antibiotics, Topical	Updated logic diagram, question 1, to look for a 5-days supply of a preferred agent in the last 60 days
.34	Immunomodulators, Rinvoq	Added criteria for atopic dermatitis and check for prior therapy with preferred atopic dermatitis agents
	Macrolides	Updated heading to Macrolides/Ketolides
	Alzheimer's Agents Androgenic Agents Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Anticonvulsants Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, First Generation Antihistamines, Minimally Sedating Antihypertensives Sympatholytics Antiparasitics, Topical Antipsychotics Antivirals, Topical Bladder Relaxant Preparations Bone Resorption Suppression and Related Agents Calcium Channel Blockers Cephalosporins and Related Antibiotics Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine, Self-Injected Fluoroquinolones, Oral GI Motility, Chronic Glucagon Agents Glucocorticoids, Oral	Updated preferred drug lists and GCNs

Version Number	Chapter/Section	Change
	Growth Hormone Hepatitis C Agents HIV/AIDS Hypoglycemics, Insulin and Related Agents Hypoglycemics, Meglitinides Hypoglycemics, Metformins Hypoglycemics, SGLT2 Hypoglycemics, TZD Immunosuppressives, Oral Iron, Oral Leukotriene Modifiers Macrolides/Ketolides Multiple Sclerosis Agents NSAIDs Oncology, Oral - Hematologic Oncology, Oral – Lung Oncology, Oral - Other Ophthalmic Antibiotics Ophthalmic Antibiotics-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Opththalmics, Anti-Inflammatories Ophthalmics, Anti-Inflammatory/Immunomodulator Ophthalmics, Glaucoma Agents Opiate Dependence Treatments Otic Antibiotics Otic Anti-Infectives & Anesthetics Penicillins Platelet Aggregation Inhibitors Progestational Agents Rosacea Agents, Topical Sedative Hypnotics Skeletal Muscle Relaxants	

Version Number	Chapter/Section	Change
	Steroids, Topical Stimulants and Related Agents Tetracyclines Ulcerative Colitis Agents	
.35	Phosphate Binders	Updated criteria
.36	Rinvoq	Moved Rinvoq criteria to Cytokine and CAM Antagonist class section Added diagnoses of ankylosing spondylitis and ulcerative colitis. Clients with these diagnoses requires preferred therapy from the Cytokine and CAM class.
.37	Potassium Binders	Added criteria for the new class, Potassium Binders
	Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotic Long Analgesics, Narcotic Short Angiotensin Modulator Combinations Angiotensin Modulators Anti-Allergens, Oral Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antidepressants, TCAs Antihyperuricemics Antimigraine Agents, Other Antimigraine Agents, Triptans Antiparkinson's Agents Antipsychotic Agents Antivirals, Oral Anxiolytics Beta Blockers Bile Salts Bladder Relaxant Preparations	Updated classes and GCNs

Version Number	Chapter/Section	Change
	BPH Treatments Bronchodilators, Beta Agonist COPD Agents Cough and Cold Agents Erythropoiesis Stimulating Proteins Glucagon Agents Glucocorticoids, Inhaled HAE Treatments Hemophilia Treatments H. Pylori Treatment Immune Globulins Immunomodulators, Asthma Immunomodulators, Atopic Dermatitis Intranasal Rhinitis Agents Lincosamides/ Oxazolidinones/ Streptogramins Lipotropics, Other Lipotropics, Statins Movement Disorders Multiple Sclerosis Agents Neuropathic Pain Oncology, Oral-Breast Oncology, Oral-Hematologic Oncology, Oral-Lung Oncology, Oral-Other Oncology, Oral – Prostate Oncology, Oral-Renal Cell Oncology, Oral-Skin PAH Agents, Oral and Inhaled Pancreatic Enzymes Pediatric Vitamin Preparations Phosphate Binders Platelet Aggregation Inhibitors Prenatal Vitamins	

Version Number	Chapter/Section	Change
	Progestins for Cachexia PPIs Sedative Hypnotics Sickle Cell Anemia Treatments Smoking Cessation Stimulants and Related Agents Thrombopoiesis Stimulating Proteins Urea Cycle Disorders, Oral	
.38	Immunomodulators, Dupixent	Added diagnosis of eosinophilic esophagitis for Dupixent
.39	Bronchodilators, Beta Agonists Glucagon Agents	Updated lookback for a preferred agent to 14 days supply in the last 180 days for Bronchodilators, Beta Agonists and 1 day supply in the last 180 days for Glucagon agents
.40	Hepatitis C Agents	Updated preferred agents
.41	Uterine Disorder Treatments	Added criteria for Uterine Disorder Treatments
	Acne Agents, Topical Alzheimer's Agents Analgesics, Narcotic – Short Androgenic Agents Antibiotics, Vaginal Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, First Generation Antipsychotic Agents Antiviral Agents Calcium Channel Blockers Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine, Self-injected Fluroquinolones, Oral	Updated GCNs for preferred and nonpreferred agents

Version Number	Chapter/Section	Change
	Glucocorticoids, Oral GI Motility Agents HAE Agents HIV/AIDs Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and Related Agents Hypoglycemics, Metformin Hypoglycemics, SGLT2 Immunosuppressives, Oral Macrolides/Ketolides NSAIDs Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Opiate Dependence Treatments PAH Agents, Oral and Inhaled Rosacea Agents, Topical Sedative/Hypnotics Skeletal Muscle Relaxants Tetracyclines Ulcerative Colitis Agents	
.42	Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotic (Long) Analgesics, Narcotic (Short) Anti-allergens, Oral Antibiotics, Inhaled Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antidepressants, Tricyclic	Updated GCNs for preferred and nonpreferred agents

Version Number	Chapter/Section	Change
	Antifungals, Oral Angiotensin Modulator Combinations Angiotensin Modulators Antihypertensives, Sympatholytics Antihyperuricemics Antimigraine Agents, Other Antimigraine Agents, Triptans Antiparkinson's Agents Antivirals, Oral Anxiolytics Beta-Blockers Bile Salts Bladder Relaxant Preparations BPH Treatments Bronchodilators, Beta Agonist Colony Stimulating Factors COPD Agents Cough and Cold, Cold Cough and Cold, Narcotic Cough and Cold, Non-Narcotic Cytokine and CAM Antagonists Erythropoiesis Stimulating Proteins Glucagon Agents Glucocorticoids, Inhaled HAE Treatments Hemophilia Treatments HIV/AIDS H. Pylori Treatment Hypoglycemics, Insulin and Related Agents Immune Globulins Immunomodulators, Asthma Immunomodulators, Atopic Dermatitis	

Version Number	Chapter/Section	Change
	Intranasal Rhinitis Agents Lincosamides/Oxazolidinones/Streptogramins Lipotropics, Other Lipotropics, Statins Movement Disorders MS Agents Neuropathic Pain Oncology, Oral-Breast Oncology, Oral-Hematologic Oncology, Oral-Lung Oncology, Oral-Other Oncology, Oral-Prostate Oncology, Oral-Renal Cell Oncology, Oral-Skin PAH Agents, Oral and Inhaled Pancreatic Enzymes Pediatric Vitamin Preparations Phosphate Binders Platelet Aggregation Inhibitors Potassium Binders Prenatal Vitamins Progesterones for Cachexia Proton Pump Inhibitors Sedative Hypnotics Sickle Cell Treatments Smoking Cessation Stimulants and Related Agents Thrombopoiesis Stimulating Proteins Urea Cycle Disorders, Oral	
.43	Rinvoq Dupixent Hepatitis C Agents	Added diagnosis of prurigo nodularis to Dupixent criteria Added diagnoses of Crohn's disease and non-radiographic axial spondyloarthritis to Rinvoq criteria

Version Number	Chapter/Section	Change
		Added GCNs for ribavirin to preferred Hepatitis C Agents table
.44	Alzheimer's Agents Androgenic Agents Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Anticonvulsants Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, First Generation Antihistamines, Minimally Sedating Antimigraine Agents, Other Antiparasitics, Topical Antipsychotics Antivirals, Topical Bone Resorption Suppression and Related Agents Calcium Channel Blockers Cephalosporins and Related Antibiotics Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine, Self-injected Fluoroquinolones, Oral GI Motility, Chronic Glucocorticoids, Oral Growth Hormone Hemophilia Treatment HIV/AIDS Hypoglycemics, Incretin Mimetics/Enhancers Insulin and Related Agents Meglitinides	Updated GCNs for preferred and nonpreferred agents Added information from HB 3286, Section 2, 88th Legislature, Regular Session, 2023, including PDL criteria exceptions and additional criteria for the Antipsychotic PDL class

Version Number	Chapter/Section	Change
	Metformins SGLT2 TZD Immunomodulators, Lupus Immunosuppressives, Oral Iron, Oral Leukotriene Modifiers Macrolides/Ketolides Movement Disorders NSAIDs Oncology, Oral Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics for Allergic Conjunctivitis Ophthalmics, Anti-Inflammatories Ophthalmics, Anti-Inflammatories/Immunomodulator Ophthalmics, Glaucoma Agents Opiate Dependence Treatments Otic Antibiotics Otic Anti-Infectives & Anesthetics PAH Agents, Oral and Inhaled Penicillins Proton Pum Inhibitors Rosacea Agents, Topical Sedative Hypnotics Skeletal Muscle Relaxants Steroids, Topical Tetracyclines Ulcerative Colitis Agents Uterine Disorder Treatments	
08/08/2024	Acne Agents, Oral Acne Agents, Topical	Updated PDL classes and GCNs Added information to Antidepressant criteria logic regarding discharge from an inpatient

Version Number	Chapter/Section	Change
	Analgesics, Narcotics Long Analgesics, Narcotics Short Angiotensin Modulator Combinations Angiotensin Modulators Anti-Allergans Antibiotics, GI Antibiotics, Inhaled Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antidepressants, Tricyclic Antihypertensives, Sympatholytics Anticonvulsants Antihyperuricemics Antimigraine Agents, Other Antimigraine Agents, Triptans Antivirals Antiparkinson's Agents Anxiolytics Beta-Blockers Bladder Relaxant Preparations Bile Salts BPH Agents Bronchodilators, Beta Agonist COPD Agents Cough and Cold, Cold Cough and Cold, Narcotics Cough and Cold, Non-Narcotic Cytokine and CAM Antagonists Erythropoiesis Stimulating Agents Glucagon Agents Glucocorticoids, Inhaled Hemophilia Treatment HAE Treatments	facility or risk of experiencing complications if switched from a non preferred agent to a preferred agent Removed age exemption from Epaned Removed Criteria for Xifaxan, Progestational Agents, and PCSK9 Inhibitors Removed diagnosis question from Rinvoq and Dupixent criteria logic Rephrased PA system from RxPert to GW PA System Updated and/or reviewed all preferred drug tables

Version Number	Chapter/Section	Change
	H. Pylori Treatment Immune Globulins Immunomodulators, Asthma Immunomodulators, Atopic Dermatitis Intranasal Rhinitis Agents Lincosamides/Oxazolidinones/Streptogramins Lipotropics, Other Lipotropics, Statins Movement Disorders Multiple Sclerosis Agents Neuropathic Pain Oncology, Oral-Breast Oncology, Oral-Hematologic Oncology, Oral-Lung Oncology, Oral-Other Oncology, Oral-Prostate Oncology, Oral-Renal Cell Oncology, Oral-Skin Opioid Dependence Treatments Ophthalmics, Anti-Inflammatory Immunomodulators PAH Agents Pancreatic Enzymes Pediatric Vitamin Preparations Prenatal Vitamins Phosphate Binders Platelet Aggregation Inhibitors Potassium Binders Progestins for Cachexia Proton Pump Inhibitors Sedative Hypnotic Sickle Cell Anemia Treatments Smoking Cessation	

Version Number	Chapter/Section	Change
	Stimulants and Related Agents Thrombopoiesis Stimulating Proteins Ulcerative Colitis Urea Cycle Disorder	
01/30/2025	Androgenic Agents Angiotensin Modulators Antibiotics, GI Antibiotics, Topical Antibiotics, Vaginal Antiemetic/Antivertigo Agents Antifungals, Oral Antifungals, Topical Antihistamines, Minimally Sedating Antipsychotics Antivirals, Topical. Bile Salts Calcium Channel Blockers Cephalosporins and Related Antibiotics Cytokine and CAM Antagonists GI Motility, Chronic Glucocorticoids, Inhaled Glucocorticoids, Oral Growth Hormone Hypoglycemics, Incretin Mimetics Hypoglycemics, Insulin and Related Agents Hypoglycemics, SGLT2 Hypoglycemics, TZD Immunomodulators, Asthma Immunomodulators, Atopic Dermatitis Immunosuppressives, Oral Leukotriene Modifiers	Updated PDL classes and GCNs Removed statement “prenatal vitamins are covered only for females less than 50 years of age” from document

Version Number	Chapter/Section	Change
	Macrolides/Ketolides Movement Disorder NSAIDs Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmics, Anti-Inflammatories Ophthalmics for Allergic Conjunctivitis Ophthalmics, Glaucoma Agents PAH Agent, Oral Rosacea Agents, Topical Steroids, Topical High Ulcerative Colitis Agents	
07/28/2025	Acne Agents, Topical Analgesics, Narcotics Long Acting Angiotensin Modulators Anti-Allergens, Oral Anticoagulants Antidepressants, Other Antidepressants, SSRIs Antihypertensives, Sympatholytics Antimigraine Agents, Other Antimigraine Agents, Triptans Antiparkinson's Agents Antipsychotics Antivirals, Oral/Nasal Anxiolytics Beta Blockers, Oral Bladder Relaxant Preparations BPH Agents Cough and Cold Cytokine and CAM Antagonists Glucagon Agents Glucocorticoids, Inhaled	Updated PDL classes and GCNs Removed "Oral/SQ" from "Immunosuppressives, Oral/SQ" Renamed "NSAIDs" to "Non-Narcotic Analgesics" Updated "PAH Agents, Oral" to "PAH Agents, Oral and Inhaled" Removed "Cytokine and CAM Antagonists, Rinvoq" section and added Rinvoq GCNs to the "Cytokine and CAM Antagonists" section

Version Number	Chapter/Section	Change
	Immune Globulins Immunomodulators, Asthma Immunomodulators, Atopic Dermatitis Intranasal Rhinitis Agents Lipotropics, Other Long-Acting Injectables Alternate Therapies Movement Disorders Neuropathic Pain PAH Agents, Oral Proton Pump Inhibitors Sedative Hypnotics Stimulants and Related Agents	
08/08/2025	Acne Agents, Oral Glucocorticoids, Inhaled	Removed GCNs for Accutane (59841, 59842, 20383, 59843), Myorisan (59841, 59842, 20383, 59843), Flovent HFA (53636, 53639, 53638), and Flovent Diskus (53633, 53634)
01/01/2026	Hepatitis C Agents	Updated GCNs
01/30/2026	Alzheimers Agents Antibiotics, GI Antifungals, Oral Antifungals, Topical Antiparasitics, Topical Antivirals, Topical Bone Resorption Suppression Calcium Channel Blockers Colony Stimulating Factors Cytokine and CAM Antagonists Epinephrine, Self-Injected Fluoroquinolones, Oral GI Motility, Chronic Immunosuppressives	Updated PDL classes and GCNs Removed Immunomodulators, Dupixent section Updated Sickle Cell Anemia Treatments to a protected class Added a new PDL class section: Transthyretin-Related Amyloidosis

Version Number	Chapter/Section	Change
	Macrolides Ketolides Non-Narcotic Analgesics Ophthalmic Antibiotics Ophthalmic Antibiotic-Steroid Combinations Ophthalmic for Allergic Conjunctivitis Ophthalmic, Anti-Inflammatory Agents Ophthalmic, Anti-Inflammatory Immunomodulators Ophthalmic, Glaucoma Agents Otic Antibiotics Rosacea Agents, Topical Sickle Cell Anemia Treatments Skeletal Muscle Relaxants Steroids, Topical Low Steroids, Topical Medium Steroids, Topical High Tetracyclines Thrombopoiesis Stimulating Proteins Transthyretin-Related Amyloidosis Agents Ulcerative Colitis	
07/24/2026	Acne Agents, Oral Acne Agents, Topical Analgesics, Narcotic – Long Acting Analgesics, Narcotic – Short Acting Androgenic Agents, Topical Angiotensin Modulators Angiotensin Modulator Combinations Anticoagulants Antidepressants, Other Antidepressants, SSRI	Updated PDL classes and GCNs Updated title to Antimigraine Agents, Non-Triptans (instead of Antimigraine Agents, Other) Removed long-acting injectables from the Preferred Antipsychotics table Updated title to Calcium Channel Blockers (instead of Calcium Channel Blockers, Oral) Updated title to Cough and Cold, Cold (instead of Cough and Cold, Non-Antitussive) Updated title to Cough and Cold, Narcotic (instead of Cough and Cold, Narcotic Antitussive)

Version Number	Chapter/Section	Change
	Antidepressants, Tricyclic Antifungals, Oral Antifungals, Topical Antihistamines, First Generation Antihistamines, Minimally Sedating Antimigraine Agents, Triptans Antiparasitics, Topical Antipsychotics, Long-Acting Injectables Beta Blockers, Oral Bile Salts Bladder Relaxant Preparations BPH Agents Bronchodilators, Beta Agonist Calcium Channel Blockers Cephalosporins and Related Antibiotics Cough and Cold, Cold Cough and Cold, Narcotic Cough and Cold, Non-Narcotic Cytokine and CAM Antagonists Epinephrine GI Motility, Chronic Glucocorticoids, Inhaled Hereditary Angioedema (HAE) Treatments Hypoglycemics, Incretin Mimetics/Enhancers Hypoglycemics, Insulin and related Immune Globulins Immunomodulators, Atopic Dermatitis Immunosuppressives Intranasal Rhinitis Agents Lipotropics, Other Macrolides/Ketolides	Updated title to Cough and Cold, Non-Narcotic (instead of Cough and Cold, Non-Narcotic Antitussive) Added a new PDL class section: DMD Agents Updated title to Epinephrine (instead of Epinephrine, Self-Injected) Updated title to Hereditary Angioedema (HAE) Treatments (instead of Hereditary Angioedema Agents) Updated title to PAH Agents (instead of PAH Agents, Oral and Inhaled) Updated title to Skeletal Muscle Relaxants and Related Agents (instead of Skeletal Muscle Relaxants) Updated title to Stomach Acid Reducers and Related (instead of Proton Pump Inhibitors) Updated title to Urea Cycle Disorders (instead of Urea Cycle Disorders, Oral)

Version Number	Chapter/Section	Change
	Movement Disorders Otic Antibiotics PAH Agents Pancreatic Enzymes Phosphate Binders Prenatal Vitamins Rosacea Agents, Topical Sedatives and Hypnotics Skeletal Muscle Relaxants and Related Agents Smoking Cessation Stimulants and Related Agents Tetracyclines Thrombopoiesis Stimulating Proteins Ulcerative Colitis Agents Urea Cycle Disorders	