Michigan Preferred Drug List (PDL)/Single PDL

Effective: November 1, 2026

TABLE OF CONTENTS

TABLE OF CONTENTS 1
ANALGESICS 6
DRUG CLASS: OPIOIDS – LONG ACTING 6
DRUG CLASS: OPIOIDS – SHORT AND INTERMEDIATE ACTING 6
DRUG CLASS: OPIOIDS – TRANSDERMAL 8
DRUG CLASS: NON-STEROIDAL ANTI-INFLAMMATORY DRUGS (NSAIDS) 8
DRUG CLASS: OPIOIDS – NON-STEROIDAL ANTI-INFLAMMATORY – COX II INHIBITORS 10
DRUG CLASS: OPIOID USE DISORDER TREATMENTS 10
DRUG CLASS: OPIOIDS – OPIOID WITHDRAWAL SYMPTOM MANAGEMENT 11
ANTIBIOTICS/ANTI-INFECTIVES 12
DRUG CLASS: ANTIBIOTICS – INHALED 12
DRUG CLASS: ANTIFUNGALS – ORAL 12
DRUG CLASS: ANTIFUNGALS – TOPICAL 13
DRUG CLASS: ANTIVIRALS – COVID-19 14
DRUG CLASS: ANTIVIRALS – HERPES 14
DRUG CLASS: ANTIVIRALS – INFLUENZA 15
DRUG CLASS: ANTIVIRALS – TOPICAL 15
DRUG CLASS: CEPHALOSPORINS – 1ST GENERATION 15
DRUG CLASS: CEPHALOSPORINS – 2ND GENERATION 15
DRUG CLASS: CEPHALOSPORINS – 3RD GENERATION 16
DRUG CLASS: HEPATITIS C 16
DRUG CLASS: HEPATITIS C – DIRECT-ACTING ANTIVIRALS 16
DRUG CLASS: MACROLIDES 17
DRUG CLASS: OXAZOLIDINONES 17
DRUG CLASS: QUINOLONES 17
DRUG CLASS: OTIC ANTIBIOTICS 18
DRUG CLASS: TOPICAL ANTIBIOTICS 18
DRUG CLASS: GASTROINTESTINAL ANTIBIOTICS 19
DRUG CLASS: VAGINAL ANTIBIOTICS 19
ASTHMA/COPD/RESPIRATORY 21
DRUG CLASS: ANTICHOLINERGIC AGENTS – SHORT ACTING 21
DRUG CLASS: ANTICHOLINERGIC AGENTS – LONG ACTING 21
DRUG CLASS: BETA ADRENERGIC AND ANTICHOLINERGIC COMBINATIONS 21
DRUG CLASS: BETA ADRENERGIC/ ANTICHOLINERGIC/ CORTICOSTEROID COMBINATIONS 22
DRUG CLASS: BETA ADRENERGICS – SHORT ACTING 22
DRUG CLASS: BETA ADRENERGICS – LONG ACTING 23

All brand names are property of their respective owners.
© 2026 Prime Therapeutics Management LLC, a Prime Therapeutics LLC company

DRUG CLASS: BETA ADRENERGIC AND CORTICOSTEROID INHALER COMBINATIONS 23
DRUG CLASS: INHALED GLUCOCORTICOIDS 24
DRUG CLASS: NON-CF BRONCHIECTASIS AGENTS 25
DRUG CLASS: PHOSPHODIESTERASE-4 (PDE-4) INHIBITORS 25
ALLERGY 26
DRUG CLASS: ANTIHISTAMINES – 2ND GENERATION 26
DRUG CLASS: LEUKOTRIENE INHIBITORS 26
DRUG CLASS: NASAL ANTICHOLINERGICS 27
DRUG CLASS: NASAL ANTIHISTAMINES 27
DRUG CLASS: NASAL CORTICOSTEROIDS 27
DRUG CLASS: COMBINATION NASAL SPRAYS 28
CARDIAC MEDICATIONS 29
DRUG CLASS: ACE INHIBITORS 29
DRUG CLASS: ALPHA ADRENERGIC AGENTS 29
DRUG CLASS: ANTIHYPERTENSIVE COMBINATIONS: ACEI-CCB 30
DRUG CLASS: ANTIHYPERTENSIVE COMBINATIONS: ARB-CCB 30
DRUG CLASS: ANGIOTENSIN RECEPTOR ANTAGONISTS 30
DRUG CLASS: ANGIOTENSIN II-RECEPTOR NEPRILYSIN INHIBITORS (ARNIS) 31
DRUG CLASS: BETA BLOCKERS 31
DRUG CLASS: CALCIUM CHANNEL BLOCKERS – DIHYDROPYRIDINE 32
DRUG CLASS: CALCIUM CHANNEL BLOCKERS – NON- DIHYDROPYRIDINE 33
DRUG CLASS: DIRECT RENIN INHIBITORS 33
DRUG CLASS: LIPOTROPICS – FIBRIC ACID DERIVATIVES 33
DRUG CLASS: LIPOTROPICS – BILE ACID SEQUESTRANTS 34
DRUG CLASS: LIPOTROPICS – STATINS (QUANTITY LIMITS APPLY; REFER TO HTTPS://MI.PRIMETHERAPEUTICS.COM/PROVIDER/EXTERNAL/MEDICAID/MI/DOC/EN-US/MIRX_QUANTITY_LIMITS.PDF) 34
DRUG CLASS: LIPOTROPICS – NIACIN DERIVATIVES 35
DRUG CLASS: LIPOTROPICS – OTHER 35
DRUG CLASS: LIPOTROPICS – PCSK9 INHIBITORS 36
DRUG CLASS: ANTICOAGULANTS 36
DRUG CLASS: PLATELET AGGREGATION INHIBITORS 37
DRUG CLASS: PULMONARY ARTERIAL HYPERTENSION (PAH) AGENTS 37
CENTRAL NERVOUS SYSTEM DRUGS 39
DRUG CLASS: ALZHEIMER'S DEMENTIA 39
DRUG CLASS: ANTI-ANXIETY – GENERAL 39
DRUG CLASS: DRUGS FOR ADHD – AMPHETAMINES 40
DRUG CLASS: DRUGS FOR ADHD – PSEUDOAMPHETAMINES 41
DRUG CLASS: DRUGS FOR ADHD – NON-STIMULANTS 42
DRUG CLASS: NEUROPATHIC PAIN 42
DRUG CLASS: MULTIPLE SCLEROSIS AGENTS 43
DRUG CLASS: ANTIPARKINSON'S AGENTS – DOPAMINE AGONISTS 44
DRUG CLASS: ANTIPARKINSON'S AGENTS – OTHER 44

DRUG CLASS: SEDATIVE HYPNOTIC NON-BARBITURATES *45*
DRUG CLASS: ANTIMIGRAINE AGENTS, ACUTE TREATMENT – TRIPTANS *47*
DRUG CLASS: ANTIMIGRAINE AGENTS, ACUTE TREATMENT – OTHER *48*
DRUG CLASS: ANTIMIGRAINE AGENTS, PREVENTIVE TREATMENT *48*
DRUG CLASS: SKELETAL MUSCLE RELAXANTS *49*
DERMATOLOGICAL AGENTS 51
DRUG CLASS: ACNE AGENTS – COMBINATION BENZOYL PEROXIDE AND CLINDAMYCIN *51*
DRUG CLASS: TOPICAL STEROIDS – LOW POTENCY *51*
DRUG CLASS: TOPICAL STEROIDS – MEDIUM POTENCY *51*
DRUG CLASS: TOPICAL STEROIDS – HIGH POTENCY *52*
DRUG CLASS: TOPICAL STEROIDS – VERY HIGH POTENCY *53*
DIABETES 54
DRUG CLASS: INCRETIN MIMETICS *54*
DRUG CLASS: INCRETIN MIMETICS – COMBINATIONS *54*
DRUG CLASS: INSULINS, BASAL *54*
DRUG CLASS: INSULINS, RAPID ACTING *55*
DRUG CLASS: INSULIN, MIXES *55*
DRUG CLASS: INSULINS, TRADITIONAL *56*
DRUG CLASS: ORAL HYPOGLYCEMICS – ALPHA-GLUCOSIDASE INHIBITORS *56*
DRUG CLASS: ORAL HYPOGLYCEMICS – BIGUANIDES *56*
DRUG CLASS: ORAL HYPOGLYCEMICS – COMBINATIONS *56*
DRUG CLASS: ORAL HYPOGLYCEMICS – DPP-4 INHIBITORS *58*
DRUG CLASS: ORAL HYPOGLYCEMICS – MEGLITINIDES *58*
DRUG CLASS: ORAL HYPOGLYCEMICS – 2ND GENERATION SULFONYLUREAS *59*
DRUG CLASS: ORAL HYPOGLYCEMICS – SGLT2 INHIBITORS *59*
DRUG CLASS: ORAL HYPOGLYCEMICS – THIAZOLIDINEDIONES *59*
DRUG CLASS: GLUCAGON AGENTS *59*
DRUG CLASS: INSULIN SUPPRESSANTS *60*
GASTROINTESTINAL 61
DRUG CLASS: ANTIEMETICS *61*
DRUG CLASS: BILE SALTS *62*
DRUG CLASS: GI MOTILITY, CHRONIC IRRITABLE BOWEL SYNDROME WITH CONSTIPATION (IBS-C) *62*
DRUG CLASS: GI MOTILITY, CHRONIC IDIOPATHIC CONSTIPATION (CIC) *62*
DRUG CLASS: GI MOTILITY, CHRONIC OPIOID-INDUCED CONSTIPATION (OIC) *63*
DRUG CLASS: GI MOTILITY, CHRONIC IRRITABLE BOWEL SYNDROME WITH DIARRHEA (IBS-D) *63*
DRUG CLASS: H. PYLORI TREATMENT *63*
DRUG CLASS: PANCREATIC ENZYMES *64*
DRUG CLASS: PROGESTINS FOR CACHEXIA *64*
DRUG CLASS: PROTON PUMP INHIBITORS *64*
DRUG CLASS: ULCERATIVE COLITIS – ORAL *65*
OPHTHALMICS 66

DRUG CLASS: GLAUCOMA – ALPHA-2 ADRENERGICS 66
DRUG CLASS: GLAUCOMA – BETA BLOCKERS 66
DRUG CLASS: GLAUCOMA – PROSTAGLANDIN ANALOGUES 66
DRUG CLASS: GLAUCOMA – CARBONIC ANHYDRASE INHIBITORS 67
DRUG CLASS: GLAUCOMA – COMBINATION ALPHA-2 ADRENERGIC-BETA BLOCKER 67
DRUG CLASS: GLAUCOMA – RHO KINASE INHIBITORS 67
DRUG CLASS: OPHTHALMIC ANTIBIOTICS – FLUOROQUINOLONES 67
DRUG CLASS: OPHTHALMIC ANTIBIOTICS – MACROLIDES 68
DRUG CLASS: OPHTHALMIC ANTIHISTAMINES 68
DRUG CLASS: OPHTHALMIC ANTI-INFLAMMATORY/IMMUNOMODULATORS/DRY EYE 69
DRUG CLASS: OPHTHALMIC MAST CELL STABILIZERS 69
DRUG CLASS: OPHTHALMIC NSAIDS 70
MISCELLANEOUS 71
DRUG CLASS: IMMUNOMODULATORS – ASTHMA 71
DRUG CLASS: IMMUNOMODULATORS – ATOPIC DERMATITIS 71
DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT CHRONIC IDIOPATHIC URTICARIA/CHRONIC SPONTANEOUS URTICARIA 72
DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP) 72
DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) 73
DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT EOSINOPHILIC GRANULOMATOSIS WITH POLYANGIITIS (EGPA) 73
DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT PRURIGO NODULARIS 73
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT ANKYLOSING SPONDYLITIS 73
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT GIANT CELL ARTERITIS 76
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT HIDRADENITIS SUPPURATIVA 76
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT JUVENILE IDIOPATHIC ARTHRITIS 78
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS 81
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT PLAQUE PSORIASIS 82
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT PSORIATIC ARTHRITIS 85
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT RHEUMATOID ARTHRITIS 89
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT UVEITIS 93
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT CROHN'S DISEASE 94
DRUG CLASS: BIOLOGICS – AGENTS TO TREAT ULCERATIVE COLITIS 98
DRUG CLASS: ANDROGENIC AGENTS (TOPICAL) 102
DRUG CLASS: ANTIHYPERURICEMIC AGENTS 102
DRUG CLASS: ANTI-OBESITY/WEIGHT LOSS AGENTS 102
DRUG CLASS: GLP1S FOR CARDIOVASCULAR RISK REDUCTION 103
DRUG CLASS: GLP1S FOR MASH (METABOLIC DYSFUNCTION-ASSOCIATED STEATOHEPATITIS) 104
DRUG CLASS: GLP1S FOR OBSTRUCTIVE SLEEP APNEA 104
DRUG CLASS: BPH AGENTS – ALPHA BLOCKERS 104

DRUG CLASS: BPH AGENTS – 5-ALPHA REDUCTASE (5AR) INHIBITORS *105*
DRUG CLASS: COLONY STIMULATING FACTORS *105*
DRUG CLASS: EPINEPHRINE SELF-ADMINISTERED *106*
DRUG CLASS: GROWTH HORMONES *106*
DRUG CLASS: HEMATOPOIETIC AGENTS *107*
DRUG CLASS: OSTEOPOROSIS AGENTS – BISPHOSPHONATES *107*
DRUG CLASS: OSTEOPOROSIS AGENTS – OTHER *108*
DRUG CLASS: OSTEOPOROSIS AGENTS – SERMS *108*
DRUG CLASS: PHOSPHATE DEPLETERS *108*
DRUG CLASS: POTASSIUM BINDERS *109*
DRUG CLASS: PROGESTATIONAL AGENTS *109*
DRUG CLASS: UREA CYCLE DISORDER AGENTS *109*
DRUG CLASS: URINARY TRACT ANTISPASMODICS *110*
DRUG CLASS: UTERINE DISORDER TREATMENTS *110*
LEGISLATIVELY PROTECTED CLASSES 111
DRUG CLASS: ANTICONVULSANTS *111*
DRUG CLASS: ATYPICAL ANTIPSYCHOTICS *113*
DRUG CLASS: ANTIPSYCHOTIC-ANTIDEPRESSANT COMB. *114*
NOTES AND GLOSSARY 115

ANALGESICS

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: OPIOIDS – LONG ACTING

PREFERRED AGENTS

- morphine sulfate ER tablets
- Oxycontin (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- tramadol ER **tablets** (Prior authorization required for beneficiaries under 12 years of age)

NON-PREFERRED AGENTS

- Belbuca (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Conzip ER (Prior authorization required for beneficiaries under 12 years of age)
- Diskets
- hydrocodone ER (generic Hysingla, Zohydro ER)
- hydromorphone ER
- Hysingla ER
- methadone
- morphine sulfate ER capsules (generic Avinza)
- morphine sulfate ER capsules (generic Kadian)
- MS Contin
- oxycodone ER (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- oxymorphone ER
- tapentadol ER (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- tramadol ER capsules (Prior authorization required for beneficiaries under 12 years of age)

DRUG CLASS: OPIOIDS – SHORT AND INTERMEDIATE ACTING

PREFERRED AGENTS

- codeine (Prior authorization required for beneficiaries under 12 years of age) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- codeine/acetaminophen (Prior authorization required for beneficiaries under 12 years of age)
- hydrocodone/acetaminophen

- hydromorphone oral tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- morphine sulfate tablets, solution, oral syringe (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- morphine sulfate suppository
- oxycodone tablets (5 mg,10 mg,15 mg) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- oxycodone oral solution (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- oxycodone/acetaminophen
- tramadol (Prior authorization required for beneficiaries under 12 years of age)
- tramadol/acetaminophen (Prior authorization required for beneficiaries under 12 years of age)

NON-PREFERRED AGENTS

- butorphanol (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- codeine/acetaminophen/caffeine/butalbital (Prior authorization required for beneficiaries under 12 years of age)
- codeine/aspirin/caffeine/butalbital (Prior authorization required for beneficiaries under 12 years of age)
- dihydrocodeine/acetaminophen/caffeine
- Dilaudid all forms (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fentanyl citrate buccal (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Fioricet with codeine (Prior authorization required for beneficiaries under 12 years of age)
- hydrocodone/ibuprofen
- hydromorphone suppository
- levorphanol
- meperidine tablets, solution (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Nalocet
- oxycodone capsules (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- oxycodone tablets (20 mg, 30 mg) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- oxycodone oral concentrate solution (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- oxymorphone (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- pentazocine/naloxone

- Percocet
- Prolate
- Roxybond (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Roxicodone (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tapentadol HCl (Prior authorization required for beneficiaries under 6 years of age) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tramadol oral solution (generic for Qdolo) (Prior authorization required for beneficiaries under 12 years of age)

DRUG CLASS: OPIOIDS – TRANSDERMAL

PREFERRED AGENTS

- Butrans (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fentanyl patches (generic only) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- buprenorphine patches (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fentanyl patches 37.5 mg, 62.5 mg, and 87.5 mg only

DRUG CLASS: NON-STEROIDAL ANTI-INFLAMMATORY DRUGS (NSAIDS)

PREFERRED AGENTS

- diclofenac
- diclofenac topical gel 1% (generic for Voltaren)
- diclofenac topical gel 1% OTC
- diclofenac topical solution 1.5%
- ibuprofen (except 300 mg tablet)
- indomethacin capsules
- ketorolac tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- meloxicam tablets
- nabumetone
- naproxen OTC
- naproxen (generic for Naprosyn)

- sulindac

NON-PREFERRED AGENTS

- Arthrotec
- Coxanto (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Daypro
- diclofenac ER
- diclofenac epolamine 1.3% patch
- diclofenac-misoprostol
- diclofenac potassium
- diclofenac 2% pump (generic for Pennsaid)
- diflunisal
- Dolobid
- Dual Action Pain (ibuprofen/acetaminophen)
- EC-naproxen
- etodolac/etodolac ER
- fenoprofen
- flurbiprofen
- ibuprofen 300 mg tablet (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- ibuprofen/famotidine (generic for Duexis) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- indomethacin ER capsules
- indomethacin oral suspension
- ketoprofen ER
- ketoprofen immediate release
- Lofena
- Lurbiro
- meclofenamate sodium
- mefenamic acid
- meloxicam capsules
- Nalfon
- Naprelan CR
- Naprosyn suspension
- naproxen (generic for Anaprox)
- naproxen delayed release

- naproxen/esomeprazole (generic for Vimovo) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- naproxen suspension
- oxaprozin
- Pennsaid
- piroxicam
- Relafen DS
- Tolectin
- tolmetin sodium
- Vimovo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Zybic (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: OPIOIDS – NON-STEROIDAL ANTI-INFLAMMATORY – COX II INHIBITORS

PREFERRED AGENTS

- celecoxib (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Celebrex (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Vyscoxa (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: OPIOID USE DISORDER TREATMENTS

PREFERRED AGENTS

- Brixadi
- buprenorphine sublingual tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- buprenorphine/naloxone sublingual **tablets** (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- naltrexone tablets
- Sublocade subcutaneous injection
- Suboxone sublingual films (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Vivitrol intramuscular injection

- Zubsolv sublingual tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- buprenorphine/naloxone sublingual film (generic Suboxone films) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: OPIOIDS – OPIOID WITHDRAWAL SYMPTOM MANAGEMENT

PREFERRED AGENTS

- clonidine tablets
- guanfacine/guanfacine ER
- lofexidine
- Lucemyra

NON-PREFERRED AGENTS

- None

ANTIBIOTICS/ANTI-INFECTIVES

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ANTIBIOTICS – INHALED

PREFERRED AGENTS

- Bethkis
- Cayston
- Kitabis
- Tobi-Podhaler
- tobramycin inhalation solution (generic for Tobi)

NON-PREFERRED AGENTS

- TOBI inhalation
- tobramycin inhalation solution (generic for Bethkis)
- tobramycin inhalation solution (generic for Katabis)

DRUG CLASS: ANTIFUNGALS – ORAL

PREFERRED AGENTS

- clotrimazole troches
- fluconazole (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- griseofulvin oral suspension
- ketoconazole tablets
- nystatin oral suspension, tablets
- terbinafine (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Brexafemme (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Cresemba (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Diflucan (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- flucytosine
- griseofulvin tablets
- griseofulvin microsize tablets

- griseofulvin ultramicrosize
- itraconazole (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Noxafil, Noxafil DR
- Oravig
- posaconazole
- Sporanox (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Tolsura
- Vfend (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Vivjoa (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- voriconazole (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: ANTIFUNGALS – TOPICAL

PREFERRED AGENTS

- ciclopirox cream (generic for Loprox, Ciclodan)
- ciclopirox 8% solution (generic for Ciclodan)
- clotrimazole OTC cream, solution
- clotrimazole Rx cream
- clotrimazole/betamethasone cream
- econazole nitrate cream
- ketoconazole
- miconazole nitrate
- nystatin
- nystatin/triamcinolone cream, ointment
- tolnaftate cream, powder

NON-PREFERRED AGENTS

- butenafine
- Ciclodan
- ciclopirox shampoo

- ciclopirox suspension (generic for Loprox)
- clotrimazole/betamethasone lotion
- clotrimazole Rx solution
- econazole nitrate foam (Prior authorization not required for beneficiaries under the age of 12), (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Ertaczo
- Extina
- ketoconazole foam
- Ketodan
- Loprox
- Lotrimin AF
- miconazole/zinc oxide/petrolatum (Prior authorization required for beneficiaries over 16 years of age)
- Micotrin AC
- Mycozyl AC
- Naftin
- naftifine
- oxiconazole
- Oxistat
- tavaborole
- Vusion (Prior authorization required for beneficiaries over 16 years of age)

DRUG CLASS: ANTIVIRALS – COVID-19

PREFERRED AGENTS

- Paxlovid

NON-PREFERRED AGENTS

- None

DRUG CLASS: ANTIVIRALS – HERPES

PREFERRED AGENTS

- acyclovir tablets, capsules, suspension
- famciclovir
- valacyclovir

NON-PREFERRED AGENTS

- Valtrex

DRUG CLASS: ANTIVIRALS – INFLUENZA

Providers should consult yearly CDC guidelines for Influenza.

PREFERRED AGENTS

- oseltamivir (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Flumadine
- Relenza (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- rimantadine
- Tamiflu (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xofluza

DRUG CLASS: ANTIVIRALS – TOPICAL

PREFERRED AGENTS

- acyclovir cream, ointment
- Denavir

NON-PREFERRED AGENTS

- penciclovir

DRUG CLASS: CEPHALOSPORINS – 1ST GENERATION

PREFERRED AGENTS

- cefadroxil capsules (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- cefadroxil suspension
- cephalexin

NON-PREFERRED AGENTS

- cefadroxil tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: CEPHALOSPORINS – 2ND GENERATION

PREFERRED AGENTS

- cefuroxime (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- cefprozil tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), suspension

NON-PREFERRED AGENTS

- cefaclor (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- cefaclor ER (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: CEPHALOSPORINS – 3RD GENERATION

PREFERRED AGENTS

- cefdinir capsules, suspension (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- cefpodoxime tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- cefixime capsules, tablets, suspension
- cefpodoxime suspension

DRUG CLASS: HEPATITIS C

PREFERRED AGENTS

- Pegasys
- ribavirin

NON-PREFERRED AGENTS

- None

DRUG CLASS: HEPATITIS C – DIRECT-ACTING ANTIVIRALS

PREFERRED AGENTS

- Mavyret

NON-PREFERRED AGENTS

- Epclusa
- Harvoni
- ledipasvir/sofosbuvir (generic for Harvoni)
- sofosbuvir/velpatasvir (generic for Epclusa)
- Sovaldi
- Vosevi
- Zepatier

DRUG CLASS: MACROLIDES

PREFERRED AGENTS

- azithromycin (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- clarithromycin (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- erythromycin ethylsuccinate tablets
- erythromycin ethylsuccinate 200 mg suspension
- Erythrocin

NON-PREFERRED AGENTS

- clarithromycin ER
- E.E.S. tablets and 400 mg suspension
- E.E.S. 200 mg suspension
- EryPed
- Ery-Tab
- erythromycin base
- erythromycin ethylsuccinate 400 mg suspension
- Zithromax tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), suspension

DRUG CLASS: OXAZOLIDINONES

PREFERRED AGENTS

- linezolid tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- linezolid suspension
- Sivextro (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Zyvox (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: QUINOLONES

PREFERRED AGENTS

- Cipro suspension

- ciprofloxacin tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- levofloxacin (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Baxdela
- Cipro tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ciprofloxacin suspension (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- moxifloxacin (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- ofloxacin

DRUG CLASS: OTIC ANTIBIOTICS

PREFERRED AGENTS

- ciprofloxacin/dexamethasone (generic for Ciprodex)
- neomycin/polymyxin/hydrocortisone solution, suspension
- ofloxacin otic

NON-PREFERRED AGENTS

- ciprofloxacin otic
- ciprofloxacin/hydrocortisone (generic for Cipro HC)
- ciprofloxacin/fluocinolone (generic for Otovel)
- Cipro HC

DRUG CLASS: TOPICAL ANTIBIOTICS

PREFERRED AGENTS

- mupirocin ointment

NON-PREFERRED AGENTS

- Centany
- mupirocin cream
- Xepi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: GASTROINTESTINAL ANTIBIOTICS

PREFERRED AGENTS

- Dificid tablets
- metronidazole 250 mg, 500 mg tablets
- neomycin tablets
- tinidazole tablets
- vancomycin capsules
- vancomycin solution

NON-PREFERRED AGENTS

- Aemcolo (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Dificid suspension
- fidaxomicin tablets
- Firvanq
- Flagyl capsules
- Likmez (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- metronidazole capsules
- metronidazole 125 mg tablets
- nitazoxanide tablets (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Vancocin

DRUG CLASS: VAGINAL ANTIBIOTICS

PREFERRED AGENTS

- Cleocin Ovules
- clindamycin (generic for Cleocin) 2% cream
- metronidazole (generic for Metro-Gel and Vandazole) gel
- Nuvessa 1.3% gel
- Xaciato gel

NON-PREFERRED AGENTS

- Cleocin 2% cream
- Clindesse 2% cream

- metronidazole (generic for Nuvessa)
- Vandazole 0.75% gel

ASTHMA/COPD/RESPIRATORY

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ANTICHOLINERGIC AGENTS – SHORT ACTING

PREFERRED AGENTS

- Atrovent HFA (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ipratropium nebulizer solution

NON-PREFERRED AGENTS

- ipratropium HFA (generic for Atrovent HFA) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: ANTICHOLINERGIC AGENTS – LONG ACTING

PREFERRED AGENTS

- Incruse Ellipta (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Spiriva (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Spiriva Respimat (ISI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- umeclidinium ellipta (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- tiotropium (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (DPI)
- Tudorza Pressair (DPI)
- Yupelri nebulizer solution

DRUG CLASS: BETA ADRENERGIC AND ANTICHOLINERGIC COMBINATIONS

PREFERRED AGENTS

- Anoro Ellipta (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Combivent RESPIMAT (ISI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ipratropium/albuterol nebulizer solution
- Stiolto Respimat (ISI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Bevespi Aerosphere (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Duaklir Pressair (DPI)
- umeclidinium/vilanterol (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BETA ADRENERGIC/ ANTICHOLINERGIC/ CORTICOSTEROID COMBINATIONS

PREFERRED AGENTS

- Trelegy Ellipta (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Breztri Aerosphere (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: BETA ADRENERGICS – SHORT ACTING

PREFERRED AGENTS

- albuterol HFA (MDI) (except Prasco) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- albuterol sulfate nebulizer solution
- Ventolin HFA (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xopenex HFA (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Airsupra (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- albuterol HFA (MDI) (manufactured by Prasco) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- levalbuterol HFA (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- levalbuterol nebulizer solution
- ProAir Respiclick (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BETA ADRENERGICS – LONG ACTING

PREFERRED AGENTS

- Serevent (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- arformoterol nebulizer solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- formoterol nebulizer solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Brovana nebulizer solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Perforomist nebulizer solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Striverdi Respimat (ISI) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: BETA ADRENERGIC AND CORTICOSTEROID INHALER COMBINATIONS

PREFERRED AGENTS

- Advair Diskus (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Advair HFA (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Dulera (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Symbicort (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Breo Ellipta (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Breyna (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- budesonide/formoterol (generic for Symbicort) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fluticasone/salmeterol (generic for AirDuo) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fluticasone/salmeterol (generic for Advair Diskus) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- fluticasone/salmeterol (generic for Advair HFA) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fluticasone/vilanterol (generic for Breo Ellipta) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Wixela (DPI) (fluticas/salmeter- gen for Advair Diskus) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: INHALED GLUCOCORTICOIDS

PREFERRED AGENTS

- Arnuity Ellipta (DPI) (Prior authorization required if age exceeds limit – see MI Clinical and PDL Criteria at https://mi.primetherapeutics.com/provider for details)
- Asmanex HFA (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required if age exceeds limit – see MI Clinical and PDL Criteria at https://mi.primetherapeutics.com/provider for details) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Asmanex Twisthaler 110 mcg (DPI) (Prior authorization not required for beneficiaries under the age of 12), (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required if age exceeds limit – see MI Clinical and PDL Criteria at https://mi.primetherapeutics.com/provider for details)
- Asmanex Twisthaler 220 mcg (DPI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required if age exceeds limit – see MI Clinical and PDL Criteria at https://mi.primetherapeutics.com/provider for details)
- Budesonide 0.25 mg, 0.5 mg, 1 mg nebulizer solution (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required if age exceeds limit – see MI Clinical and PDL Criteria at https://mi.primetherapeutics.com/provider for details)
- Fluticasone propionate HFA (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- QVAR Redihaler (MDI)

NON-PREFERRED AGENTS

- Alvesco (MDI) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fluticasone ellipta (generic for Arnuity Ellipta) (Prior authorization required if age exceeds limit – see MI Clinical and PDL Criteria at https://mi.primetherapeutics.com/provider for details)
- fluticasone propionate diskus (DPI)
- beclomethasone HFA (generic for QVAR)

- Pulmicort 0.25 mg, 0.5 mg, 1 mg respules (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required if age exceeds limit – see MI Clinical and PDL Criteria at https://mi.primetherapeutics.com/provider for details)

DRUG CLASS: NON-CF BRONCHIECTASIS AGENTS

PREFERRED AGENTS

- None

NON-PREFERRED AGENTS

- Brinsupri (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: PHOSPHODIESTERASE-4 (PDE-4) INHIBITORS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- roflumilast

NON-PREFERRED AGENTS

- Daliresp

ALLERGY

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ANTIHISTAMINES – 2ND GENERATION

PREFERRED AGENTS

- cetirizine tablets
- cetirizine 1 mg/mL solution
- fexofenadine tablets, suspension
- levocetirizine tablets
- loratadine/loratadine ODT

NON-PREFERRED AGENTS

- cetirizine chewable tablets, soft gels
- cetirizine 5 mg/5 mL solution (cups)
- Clarinex
- desloratadine tablet/ desloratadine ODT
- desloratadine solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- levocetirizine solution
- loratadine capsule OTC

DRUG CLASS: LEUKOTRIENE INHIBITORS

PREFERRED AGENTS

- montelukast tablets, 4 mg chewable tablets (Prior authorization required for beneficiaries over 5 years of age), 5 mg chewable tablets (Prior authorization required for beneficiaries over 14 years of age)

NON-PREFERRED AGENTS

- Accolate
- montelukast granules (Prior authorization required for beneficiaries over 5 years of age) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Singulair tablets, 4 mg chewable tablets (Prior authorization required for beneficiaries over 5 years of age), 5 mg chewable tablets (Prior authorization required for beneficiaries over 14 years of age) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Singulair granules (Prior authorization required for beneficiaries over 5 years of age) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zyflo
- zafirlukast (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zileuton ER

DRUG CLASS: NASAL ANTICHOLINERGICS

PREFERRED AGENTS

- ipratropium nasal

NON-PREFERRED AGENTS

- None

DRUG CLASS: NASAL ANTIHISTAMINES

PREFERRED AGENTS

- azelastine

NON-PREFERRED AGENTS

- olopatadine

DRUG CLASS: NASAL CORTICOSTEROIDS

PREFERRED AGENTS

- fluticasone (Rx)
- mometasone (Rx)

NON-PREFERRED AGENTS

- budesonide
- flunisolide
- fluticasone (OTC)
- mometasone (OTC)
- Nasonex 24H (OTC)
- Omnaris
- Qnasl
- triamcinolone
- Xhance (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Zetonna

DRUG CLASS: COMBINATION NASAL SPRAYS

PREFERRED AGENTS

- None

NON-PREFERRED AGENTS

- azelastine/fluticasone
- Dymista
- Ryaltris

CARDIAC MEDICATIONS

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ACE INHIBITORS

PREFERRED AGENTS

- benazepril/ benazepril HCT
- enalapril/ enalapril HCT
- enalapril oral solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- lisinopril/ lisinopril HCT
- ramipril

NON-PREFERRED AGENTS

- Accupril
- Accuretic
- Altace
- captopril/captopril HCT
- Epaned (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- fosinopril/fosinopril HCT
- Lotensin/Lotensin HCT
- moexipril
- perindopril
- Qbrelis (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- quinapril/quinapril HCT
- trandolapril
- Zestril/Zestoretic

DRUG CLASS: ALPHA ADRENERGIC AGENTS

PREFERRED AGENTS

- clonidine transdermal (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- clonidine
- clonidine ER
- guanfacine
- methyldopa
- Nexiclon XR

NON-PREFERRED AGENTS

- Clonidine 0.05 mg tablets (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Javadin (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- methyldopa/HCTZ

DRUG CLASS: ANTIHYPERTENSIVE COMBINATIONS: ACEI-CCB

PREFERRED AGENTS

- amlodipine/benazepril

NON-PREFERRED AGENTS

- trandolapril/verapamil

DRUG CLASS: ANTIHYPERTENSIVE COMBINATIONS: ARB-CCB

PREFERRED AGENTS

- amlodipine/olmesartan
- amlodipine/valsartan
- amlodipine/valsartan/HCTZ

NON-PREFERRED AGENTS

- amlodipine/olmesartan/HCTZ
- Azor
- Exforge/Exforge HCT
- telmisartan/amlodipine
- Tribenzor

DRUG CLASS: ANGIOTENSIN RECEPTOR ANTAGONISTS

PREFERRED AGENTS

- irbesartan/irbesartan HCT
- losartan/losartan HCT
- olmesartan/olmesartan HCT
- valsartan/valsartan HCT

NON-PREFERRED AGENTS

- Arbli (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

(Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

- Atacand/Atacand HCT
- Avapro/Avalide
- azilsartan
- Benicar/Benicar HCT
- candesartan/ candesartan HCT
- Cozaar
- Diovan/Diovan HCT
- Edarbi
- Edarbyclor
- eprosartan
- Hyzaar
- Micardis/Micardis HCT
- telmisartan/telmisartan HCT
- valsartan oral solution

DRUG CLASS: ANGIOTENSIN II-RECEPTOR NEPRILYSIN INHIBITORS (ARNIS)

PREFERRED AGENTS

- sacubitril/valsartan

NON-PREFERRED AGENTS

- Entresto Sprinkle
- Entresto tablets

DRUG CLASS: BETA BLOCKERS

PREFERRED AGENTS

- atenolol
- atenolol/chlorthalidone
- bisoprolol fumarate
- bisoprolol fumarate HCT
- carvedilol
- Hemangeol oral solution (Prior authorization required for beneficiaries over 1 year of age)
- labetalol
- metoprolol/metoprolol XL
- metoprolol succinate
- metoprolol tartrate
- nadolol
- nebivolol

- propranolol/propranolol LA
- sotalol/sotalol AF

NON-PREFERRED AGENTS

- acebutolol
- Betapace/Betapace AF
- betaxolol
- Bystolic
- carvedilol ER
- Inderal LA/Inderal XL
- Innopran XL
- Kapspargo
- Lopressor
- metoprolol HCT
- pindolol
- propranolol HCT
- Sotylize
- Tenormin/Tenoretic
- timolol maleate
- Toprol XL

DRUG CLASS: CALCIUM CHANNEL BLOCKERS – DIHYDROPYRIDINE

PREFERRED AGENTS

- amlodipine besylate
- nifedipine/nifedipine ER
- Norliqva (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Prior authorization required for beneficiaries under 6 years of age)

NON-PREFERRED AGENTS

- felodipine ER
- isradipine
- Katerzia (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Prior authorization required for beneficiaries under 6 years of age)
- levamlodipine
- nicardipine
- nisoldipine
- Norvasc
- Procardia XL

- Sdamlo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Prior authorization required for beneficiaries under 6 years of age)
- Sular

DRUG CLASS: CALCIUM CHANNEL BLOCKERS – NON- DIHYDROPYRIDINE

PREFERRED AGENTS

- diltiazem/diltiazem XR/diltiazem ER
- verapamil/verapamil ER tablets

NON-PREFERRED AGENTS

- Cardamyst (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- diltiazem LA
- Matzim LA
- Tiadylt ER
- verapamil ER capsules
- Verelan PM
- verapamil capsules, 24-hr pellet capsules

DRUG CLASS: DIRECT RENIN INHIBITORS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- None

NON-PREFERRED AGENTS

- aliskiren
- Tekturna

DRUG CLASS: LIPOTROPICS – FIBRIC ACID DERIVATIVES

PREFERRED AGENTS

- fenofibrate, nanocrystallized (generic for Tricor)
- fenofibrate **capsules** (generic for Lofibra caps)
- fenofibrate **tablets** (generic for Lofibra tablets)
- gemfibrozil

NON-PREFERRED AGENTS

- fenofibrate (generic for Lipofen)
- fenofibrate, micronized (generic for Antara)
- fenofibrate, nanocrystallized (generic for Triglide)
- fenofibric acid (generic for Fibricor)
- fenofibric acid (generic for Trilipix)
- Fibricor
- Lopid
- Lipofen
- Tricor
- Trilipix

DRUG CLASS: LIPOTROPICS – BILE ACID SEQUESTRANTS

PREFERRED AGENTS

- cholestyramine/cholestyramine light
- colestipol tablets
- Prevalite packet, powder

NON-PREFERRED AGENTS

- Colestid
- colestipol **granules**
- colesevelam
- Questran/Questran Light
- Welchol powder and tablets

DRUG CLASS: LIPOTROPICS – STATINS (QUANTITY LIMITS APPLY; REFER TO HTTPS://MI.PRIMETHERAPEUTICS.COM/PROVIDER/EXTERNAL/MEDICAID/MI/DOC/EN-US/MIRX_QUANTITY_LIMITS.PDF)

PREFERRED AGENTS

- atorvastatin
- ezetimibe/simvastatin
- lovastatin
- pravastatin
- rosuvastatin
- simvastatin

NON-PREFERRED AGENTS

- amlodipine/atorvastatin

- Atorvaliq (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Caduet
- Crestor
- Ezallor Sprinkle (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- fluvastatin/fluvastatin ER
- Lescol XL
- Lipitor
- Livalo
- pitavastatin
- Vytorin
- Zocor
- Zypitamag

DRUG CLASS: LIPOTROPICS – NIACIN DERIVATIVES

PREFERRED AGENTS

- niacin tablets (OTC)
- niacin ER tablets (OTC)
- niacin ER capsules (OTC)
- Slo-Niacin tablets (OTC)

NON-PREFERRED AGENTS

- niacin ER (generic for Niaspan)

DRUG CLASS: LIPOTROPICS – OTHER

PREFERRED AGENTS

- ezetimibe

NON-PREFERRED AGENTS

- icosapent ethyl (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Nexletol (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Nexlizet (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- omega-3 acid ethyl esters (generic for Lovaza) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Zetia

DRUG CLASS: LIPOTROPICS – PCSK9 INHIBITORS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Praluent (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Repatha (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- None

DRUG CLASS: ANTICOAGULANTS

PREFERRED AGENTS

- dabigatran (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Eliquis (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Enoxaparin
- warfarin
- Xarelto (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) /Xarelto dose pack (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xarelto suspension (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Arixtra
- Eliquis tablets for oral suspension and sprinkles (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- fondaparinux
- Fragmin syringes and vials
- Lovenox
- Pradaxa (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Pradaxa oral pellets (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Prior authorization required for beneficiaries over 11 years of age)

- rivaroxaban 1 mg/1 mL suspension (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- rivaroxaban 2.5 mg tablet (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Savaysa (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: PLATELET AGGREGATION INHIBITORS

PREFERRED AGENTS

- clopidogrel (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- prasugrel (Prior authorization required for beneficiaries over 75 years of age)
- ticagrelor

NON-PREFERRED AGENTS

- aspirin/dipyridamole
- Brilinta
- dipyridamole
- Effient (Prior authorization required for beneficiaries over 75 years of age) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Plavix

DRUG CLASS: PULMONARY ARTERIAL HYPERTENSION (PAH) AGENTS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Adempas
- Alyq
- ambrisentan (generic for Letairis)
- bosentan tablets (generic for Tracleer)
- Opsumit
- sildenafil **suspension** (generic for Revatio)
- sildenafil tablets (generic for Revatio)
- tadalafil (generic for Adcirca)
- Tyvaso solution
- Uptravi
- Ventavis

NON-PREFERRED AGENTS

- Adcirca
- bosentan suspension (generic for Tracleer)
- Letairis
- macitentan (generic for Opsumit)
- Opsynvi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Orenitram ER
- Revatio tablets and suspension
- Riociguat (generic for Adempas)
- Tadliq (Prior authorization required for beneficiaries under 18 years of age)
- Tracleer tablets and suspension
- Tyvaso DPI
- Winrevair
- Yutrepia (Prior authorization required for beneficiaries under 18 years of age)

CENTRAL NERVOUS SYSTEM DRUGS

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ALZHEIMER'S DEMENTIA

PREFERRED AGENTS

- donepezil tablets, ODT
- Exelon patch
- galantamine immediate release
- memantine immediate release
- rivastigmine capsules

NON-PREFERRED AGENTS

- Adlarity
- Aricept
- donepezil 23 mg
- galantamine ER, solution
- memantine ER
- memantine-donepezil ER
- Namenda/Namenda XR
- Namzaric
- rivastigmine patch
- Zunveyl (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: ANTI-ANXIETY – GENERAL

PREFERRED AGENTS

- alprazolam
- Bucapsol
- buspirone
- chlordiazepoxide (Prior authorization required for beneficiaries over 65 years of age)
- clorazepate
- diazepam (Prior authorization required for beneficiaries over 65 years of age)
- lorazepam

NON-PREFERRED AGENTS

- alprazolam ER, ODT (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- alprazolam intensol (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

- Ativan
- diazepam intensol (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- lorazepam intensol (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Loreev XR
- meprobamate
- oxazepam
- Xanax/Xanax XR

DRUG CLASS: DRUGS FOR ADHD – AMPHETAMINES

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

IMMEDIATE-RELEASE

- Adderall (amphetamine IR salts) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- amphetamine IR salts (generic Adderall) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- dextroamphetamine IR tablets (generic Dexedrine tablets)

EXTENDED-RELEASE

- amphetamine salts XR (generic Adderall XR) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- dextroamphetamine ER capsules (generic Dexedrine capsules)
- lisdexamfetamine capsules (generic Vyvanse) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- lisdexamfetamine **chewable tablets** (generic Vyvanse)

NON-PREFERRED AGENTS

IMMEDIATE-RELEASE

- amphetamine (generic Evekeo)
- dextroamphetamine IR solution (generic Procentra)
- dextroamphetamine IR tablets (generic Zenzedi)
- Evekeo
- Procentra (dextroamphetamine IR solution)
- Zenzedi (dextroamphetamine IR)

EXTENDED-RELEASE

- Adderall XR (amphetamine salts XR) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Adzenys XR ODT (amphetamine ER)
- amphetamine salts ER (generic for Mydayis ER)
- amphetamine ER ODT (generic for Adzenys XR ODT)
- Arynta (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Dexedrine capsules (dextroamphetamine ER)
- Dyanavel tablets, suspension (amphetamine ER)
- Mydayis ER (amphetamine salts ER)
- Vyvanse capsules (lisdexamfetamine) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Vyvanse **chewable tablets** (lisdexamfetamine) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xelstrym (dextroamphetamine transdermal)

DRUG CLASS: DRUGS FOR ADHD – PSEUDOAMPHETAMINES

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

IMMEDIATE-RELEASE

- dexmethylphenidate IR (generic Focalin)
- methylphenidate IR (generic Ritalin)

EXTENDED-RELEASE

- dexmethylphenidate XR (generic Focalin XR)
- methylphenidate ER – OROS (generic Concerta)
- methylphenidate SR 20 mg (generic Ritalin SR)

NON-PREFERRED AGENTS

IMMEDIATE-RELEASE

- Methylin solution (methylphenidate IR)
- methylphenidate chewable (generic Methylin)
- methylphenidate IR solution (generic Methylin)
- Focalin (dexmethylphenidate IR)
- Ritalin (methylphenidate IR)

EXTENDED-RELEASE

- Aptensio XR (methylphenidate ER)
- Azstarys (serdexmethylphenidate/dexmethylphenidate)
- Concerta (methylphenidate ER – OROS)
- Cotempla XR-ODT (methylphenidate ER)
- Focalin XR (dexmethylphenidate XR)
- Jornay PM (methylphenidate ER)
- methylphenidate CD (generic Metadate CD)
- methylphenidate ER capsules (generic for Aptensio XR)
- methylphenidate ER-ODT (generic for Cotempla XR-ODT)
- methylphenidate ER (generic Metadate ER)
- methylphenidate ER -OSM (generic Relexxi)
- methylphenidate ER transdermal (generic Daytrana)
- methylphenidate LA (generic Ritalin LA) – all strengths
- Quillichew ER (methylphenidate ER)
- Quillivant XR (methylphenidate XR)
- Relexxii (methylphenidate ER – OSM)

DRUG CLASS: DRUGS FOR ADHD – NON-STIMULANTS

PREFERRED AGENTS

- atomoxetine
- clonidine ER (generic Kapvay)
- guanfacine ER
- Intuniv
- Onyda XR
- Qelbree

NON-PREFERRED AGENTS

- None

DRUG CLASS: NEUROPATHIC PAIN

PREFERRED AGENTS

- Drizalma Sprinkles
- duloxetine (generic for Cymbalta)
- duloxetine (generic for Irenka)
- gabapentin
- Gabarone
- Gralise

- Horizant
- Lyrica, Lyrica CR (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- milnacipran
- Neurontin
- pregabalin, pregabalin ER (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- Relgaabi
- Savella

NON-PREFERRED AGENTS

- None

DRUG CLASS: MULTIPLE SCLEROSIS AGENTS

PREFERRED AGENTS

- Avonex (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Betaseron/Betaseron Kit
- Copaxone 20 mg
- dimethyl fumarate (generic for Tecfidera)
- fingolimod
- Kesimpta
- teriflunomide

NON-PREFERRED AGENTS

- Aubagio
- Bafiertam (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- cladribine (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Copaxone 40 mg syringe
- Gilenya
- glatiramer 20 mg/mL and 40 mg/mL
- Glatopa
- Mavenclad (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

- Mayzent (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Plegridy subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Ponvory (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Rebif (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) /Rebif Rebidose
- Tascenso (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Tecfidera
- Vumerity (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Zeposia (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: ANTIPARKINSON'S AGENTS – DOPAMINE AGONISTS

PREFERRED AGENTS

- pramipexole
- ropinirole

NON-PREFERRED AGENTS

- bromocriptine (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Neupro (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Onapgo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- pramiprexole ER
- ropinirole ER

DRUG CLASS: ANTIPARKINSON'S AGENTS – OTHER

PREFERRED AGENTS

- amantadine capsule, syrup
- benztropine
- carbidopa/levodopa IR tablets
- carbidopa/levodopa ER
- entacapone
- rasagiline (Prior authorization required for beneficiaries under 18 years of age)

- trihexyphenidyl tablet

NON-PREFERRED AGENTS

- amantadine tablet
- Azilect (Prior authorization required for beneficiaries under 18 years of age)
- carbidopa
- carbidopa/levodopa ER (generic for Rytary – all strengths) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- carbidopa/levodopa ODT
- carbidopa/levodopa/entacapone
- Crexont (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Dhivy
- Duopa
- Gocovri (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Inbrija (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Nourianz
- Ongentys (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Rytary (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- selegiline capsule, tablet
- Sinemet
- tolcapone
- trihexyphenidyl solution
- Vyalev (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Xadago (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: SEDATIVE HYPNOTIC NON-BARBITURATES

PREFERRED AGENTS

- doxepin (generic for Silenor)
- eszopiclone (Prior authorization required for beneficiaries under 18 years of age)
- Hetlioz/Hetlioz LQ
- ramelteon
- Rozerem

- tasimelteon
- temazepam (excluding 7.5 mg and 22.5 mg) (Prior authorization required for beneficiaries over 65 years of age)
- triazolam (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries over 65 years of age)
- zaleplon (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- zolpidem tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)

NON-PREFERRED AGENTS

- Ambien/Ambien CR (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- Belsomra
- Dayvigo
- Doral
- Edluar (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- estazolam
- flurazepam (Prior authorization required for beneficiaries over 65 years of age)
- Halcion (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries over 65 years of age)
- Lunesta (Prior authorization required for beneficiaries under 18 years of age)
- quazepam
- Quviviq
- Restoril (Prior authorization required for beneficiaries over 65 years of age)
- temazepam 7.5 mg and 22.5 mg (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries over 65 years of age)
- zolpidem capsules (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)

- zolpidem ER, sublingual (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)

DRUG CLASS: ANTIMIGRAINE AGENTS, ACUTE TREATMENT – TRIPTANS

PREFERRED AGENTS

- rizatriptan tab and ODT (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- sumatriptan tablets, injection, nasal spray (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- almotriptan (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- eletriptan (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Frova (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- frovatriptan (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Imitrex (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Maxalt/ Maxalt MLT (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- naratriptan (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Relpax (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- sumatriptan/naproxen
- Symbravo (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tosymra (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zembrace Symtouch
- zolmitriptan/zolmitriptan ODT (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) /zolmitriptan nasal
- Zomig nasal spray/Zomig tablet

DRUG CLASS: ANTIMIGRAINE AGENTS, ACUTE TREATMENT – OTHER

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Nurtec ODT (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Ubrelvy (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Brekiya (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Elyxyb (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Reyvow (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zavzpret (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: ANTIMIGRAINE AGENTS, PREVENTIVE TREATMENT

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Aimovig (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Ajovy (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Emgality (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Nurtec ODT (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Qulipta (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- None

DRUG CLASS: SKELETAL MUSCLE RELAXANTS

PREFERRED AGENTS

- baclofen tablets
- baclofen oral solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- cyclobenzaprine
- methocarbamol 500 mg, 750 mg
- orphenadrine citrate
- tizanidine tablets

NON-PREFERRED AGENTS

- Amrix
- Atmeksi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- baclofen oral suspension (generic for Fleqsuvy) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- chlorzoxazone
- cyclobenzaprine ER
- Dantrium
- dantrolene sodium
- Fexmid
- Fleqsuvy (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Lorzone
- metaxalone
- methocarbamol 1000 mg (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Norgesic/Norgesic Forte
- Ontralfy (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- orphenadrine/aspirin/caffeine
- Tanlor
- tizanidine capsules
- Tonmya (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

(Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

- Zanaflex capsules and tablets

DERMATOLOGICAL AGENTS

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ACNE AGENTS – COMBINATION BENZOYL PEROXIDE AND CLINDAMYCIN

PREFERRED AGENTS

- clindamycin/benzoyl peroxide

NON-PREFERRED AGENTS

- clindamycin/benzoyl peroxide (generic for Onexton)
- Neuac

DRUG CLASS: TOPICAL STEROIDS – LOW POTENCY

PREFERRED AGENTS

- hydrocortisone acetate cream
- hydrocortisone acetate ointment
- hydrocortisone cream
- hydrocortisone lotion
- hydrocortisone ointment
- hydrocortisone/aloe

NON-PREFERRED AGENTS

- aclometasone dipropionate ointment and cream
- Capex shampoo
- Derma-smooth – FS
- desonide ointment, cream, lotion
- fluocinolone 0.01% oil
- **Micort-HC**
- Texacort

DRUG CLASS: TOPICAL STEROIDS – MEDIUM POTENCY

PREFERRED AGENTS

- fluticasone propionate cream
- fluticasone propionate ointment
- fluocinolone acetonide solution
- mometasone furoate ointment
- mometasone furoate cream
- mometasone furoate solution

NON-PREFERRED AGENTS

- Beser Kit
- Beser Lotion
- betamethasone valerate foam
- clocortolone cream
- fluocinolone acetonide cream
- flurandrenolide lotion, ointment
- fluticasone propionate lotion
- hydrocortisone butyrate cream, lotion, ointment, solution
- hydrocortisone valerate cream and ointment
- Locoid Lipocream
- Pandel
- Synalar solution, cream and ointment
- Synalar TS kit

DRUG CLASS: TOPICAL STEROIDS – HIGH POTENCY

PREFERRED AGENTS

- betamethasone dipropionate cream, lotion, ointment
- betamethasone valerate cream, lotion, ointment
- fluocinonide cream, ointment, gel and solution
- triamcinolone acetonide cream, lotion, ointment

NON-PREFERRED AGENTS

- amcinonide cream and ointment
- betamethasone diproprionate augmented cream, gel betamethasone diproprionate augmented lotion, ointment
- clobetasol propionate 0.025% cream
- desoximetasone cream, ointment, gel and spray
- diflorasone diacetate cream and ointment
- Diprolene ointment
- fluocinonide emollient
- halcinonide
- Halog cream, ointment and solution
- Kenalog aerosol
- Topicort cream, gel, ointment and spray
- triamcinolone spray

DRUG CLASS: TOPICAL STEROIDS – VERY HIGH POTENCY

PREFERRED AGENTS

- clobetasol propionate solution
- clobetasol propionate 0.05% cream
- clobetasol propionate ointment
- halobetasol propionate cream
- halobetasol propionate ointment

NON-PREFERRED AGENTS

- Apexicon-E
- clobetasol emollient and lotion
- clobetasol propionate foam, gel, spray and shampoo
- Clobex spray and shampoo
- Clodan shampoo and kit
- halobetasol propionate (generic for Lexette)
- halobetasol propionate lotion (generic for Ultravate lotion)
- Olux
- Tovet foam kit
- Tovet emollient foam
- Ultravate lotion

DIABETES

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: INCRETIN MIMETICS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Mounjaro
- Ozempic injectable
- Trulicity
- Victoza

NON-PREFERRED AGENTS

- Bydureon Bcise
- exenatide
- liraglutide
- Ozempic tablets
- Rybelsus

DRUG CLASS: INCRETIN MIMETICS – COMBINATIONS

PREFERRED AGENTS

- None

NON-PREFERRED AGENTS

- Soliqua (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Xultophy (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: INSULINS, BASAL

Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf

PREFERRED AGENTS

- Lantus pens, vials

NON-PREFERRED AGENTS

- Basaglar pens
- insulin degludec

- insulin glargine, human recombinant analog (biosim for Toujeo)
- insulin glargine-yfgn
- Rezvoglar
- Semglee pens, vials
- Toujeo Solostar/Toujeo Max Solostar pens)
- Tresiba Flextouch pens and vials

DRUG CLASS: INSULINS, RAPID ACTING

Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf

PREFERRED AGENTS

- Humalog U-100 cartridges, Kwikpens, Tempo Pens, vials
- Humalog U-200 Kwikpens
- insulin aspart pens, vials, cartridges
- insulin lispro U-100 Kwikpens, vials (gen for Humalog)

NON-PREFERRED AGENTS

- Admelog vials; Admelog Solostar pens
- Afrezza inhalation cartridges
- Apidra pens, vials
- Fiasp pens, vials
- Kirsty pens, vials
- Lyumjev
- Merilog
- Novolog pens, vials, cartridges

DRUG CLASS: INSULIN, MIXES

Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf

PREFERRED AGENTS

- Humulin 70/30 Kwikpens
- Humulin 70/30 vials
- insulin aspart 70/30 pens, vials
- insulin lispro mix 75-25 Kwikpen
- Humalog 75/25 Kwikpen, vials
- Humalog 50/50 pens

NON-PREFERRED AGENTS

- Novolin 70/30 pens and vials

- Novolog 70/30 pens and vials

DRUG CLASS: INSULINS, TRADITIONAL

Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf

PREFERRED AGENTS

- Humulin R U-500 pens, vials
- Humulin N Kwikpens
- Humulin N vials
- Humulin R vials
- Novolin R flexpens, vials

NON-PREFERRED AGENTS

- Novolin N flexpens, vials

DRUG CLASS: ORAL HYPOGLYCEMICS – ALPHA-GLUCOSIDASE INHIBITORS

PREFERRED AGENTS

- acarbose
- miglitol

NON-PREFERRED AGENTS

- Precose

DRUG CLASS: ORAL HYPOGLYCEMICS – BIGUANIDES

PREFERRED AGENTS

- metformin 500 mg, 850 mg, 1000 mg
- metformin XR

NON-PREFERRED AGENTS

- Metformin ER osmotic (generic for Fortamet)
- metformin (generic for Glumetza)
- metformin solution (generic for Riomet)
- metformin 625 mg tablets
- metformin 750 mg tablets
- Riomet/Riomet ER

DRUG CLASS: ORAL HYPOGLYCEMICS – COMBINATIONS

PREFERRED AGENTS

- glyburide/metformin

- Janumet (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Jentadueto (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Jentadueto XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Synjardy
- Synjardy XR
- Xigduo XR

NON-PREFERRED AGENTS

- Actoplus Met
- alogliptin/metformin (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- alogliptin/pioglitazone (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- dapagliflozin/metformin
- dapagliflozin/saxagliptin (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Duetact
- glipizide/metformin
- Glyxambi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Invokamet
- Invokamet XR
- Janumet XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Kazano (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- linagliptin/metformin (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Oseni (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- pioglitazone/glimepride
- pioglitazone/metformin
- Qtern (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- saxagliptin/metformin (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

- sitagliptin/metformin (generic for Zituvimet) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- sitagliptin/metformin XR (generic for Zituvimet XR) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- **sitagliptin phosphate/metformin (generic for Janumet)** (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Segluromet
- Steglujan (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Trijardy XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Zituvimet/Zituvimet XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: ORAL HYPOGLYCEMICS – DPP-4 INHIBITORS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Januvia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tradjenta

NON-PREFERRED AGENTS

- alogliptin
- Nesina
- saxagliptin
- sitagliptin (generic for Zituvio)
- **sitagliptin phosphate (generic for Januvia)** (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zituvio
- Brynovin (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: ORAL HYPOGLYCEMICS – MEGLITINIDES

PREFERRED AGENTS

- nateglinide
- repaglinide

NON-PREFERRED AGENTS

- None

DRUG CLASS: ORAL HYPOGLYCEMICS – 2ND GENERATION SULFONYLUREAS

PREFERRED AGENTS

- glimepiride
- glipizide/glipizide ER
- glyburide
- glyburide micronized

NON-PREFERRED AGENTS

- Glucotrol XL

DRUG CLASS: ORAL HYPOGLYCEMICS – SGLT2 INHIBITORS

PREFERRED AGENTS

- dapaglifozin
- Jardiance

NON-PREFERRED AGENTS

- Farxiga
- Inpefa
- Invokana
- Steglatro

DRUG CLASS: ORAL HYPOGLYCEMICS – THIAZOLIDINEDIONES

PREFERRED AGENTS

- pioglitazone

NON-PREFERRED AGENTS

- Actos

DRUG CLASS: GLUCAGON AGENTS

PREFERRED AGENTS

- Baqsimi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Gvoke (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) syringes, vials

- Gvoke Hypopen (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zegalogue

NON-PREFERRED AGENTS

- Glucagon Emergency Kit (Fresenius)
- Glucagon Emergency Kit (Amphastar)
- Glucagon Emergency Kit (Lupin)

DRUG CLASS: INSULIN SUPPRESSANTS

PREFERRED AGENTS

- Proglycem

NON-PREFERRED AGENTS

- diazoxide (generic for Proglycem)

GASTROINTESTINAL

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ANTIEMETICS

PREFERRED AGENTS

- aprepitant capsules (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- granisetron tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ondansetron 4 mg, 8 mg tablets, solution (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ondansetron ODT 4 mg, 8 mg (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Akynzeo (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- aprepitant 125-80-80 mg pack (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- Emend 80 mg capsules (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- Emend pack (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- Granisol (granisetron) solution (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf
- Nereus (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- ondansetron ODT 16 mg (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Sancuso (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BILE SALTS

PREFERRED AGENTS

- ursodiol capsules and tablets

NON-PREFERRED AGENTS

- Reltone
- Urso Forte

DRUG CLASS: GI MOTILITY, CHRONIC IRRITABLE BOWEL SYNDROME WITH CONSTIPATION (IBS-C)

PREFERRED AGENTS

- Linzess (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 2 years of age)
- lubiprostone (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)

NON-PREFERRED AGENTS

- Ibsrela (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: GI MOTILITY, CHRONIC IDIOPATHIC CONSTIPATION (CIC)

PREFERRED AGENTS

- Linzess (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 6 years of age)
- lubiprostone (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- prucalopride

NON-PREFERRED AGENTS

- Amitiza (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- Motegrity (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: GI MOTILITY, CHRONIC OPIOID-INDUCED CONSTIPATION (OIC)

PREFERRED AGENTS

- lubiprostone (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)

NON-PREFERRED AGENTS

- Amitiza (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- Movantik
- Symproic (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: GI MOTILITY, CHRONIC IRRITABLE BOWEL SYNDROME WITH DIARRHEA (IBS-D)

PREFERRED AGENTS

- diphenoxylate/atropine (generic Lomotil)
- loperamide (generic Imodium)

NON-PREFERRED AGENTS

- alosetron (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Lotronex (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Viberzi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: H. PYLORI TREATMENT

PREFERRED AGENTS

- Pylera

NON-PREFERRED AGENTS

- bismuth/metronidazole/tetracycline
- lansoprazole/amoxicillin/clarithromycin
- Omeclamox-PAK
- Talicia
- Voquezna Dual Pak

- Voquezna Triple Pak

DRUG CLASS: PANCREATIC ENZYMES

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Creon
- Zenpep

NON-PREFERRED AGENTS

- Pertzye
- Viokace

DRUG CLASS: PROGESTINS FOR CACHEXIA

PREFERRED AGENTS

- megestrol oral suspension (generic for Megace)

NON-PREFERRED AGENTS

- megestrol oral suspension (generic Megace ES)

DRUG CLASS: PROTON PUMP INHIBITORS

PREFERRED AGENTS

- Nexium suspension packets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- omeprazole (Rx) capsules (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- pantoprazole tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Protonix suspension (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Dexilant capsules
- dexlansoprazole
- esomeprazole magnesium capsules, suspension packets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- esomeprazole magnesium OTC capsules and tablets
- Konvomep
- lansoprazole capsules, ODT
- lansoprazole OTC capsules

- Nexium capsules
- omeprazole OTC capsules, tablets, ODT
- omeprazole/sodium bicarbonate capsules, suspension packet
- pantoprazole suspension (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Prevacid capsules, solutabs
- Prilosec suspension
- Protonix tablets (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- rabeprazole tablets

DRUG CLASS: ULCERATIVE COLITIS – ORAL

PREFERRED AGENTS

- mesalamine (generic for Apriso)
- mesalamine (generic for Lialda)
- Pentasa
- sulfasalazine/sulfasalazine DR

NON-PREFERRED AGENTS

- Azulfidine DR
- balsalazide
- budesonide ER
- Delzicol
- Dipentum
- Lialda
- mesalamine (generic for Asacol HD)
- mesalamine (generic for Delzicol)
- mesalamine ER (generic for Pentasa)

OPHTHALMICS

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: GLAUCOMA – ALPHA-2 ADRENERGICS

PREFERRED AGENTS

- apraclonidine
- brimonidine tartrate 0.2%

NON-PREFERRED AGENTS

- Alphagan P
- brimonidine tartrate 0.1%
- brimonidine tartrate 0.15%
- Iopidine

DRUG CLASS: GLAUCOMA – BETA BLOCKERS

PREFERRED AGENTS

- Betoptic S
- carteolol
- timolol maleate (generic for Timoptic, Timoptic-XE)

NON-PREFERRED AGENTS

- betaxolol
- Betimol
- Istalol
- Levobunolol
- timolol (generic for Betimol)
- timolol maleate (generic for Istalol)
- timolol maleate (generic for Timoptic Occudose)
- Timoptic Occudose

DRUG CLASS: GLAUCOMA – PROSTAGLANDIN ANALOGUES

PREFERRED AGENTS

- latanoprost

NON-PREFERRED AGENTS

- bimatoprost 0.01% (generic for Lumigan 0.01%)
- bimatoprost 0.03% (generic for Lumigan 0.03%)
- Iyuzeh
- Lumigan

- tafluprost (generic for Zioptan)
- Travatan Z
- travoprost (generic for Travatan Z)
- Vyzulta
- Xalatan
- Xelpros
- Zioptan

DRUG CLASS: GLAUCOMA – CARBONIC ANHYDRASE INHIBITORS

PREFERRED AGENTS

- brinzolamide
- dorzolamide
- dorzolamide/timolol
- Simbrinza

NON-PREFERRED AGENTS

- Azopt
- dorzolamide/timolol PF (generic for Cosopt PF)
- Cosopt/Cosopt PF

DRUG CLASS: GLAUCOMA – COMBINATION ALPHA-2 ADRENERGIC-BETA BLOCKER

PREFERRED AGENTS

- Combigan

NON-PREFERRED AGENTS

- brimonidine/timolol (generic for Combigan)

DRUG CLASS: GLAUCOMA – RHO KINASE INHIBITORS

PREFERRED AGENTS

- Rhopressa
- Rocklatan

NON-PREFERRED AGENTS

- None

DRUG CLASS: OPHTHALMIC ANTIBIOTICS – FLUOROQUINOLONES

PREFERRED AGENTS

- ciprofloxacin
- moxifloxacin (generic for Vigamox)

- ofloxacin

NON-PREFERRED AGENTS

- besifloxacin
- Besivance
- Ciloxan ointment
- gatifloxacin
- moxifloxacin (generic for Moxeza)
- Ocuflox
- Vigamox

DRUG CLASS: OPHTHALMIC ANTIBIOTICS – MACROLIDES

PREFERRED AGENTS

- erythromycin ointment

NON-PREFERRED AGENTS

- Azasite

DRUG CLASS: OPHTHALMIC ANTIHISTAMINES

PREFERRED AGENTS

- azelastine
- ketotifen fumarate (OTC Only)
- olopatadine (OTC)

NON-PREFERRED AGENTS

- Alrex
- bepotastine
- Bepreve
- epinastine
- Lastacaft
- loteprednol (generic for Alrex)
- olopatadine (Rx)
- Pataday
- Zaditor
- Zerviate

DRUG CLASS: OPHTHALMIC ANTI-INFLAMMATORY/IMMUNOMODULATORS/DRY EYE

PREFERRED AGENTS

- Restasis (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) emulsion single-use
- Xiidra (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Cequa (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- cyclosporine 0.05% emulsion (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (generic for Restasis)
- Eysuvis (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Miebo (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)
- Restasis (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) emulsion multidose vials
- Tyrvaya (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tryptyr (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Verkazia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Vevye (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 18 years of age)

DRUG CLASS: OPHTHALMIC MAST CELL STABILIZERS

PREFERRED AGENTS

- cromolyn sodium

NON-PREFERRED AGENTS

- Alomide

DRUG CLASS: OPHTHALMIC NSAIDS

PREFERRED AGENTS

- diclofenac
- flurbiprofen
- ketorolac

NON-PREFERRED AGENTS

- Acular / Acular LS
- Acuvail
- bromfenac 0.07% (generic for Prolensa)
- bromfenac 0.075% (generic for Bromsite)
- bromfenac 0.09%
- Bromsite
- Ilevro
- ketorolac LS (generic for Acular LS)
- Nevanac
- Prolensa

MISCELLANEOUS

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: IMMUNOMODULATORS – ASTHMA

Only products that can be self-administered will be included in the PDL class as other products are typically billed as a medical benefit.

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Dupixent
- Fasenra pen
- Tezspire pen
- Xolair autoinjectors, syringes

NON-PREFERRED AGENTS

- Nucala syringe, auto-injector

DRUG CLASS: IMMUNOMODULATORS – ATOPIC DERMATITIS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Adbry autoinjectors, syringes (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- Dupixent
- Ebglyss (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- Eucrisa (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- pimecrolimus (generic for Elidel) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 2 years of age)
- tacrolimus 0.03% (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 2 years of age)
- tacrolimus 0.1% (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 16 years of age)

- Vtama (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Cibinqo (Prior authorization required for beneficiaries under 12 years of age)
- Nemluvio (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- Opzelura (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)
- Rinvoq ER (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), (Prior authorization required for beneficiaries under 12 years of age)

DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT CHRONIC IDIOPATHIC URTICARIA/CHRONIC SPONTANEOUS URTICARIA

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Dupixent
- Xolair autoinjectors, syringes

NON-PREFERRED AGENTS

- Rhapsido

DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP)

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Dupixent
- Tezspire pen
- Xolair autoinjectors, syringes

NON-PREFERRED AGENTS

- Nucala syringe, auto-injector

DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Dupixent

NON-PREFERRED AGENTS

- Nucala syringe, auto-injector

DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT EOSINOPHILIC GRANULOMATOSIS WITH POLYANGIITIS (EGPA)

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Fasenra pen

NON-PREFERRED AGENTS

- Nucala syringe, auto-injector

DRUG CLASS: IMMUNOMODULATORS – AGENTS TO TREAT PRURIGO NODULARIS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Dupixent

NON-PREFERRED AGENTS

- Nemluvio

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT ANKYLOSING SPONDYLITIS

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Enbrel (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Taltz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adbm (unbranded Cyltezo by Quallent) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Bimzelx (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cimzia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Cimzia Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Cosentyx (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simponi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Simponi ARIA (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- tofacitinib (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), tofacitinib XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xeljanz (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Xeljanz XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at

https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT GIANT CELL ARTERITIS

PREFERRED AGENTS

- Tyenne subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Actemra subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Avtozma subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT HIDRADENITIS SUPPURATIVA

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adbm (unbranded Cyltezo by Quallent) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Bimzelz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cosentyx (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Hadlima (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT JUVENILE IDIOPATHIC ARTHRITIS

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Enbrel (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tyenne subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Actemra subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adbm (unbranded Cyltezo by Quallent) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Avtozma subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cimzia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Cimzia Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Orencia subcutaneous (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) /Rinvoq LQ (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simponi ARIA (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- tofacitinib tablets, solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xeljanz tablets, solution (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS

PREFERRED AGENTS

- Taltz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Bimzelx (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cimzia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Cimzia Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cosentyx (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT PLAQUE PSORIASIS

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezoby Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Enbrel (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Pyzchiva (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Starjemza (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)Taltz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Vtama (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- adalimumab-adbm (unbranded Cyltezoby Quallent) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Bimzelx (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cimzia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Cimzia Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cosentyx (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Icotyde (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Ilumya (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Imuldosa (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Otezla (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Otulfi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Selarsdi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Skyrizi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Sotyktu (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Stelara (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Steqeyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tremfya (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aauz (unbranded Otulfi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-ttwe (unbranded Pyzchiva) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aekn (unbranded Selarsdi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yesintek (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT PSORIATIC ARTHRITIS

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Enbrel (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Pyzchiva (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Steqeyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Taltz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adbm (unbranded Cyltezo by Quallent) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Bimzelx (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cimzia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Cimzia Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cosentyx (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Imuldosa (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Orencia subcutaneous (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Otezla (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Otulfi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf) / Rinvoq LQ (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Selarsdi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simponi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Simponi ARIA (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Skyrizi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Starjemza (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Stelara (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Steqeyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- tofacitinib (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), tofacitinib XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Tremfya (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aauz (unbranded Otulfi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-ttwe (unbranded Pyzchiva) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aekn (unbranded Selarsdi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xeljanz (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Xeljanz XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yesintek (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT RHEUMATOID ARTHRITIS

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Enbrel (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tyenne subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Actemra subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adbm (unbranded Cyltezo by Quallent) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Avtozma subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cimzia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Cimzia Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Kevzara (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Kineret
- Olumiant (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Orencia subcutaneous (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simponi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Simponi ARIA (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- tofacitinib (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), tofacitinib XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tyenne subcutaneous (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xeljanz (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Xeljanz XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT UVEITIS

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT CROHN'S DISEASE

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Pyzchiva (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Starjemza (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Cimzia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Cimzia Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Entyvio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Otulfi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Selarsdi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Skyrizi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Starjemza (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Stelara (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Steqeyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Tremfya (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aauz (unbranded Otulfi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-ttwe (unbranded Pyzchiva) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aekn (unbranded Selarsdi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yesintek (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zymfentra (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BIOLOGICS – AGENTS TO TREAT ULCERATIVE COLITIS

PREFERRED AGENTS

- adalimumab-adbm (unbranded Cyltezo by Boehringer Ingelheim) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Pyzchiva (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Starjemza (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Abrilada (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aacf (unbranded Idacio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-aaty (unbranded Yuflyma) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-adaz (unbranded Hyrimoz) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- adalimumab-adbm (unbranded Cyltezo by Quallent) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-fkjp (unbranded Hulio) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- adalimumab-ryvk (unbranded Simlandi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Amjevita (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Cyltezo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Entyvio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hadlima (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hulio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Humira (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Hyrimoz (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Idacio (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Imuldosa (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Omvoh (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Otulfi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Rinvoq (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Selarsdi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simlandi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Simponi (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Skyrizi (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Stelara (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Steqeyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- tofacitinib (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), tofacitinib XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Tremfya (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Velsipity (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Xeljanz (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf), Xeljanz XR (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aauz (unbranded Otulfi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-ttwe (unbranded Pyzchiva) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- ustekinumab-aekn (unbranded Selarsdi) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yesintek (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yuflyma (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Yusimry (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zeposia (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

- Zymfentra (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: ANDROGENIC AGENTS (TOPICAL)

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Testosterone gel packet (generic for Vogelxo)
- testosterone pump (generic for Androgel)

NON-PREFERRED AGENTS

- Androgel packet and gel pump
- Fortesta
- Natesto
- Testim
- testosterone
- Vogelxo

DRUG CLASS: ANTIHYPERURICEMIC AGENTS

PREFERRED AGENTS

- Allopurinol 100 and 300 mg tablets
- colchicine tablets (generic for Colcrys)
- febuxostat
- probenecid/colchicine
- probenecid

NON-PREFERRED AGENTS

- allopurinol 200 mg tablets
- colchicine capsules (generic for Mitigare)
- Colcrys (colchicine)
- Gloperba (colchicine)
- Mitigare (colchicine capsules)
- Uloric (febuxostat)
- Zyloprim (allopurinol)

DRUG CLASS: ANTI-OBESITY/WEIGHT LOSS AGENTS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- benzphetamine
- diethylpropion
- orlistat products:
  - orlistat (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
  - Xenical (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- phendimetrazine
- phentermine products:
  - Adipex-P
  - Lomaira
  - Phentermine
  - phentermine/topiramate

NON-PREFERRED AGENTS

- Foundayo (orforglipron calcium) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- liraglutide (generic for Saxenda) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Saxenda (liraglutide) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Wegovy HD (semaglutide) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Wegovy injectable (semaglutide) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Wegovy tablet (semaglutide) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zepbound (tirzepatide) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: GLP1S FOR CARDIOVASCULAR RISK REDUCTION

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Wegovy injectable (semaglutide) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

(Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- Wegovy tablet (semaglutide) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- None

DRUG CLASS: GLP1S FOR MASH (METABOLIC DYSFUNCTION-ASSOCIATED STEATOHEPATITIS)

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Wegovy (semaglutide) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- None

DRUG CLASS: GLP1S FOR OBSTRUCTIVE SLEEP APNEA

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- None

NON-PREFERRED AGENTS

- Zepbound (tirzepatide) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BPH AGENTS – ALPHA BLOCKERS

PREFERRED AGENTS

- alfuzosin
- doxazosin
- prazosin

- tamsulosin (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- terazosin

NON-PREFERRED AGENTS

- Cardura
- Cardura XR
- Flomax (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Minipress
- Rapaflo
- silodosin (generic for Rapaflo)
- Tezruly (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: BPH AGENTS – 5-ALPHA REDUCTASE (5AR) INHIBITORS

PREFERRED AGENTS

- dutasteride
- finasteride 5 mg (generic for Proscar)

NON-PREFERRED AGENTS

- Avodart
- dutasteride/tamsulosin
- Proscar

DRUG CLASS: COLONY STIMULATING FACTORS

PREFERRED AGENTS

- Fulphila (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Neupogen
- Nyvepria (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Fylnetra (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Granix
- Leukine

- Neulasta syringe (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf); Neulasta Onpro Kit (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Nivestym
- Nypozi
- Releuko
- Stimufend (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Udenyca (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Zarxio (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Ziextenzo (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: EPINEPHRINE SELF-ADMINISTERED

Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf

PREFERRED AGENTS

- epinephrine (generic for Adrenaclick)
- epinephrine (generic for EpiPen/EpiPen Jr)
- EpiPen, EpiPen Jr

NON-PREFERRED AGENTS

- Auvi-Q
- Neffy (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Symjepi

DRUG CLASS: GROWTH HORMONES

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Genotropin
- Norditropin Flexpro

NON-PREFERRED AGENTS

- Humatrope
- Ngenla (Prior authorization required for beneficiaries over 16 years of age)

- Nutropin AQ
- Omnitrope
- Serostim (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Skytrofa
- Sogroya
- Zomacton

DRUG CLASS: HEMATOPOIETIC AGENTS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- Aranesp
- Epogen
- Retacrit

NON-PREFERRED AGENTS

- Jesduvroq
- Procrit
- Vafseo

DRUG CLASS: OSTEOPOROSIS AGENTS – BISPHOSPHONATES

PREFERRED AGENTS

- alendronate sodium (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- Actonel (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- alendronate sodium oral solution
- Atelvia (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Boniva (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Binosto
- Fosamax
- Fosamax Plus D
- Ibandronate
- risedronate (Actonel) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

- risedronate (Atelvia) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

DRUG CLASS: OSTEOPOROSIS AGENTS – OTHER

PREFERRED AGENTS

- calcitonin nasal spray
- Forteo (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

NON-PREFERRED AGENTS

- teriparatide (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Tymlos (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- Bonsity (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: OSTEOPOROSIS AGENTS – SERMS

PREFERRED AGENTS

- raloxifene

NON-PREFERRED AGENTS

- Evista

DRUG CLASS: PHOSPHATE DEPLETERS

Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf.

PREFERRED AGENTS

- calcium acetate capsules and tablets
- sevelamer carbonate tablets

NON-PREFERRED AGENTS

- Auryxia
- ferric citrate
- Fosrenol/Fosrenol powder packet
- lanthanum
- Renvela powder packets and tablets
- sevelamer carbonate powder packets
- sevelamer HCL tablets
- Velphoro

- Xphozah (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)

DRUG CLASS: POTASSIUM BINDERS

PREFERRED AGENTS

- Lokelma
- sodium polystyrene sulfonate oral powder/suspension
- SPS suspension

NON-PREFERRED AGENTS

- Veltassa

DRUG CLASS: PROGESTATIONAL AGENTS

PREFERRED AGENTS

- medroxyprogesterone (oral)
- progesterone (oral)
- norethindrone (oral)

NON-PREFERRED AGENTS

- Crinone (vaginal) (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf)
- progesterone (intramuscular)
- Prometrium (oral)
- Provera (oral)

DRUG CLASS: UREA CYCLE DISORDER AGENTS

PREFERRED AGENTS

- Buphenyl tablets and powder
- Carbaglu tablets

NON-PREFERRED AGENTS

- carglumic acid tablets
- glycerol phenylbutyrate liquid
- Olpruva pellets
- Pheburane pellets
- Ravicti liquid
- sodium phenylbutyrate tablets and powder

DRUG CLASS: URINARY TRACT ANTISPASMODICS

PREFERRED AGENTS

- darifenacin ER
- fesoterodine
- Myrbetriq tablets
- oxybutynin/oxybutynin ER
- solifenacin
- tolterodine/tolterodine ER
- trospium

NON-PREFERRED AGENTS

- Detrol/Detrol LA
- flavoxate HCl
- Gemtesa
- mirabegron ER tablets
- Myrbetriq granules
- oxybutynin 2.5 mg tablets
- Oxytrol
- Toviaz
- trospium ER

DRUG CLASS: UTERINE DISORDER TREATMENTS

PREFERRED AGENTS

- Myfembree (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Orilissa (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)
- Oriahnn (Clinical PA required; refer to MI Clinical and PDL PA Criteria at https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_clinical_criteria.pdf) (Quantity limits apply; refer to https://mi.primetherapeutics.com/provider/external/medicaid/mi/doc/en-us/MIRx_quantity_limits.pdf)

NON-PREFERRED AGENTS

- None

LEGISLATIVELY PROTECTED CLASSES

Preferred agents do not require prior authorization, except as noted in the Notes and Glossary section.

DRUG CLASS: ANTICONVULSANTS

PREFERRED AGENTS

- Aptiom
- Banzel
- Briviact
- brivaracetam
- carbamazepine, carbamazepine ER
- Carbatrol
- Celontin
- clobazam
- clonazepam
- Depakote, Depakote ER
- Depakote Sprinkle
- Diacomit
- diazepam
- Dilantin
- divalproex sodium, divalproex sodium ER
- Epidiolex
- Eprontia
- Equetro
- eslicarbazepine
- ethosuximide
- Felbamate
- felbatol
- Fintepla
- Fycompa
- gabapentin
- Gabarone
- Keppra, Keppra XR
- Klonopin
- lacosamide
- Lamictal, Lamictal ODT, Lamictal XR
- lamotrigine, lamotrigine ER, lamotrigine ODT
- levetiracetam, levetiracetam ER
- Libervant

- Lyrica, Lyrica CR
- methsuximide
- Motpoly XR
- Mysoline
- Nayzilam
- Neurontin
- Onfi
- oxcarbazepine
- Oxtellar XR
- Peganone
- perampanel
- Phenytek
- phenytoin, phenytoin sodium extended
- pregabalin
- primidone
- Relgaabi
- Roweepra, Roweepra XR
- rufinamide
- Sabril
- Spritam
- Subvenite
- Sympazan
- Tegretol, Tegretol XR
- tiagabine
- Topamax
- topiramate, topiramate ER
- Trileptal
- Trokendi XR
- valproic acid
- Valtoco
- vigabatrin
- Vigadrone
- Vimpat
- Xcopri
- Zarontin
- Zonisade
- zonisamide
- Ztalmy

NON-PREFERRED AGENTS

- None

DRUG CLASS: ATYPICAL ANTIPSYCHOTICS

PREFERRED AGENTS

- Abilify, Abilify MyCite
- Abilify Asimtufii, Abilify Maintena
- aripiprazole, aripiprazole ODT
- Aristada, Aristada Initio
- Caplyta
- clozapine, clozapine ODT
- Clozaril
- Cobenfy
- Erzofri
- Fanapt
- Geodon
- Invega, Invega Sustenna, Invega Trinza
- Invega Hafyera
- Latuda
- lurasidone
- Lybalvi
- molindone
- Nuplazid
- olanzapine, olanzapine ODT
- Opipza
- paliperidone
- Perseris
- quetiapine, quetiapine ER
- Rexulti
- Risperdal, Risperdal Consta -
- risperidone, risperidone ER, risperidone ODT
- Rykindo
- Saphris
- Secuado
- Seroquel, Seroquel XR
- Uzedy ER
- Versacloz
- Vraylar

- ziprasidone
- Zyprexa, Zyprexa Relprevv, Zyprexa Zydis

NON-PREFERRED AGENTS

- None

DRUG CLASS: ANTIPSYCHOTIC-ANTIDEPRESSANT COMB.

PREFERRED AGENTS

- olanzapine/fluoxetine

NON-PREFERRED AGENTS

- None

NOTES AND GLOSSARY

Not all medications listed are covered by all MDHHS Programs. Check individual program coverage. For program drug coverage information, go to https://mi.primetherapeutics.com/provider/, open "Documents," click on "Fee for Service Drug Coverage," then open "MPPL Including Coverage Information" for all programs.

The Michigan Department of Health and Human Services, in conjunction with Prime Therapeutics State Government Solutions LLC, is pleased to offer an alternative means to submit pharmacy prior authorization (PA) requests for prescription drugs. This electronic PA (ePA) process is designed to save prescribers time by providing a real-time pharmacy prior authorization. This process will supplement the more traditional means of requesting PAs by phone or fax, which will still be available to providers. In order to use ePA, provider designees will need to register to receive a username and password for the CoverMyMeds Electronic Prior Authorization (ePA) system. Detailed information on user registration is available at https://mi.primetherapeutics.com/provider/links/links. For questions or assistance with registration, call the Prime Therapeutics State Government Solutions LLC Web Support Call Center at 800-241-8726.

GLOSSARY

- APAP = acetaminophen
- ASA = aspirin
- CR, ER, SR, XL, XR, SA, LA = extended release
- DPI = dry powder inhaler
- HCT = hydrochlorothiazide
- IR = immediate release
- ISI = inhalation spray inhaler
- MDI = metered dose inhaler
- ODT = orally disintigrating tablets
- OTC = over the counter